Australian Standard™

Cathodic protection of metals

Part 1: Pipes and cables

STANDARDS AUSTRALIA

This Australian Standard was prepared by Committee MT-014, Corrosion of Metals. It was approved on behalf of the Council of Standards Australia on 28 April 2004 and published on 3 June 2004.

The following are represented on Committee MT-014:

Australasian Corrosion Association

Australasian Institute of Metal Finishing

Australian Chamber of Commerce and Industry

Australian Electrolysis Committee

Australian Paint Manufacturers' Federation

Australian Paint Approval Scheme

Austroads

Bureau of Steel Manufacturers of Australia

Department of Defence

Division of Building, Construction and Engineering, CSIRO

Galvanizers Association of Australia

Telstra

United Water International

Water Corporation of Western Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

This Standard was issued in draft form for comment as DR 03485.

Australian Standard™

Cathodic protection of metals

Part 1: Pipes and cables

Originated as AS 2832.1—1985.
Previous edition AS/NZS 2832.1:1998.
Revised and designated as AS 2832.1—2004.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 6043 0

PREFACE

This Standard has been prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee MT-014, Corrosion of Metals, to supersede AS/NZS 2832.1:1998, *Cathodic protection of* metals, Part 1: *Pipes and cables.*

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this Standard is to specify the technical requirements for the cathodic protection of buried pipes and cables.

The objective of this revision is to cater for changes in government legislation, which affect stray current control on cathodic protection systems on structures.

This Standard is Part 1 of the AS 2832 series of Standards. The other parts are as follows:

AS		
2832	Cathodic protection of metals	
2832.2	Part 2:	Compact buried structures
2832.3	Part 3:	Fixed immersed structures
2832.4	Part 4:	Internal surfaces
2832.5	Part 5:	Steel in concrete structures

There are no International Standards (ISO) on the cathodic protection of metals.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is only for information and guidance.

CONTENTS

Page

FOREWORD 5

SECTION 1 SCOPE AND GENERAL
1.1 SCOPE 6
1.2 REFERENCED DOCUMENTS 6
1.3 DEFINITIONS 7
1.4 COMPETENCE OF PERSONNEL 11

SECTION 2 CRITERIA FOR CATHODIC PROTECTION
2.1 SCOPE AND GENERAL 12
2.2 PROTECTION CRITERIA 12
2.3 OVERPROTECTION 15

SECTION 3 MEASURING TECHNIQUES AND EQUIPMENT
3.1 GENERAL 16
3.2 POTENTIAL MEASUREMENT AND EQUIPMENT 16

SECTION 4 DESIGN OF STRUCTURES TO ACCOMMODATE CATHODIC PROTECTION
4.1 SCOPE AND GENERAL 18
4.2 MATERIALS OF CONSTRUCTION 18
4.3 COATED AND UNCOATED STRUCTURES 18
4.4 ELECTRICAL HAZARDS AND DISTURBANCES 19
4.5 TEST POINTS 20
4.6 INSULATING JOINTS (ISOLATING JOINTS) 21
4.7 ROAD AND RAIL CROSSINGS 22
4.8 ELECTRICAL ISOLATION 23
4.9 ELECTRICAL CONTINUITY 23

SECTION 5 DESIGN OF CATHODIC PROTECTION SYSTEMS
5.1 SCOPE AND GENERAL 24
5.2 SAFETY HAZARDS 24
5.3 DESIGN REQUIREMENTS 25
5.4 DESIGN DATA 25
5.5 MATERIALS 26
5.6 TEST POINTS 27
5.7 REFERENCES 27
5.8 ELECTRICAL EARTHING 27
5.9 GRAPHICAL SYMBOLS 27

SECTION 6 CATHODIC PROTECTION OF STRUCTURES SUBJECT TO STRAY DIRECT TRACTION CURRENT
6.1 SCOPE AND GENERAL 28
6.2 MINIMIZATION OF STRAY CURRENT EFFECTS 28

Page

SECTION 7 INSTALLATION OF CATHODIC PROTECTION SYSTEMS
7.1 SCOPE 31
7.2 APPROVAL TO INSTALL 31
7.3 INSTALLATION PRACTICE 31
7.4 INSPECTION REQUIREMENTS FOR MATERIALS AND EQUIPMENT 32
7.5 INSTALLATION OF GALVANIC ANODE SYSTEMS 33
7.6 INSTALLATION OF IMPRESSED CURRENT ANODE SYSTEMS 33
7.7 INSTALLATION OF INSULATED FLANGES, JOINTS AND COUPLINGS 34

SECTION 8 CONTROL OF INTERFERENCE WITH FOREIGN STRUCTURES
8.1 SCOPE AND GENERAL 35
8.2 INTERFERENCE TESTING 35
8.3 MINIMIZATION OF INTERFERENCE CURRENT 35

SECTION 9 COMMISSIONING OF CATHODIC PROTECTION SYSTEMS
9.1 SCOPE AND GENERAL 39
9.2 PRE-ENERGIZATION TESTING 39
9.3 SYSTEM OPERATION AND ADJUSTMENT 39
9.4 POST-ENERGIZATION TESTS 40
9.5 RECORDS 40
9.6 OPERATION MANUALS 40

SECTION 10 OPERATION OF CATHODIC PROTECTION SYSTEMS
10.1 SCOPE AND GENERAL 41
10.2 SYSTEM OPERATION CHECKS 41
10.3 STRUCTURE INSPECTIONS 42
10.4 CATHODIC PROTECTION POTENTIAL SURVEYS 42
10.5 REPEAT INTERFERENCE TESTING 43
10.6 RECORDS 43

SECTION 11 DOCUMENTATION OF CATHODIC PROTECTION SYSTEMS
11.1 SYSTEM DESIGN DOCUMENTATION 44
11.2 COMMISSIONING DOCUMENTATION 44

APPENDICES
A GUIDANCE ON THE GENERAL USE OF CATHODIC PROTECTION 45
B MEASUREMENT OF STRUCTURE POTENTIALS USING THE INSTANTANEOUS OFF-POTENTIAL METHOD 49
C COUPONS AND RESISTANCE PROBES 51
D CALIBRATION AND MAINTENANCE OF REFERENCE ELECTRODES 53
E INFORMATION FOR THE DESIGN OF STRUCTURES TO ACCOMMODATE CATHODIC PROTECTION 55
F COATINGS FOR USE WITH CATHODIC PROTECTION 57
G MITIGATION OF A.C. EFFECTS FROM HIGH VOLTAGE ELECTRICAL POWERLINES 60
H INFORMATION FOR THE DESIGN OF CATHODIC PROTECTION SYSTEMS. 68
I EXAMPLE OF CATHODIC PROTECTION SYSTEM DESIGN DOCUMENTATION FOR PIPELINES 77
J GRAPHICAL SYMBOLS RELATING TO CATHODIC PROTECTION 78
K CONTROL OF INTERFERENCE CURRENTS—LIST OF ELECTROLYSIS COMMITTEES 79
L STRUCTURE INSPECTIONS 80
M COMPARISON OF STRUCTURE/ELECTROLYTE POTENTIALS OBTAINED WHEN MEASURED WITH VARIOUS REFERENCE ELECTRODES 81

FOREWORD

Corrosion of a metal is an electrochemical reaction between it and its environment which results in wastage of the metal. Thus, corrosion is a combination of chemical effects with an associated flow of electrical energy (corrosion current).

In many practical situations where it is impossible to change the nature of the environment, corrosion may be prevented by employing cathodic protection on a buried or submerged structure. This is achieved by applying an appropriate direct current flowing in opposition to the original corrosion current, thus preventing the natural tendency of the metal to react with its environment. In practice, the electrical potential of the metal at risk is used to judge whether adequate protection is being achieved.

To employ cathodic protection, a circuit is established by connecting a suitable source of direct current to the structure to be protected.

Two types of cathodic protection systems are available, as follows:

(a) Galvanic anode systems, which employ metallic anodes that are consumed to provide the source of direct current for protection of the structure. The driving voltage for the protective current comes from the natural potential difference that exists between the structure and a second metal (the galvanic anode).

(b) Impressed current systems, in which the driving voltage for the protective current between the structure and the anode is supplied by an external direct current power source.

Corrosion control for a structure should be considered at the conceptual design stage. Factors that affect the corrosion of metallic structures are listed in Paragraph A3 of Appendix A. The practices recommended in this Standard relate to steps that need to be taken following a decision to apply cathodic protection to a structure. These steps are as follows:

(i) Designing the structure to be compatible with cathodic protection and including cathodic protection facilities during construction. For existing structures, determine the measures to be taken to apply cathodic protection effectively, and the facilities necessary for cathodic protection monitoring.

(ii) For new structures, deciding whether to coat, and if so, deciding which particular coating system should be employed. The nature and condition of any coating on existing structures needs to be considered when determining the requirements for the cathodic protection system.

(iii) Designing the cathodic protection system. If the structure is already installed, the design parameters may be measured and an optimum design provided. If the structure is not installed, a number of assumptions, especially in regard to interference, will be required for the estimation of design parameters.

(iv) Installing the cathodic protection system.

(v) Commissioning the cathodic protection system and achieving a balance of cathodic protection current to enable the entire structure to be protected with minimum current, and with as uniform a potential distribution as is practicable.

(vi) Monitoring cathodic protection at regular intervals, adjusting the system as necessary, and maintaining complete records of its operation.

STANDARDS AUSTRALIA

Australian Standard
Cathodic protection of metals

Part 1: Pipes and cables

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard specifies requirements for the cathodic protection of buried or submerged metallic pipes and cables.

The Standard specifically covers the following subjects which relate to cathodic protection:

(a) Pertinent aspects of the design of structures requiring cathodic protection.

(b) Coatings for use on submerged and buried structures.

(c) Criteria for the cathodic protection of a structure.

(d) Measuring techniques and equipment.

(e) The design of cathodic protection systems.

(f) The installation of cathodic protection systems.

(g) The control of interference currents on foreign structures.

(h) The cathodic protection of structures subject to stray direct current and telluric effects.

(i) The operation and maintenance of cathodic protection systems.

(j) Electrical hazards associated with the cathodic protection of buried structures.

NOTE: Guidance on the general use and design of cathodic protection systems and factors affecting the corrosion of buried metallic structures are given in Appendix A.

This Standard employs conventional (positive) current flow, for consistency with accepted practice, and uses the potential sign conventions specified in AS/NZS 1852 (all parts). In order to understand the various electrochemical reactions that occur at electrodes during cathodic protection, it should be recognized that electron flow occurs in the opposite direction to conventional current flow.

1.2 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

AS
1100 Technical drawing
1100.401 Part 401: Engineering survey and engineering survey design drawing

1627 Metal finishing—Preparation and pretreatment of surfaces
1627.2 Part 2: Power tool cleaning
1627.4 Part 4: Abrasive blast cleaning