

AS 1068—1980
UDC 681.327.64

Australian Standard 1068—1980

1987

INFORMATION PROCESSING— MAGNETIC TAPE LABELLING AND FILE STRUCTURE FOR INFORMATION INTERCHANGE

METROURNE LIBRARY
— 9 JAN 1981 —
STANDARDS ASSOCIATION
OF AUSTRALIA



STANDARDS ASSOCIATION OF AUSTRALIA
Incorporated by Royal Charter

THE FOLLOWING SCIENTIFIC, INDUSTRIAL AND GOVERNMENTAL ORGANIZATIONS and departments were officially represented on the committee entrusted with the preparation of this standard:

Australian Banks Payment Systems Committee
Australian Bureau of Statistics
Australian Computer Users Association
Australian Public Service Board
CSIRO, Division of Computing Research
Department of Defence
Life Insurance Federation of Australia
Manufacturers of data processing equipment
National Library of Australia
Office Equipment Industry Association of Australia
Public Service Board, New South Wales
Qantas Airways Limited
Telecom Australia
Universities and Colleges

This standard, prepared by Committee MS/20, Computers and Information Processing, was approved on behalf of the Council of the Standards Association of Australia on 10 October 1980, and was published on 31 December 1980.

To keep abreast of progress in industry, Australian standards are subject to continuous review and are kept up-to-date by the issue of amendments or new editions as necessary. It is important therefore that standards users ensure that their standards are up-to-date. Full details of all SAA publications will be found in the Annual List of Australian Standards; these details are supplemented by listings in the SAA monthly journal 'The Australian Standard'. Information on the Annual List and 'The Australian Standard' may be obtained from any sales office of the Association, where details are also available of the current status of individual standards. Suggestions for improvements to published standards, addressed to the head office of the Association, are welcomed.

AUSTRALIAN STANDARD

MAGNETIC TAPE LABELLING AND FILE STRUCTURE FOR INFORMATION INTERCHANGE

AS 1068—1980

First published	1971
Second edition	1980

**PUBLISHED BY THE STANDARDS ASSOCIATION OF AUSTRALIA
STANDARDS HOUSE, 80 ARTHUR STREET, NORTH SYDNEY, N.S.W.**

ISBN 0 7262 2079 5

PREFACE

This standard was prepared under the authority of the Association's Committee on Computers and Information Processing. It supersedes the first (1971) edition of this standard, and is identical with and has been reproduced from International Standard ISO 1001—1979 drawn up by ISO/TC 97, Computers and Information Processing.

The standard specifies an operating system for labelling magnetic tapes to provide protection from errors in handling data from magnetic tape.

This edition differs technically from the previous edition particularly in the introduction of the concept of levels of labelling, a different treatment of the user labels, and the deletion of the block sequence indication feature.

For the purpose of this Australian standard, the text of ISO 1001 given herein should be modified as follows:

- (a) *Terminology*: The words 'Australian Standard' should replace the words 'International Standard' wherever they appear.
- (b) *Decimal comma*: The decimal point should replace the decimal comma wherever it appears.
- (c) *Cross references*: The references to International Standards should be replaced by references to Australian standards as follows:

<i>Reference to International Standard</i>	<i>Appropriate Australian Standard</i>
ISO 646, 7-bit coded character set for information processing interchange	AS 1776, Information processing—7-bit coded character set for information interchange
ISO 962, Information processing—Implementation of the 7-bit coded character set and its 7-bit and 8-bit extensions on 9-track 12,7 mm (0.5 in) magnetic tape	AS 2356, Part 2, Representation of the 7-bit coded character set on punched tape
ISO/R 1001, Magnetic tape labelling and file structure for information interchange	AS 1068, Magnetic tape labelling and file structure for information interchange (1971 edition)
ISO 1861, Information processing—7-track, 12,7 mm (0.5 in) wide magnetic tape for information interchange recorded at 8 rpmm (200 rpi)	AS 1007, 7-track 8 RPmm (200 RPI) magnetic tape for information interchange
ISO 1862, Information processing—9-track, 12,7 mm (0.5 in) wide magnetic tape for information interchange recorded at 8 rpmm (200 rpi)	AS 1008, 9-track, 8 RPmm (200 RPI) magnetic tape for information interchange
ISO 1863, Information processing—9-track, 12,7 mm (0.5 in) wide magnetic tape for information interchange recorded at 32 rpmm (800 rpi)	AS 1009, 9-track 8 RPmm (800 RPI) magnetic tape for information interchange
ISO 1864, Information processing—Unrecorded 12,7 mm (0.5 in) wide magnetic tape for information interchange—8 and 32 rpmm (200 and 800 rpi), NRZI, and 63 rpmm (1 600 rpi), phase encoded	AS 1011, Unrecorded magnetic tape for information interchange—8 and 32 RPmm NRZI and 63 RPmm phase encoded
ISO 3788, Information processing—9 track 12,7 mm (0.5 in) wide magnetic tape for information interchange recorded at 63 rpmm (1 600 rpi), phase encoded	AS 2241, Information processing—9-track 12,7 mm (0.5 in) wide magnetic tape for information interchange recorded at 63 rpmm (1 600 rpi), phase encoded

CONTENTS	Page
0 Introduction	5
1 Scope and field of application	5
2 References	5
3 Definitions	6
4 Formats and contents of labels	8
4.1 Volume Header Label (System Label VOL1)	8
4.2 First File Header Label (System Label HDR1)	9
4.3 Second File Header Label (System Label HDR2)	10
4.4 First End of Volume Label (System Label EOVL1)	10
4.5 Second End of Volume Label (System Label EOVL2)	11
4.6 First End of File Label (System Label EOF1)	11
4.7 Second End of File Label (System Label EOF2)	11
4.8 Other system Labels (HDR3 — HDR9, EOVL3 — EOVL9, EOF3 — EOF9)	11
4.9 User Volume Label (UVL _n)	12
4.10 User File Labels (UHL _a , UTL _a)	12
5 Processing of label fields	12
5.1 Fields in VOL1, HDR1, EOVL1 and EOF1 labels	12
5.2 Fields in UVL _n , HDR2 — HDR9, EOVL2 — EOVL9 and EOF2 — EOF9 labels	12
5.3 Use of data in label fields	12
5.4 Volume Header Label (VOL1)	12
5.5 First File Header Label (HDR1)	12
5.6 Second File Header Label (HDR2)	13
6 Arrangements of labels and data	13
6.1 Labels	13
6.2 Placement of tape marks	13
6.3 Volume Header Labels	13

6.4	File Header Labels	13
6.5	Data	13
6.6	End of File Labels	13
6.7	Tape mark after End of File Label Group	13
6.8	End of Volume Labels	13
6.9	Empty file or file section	14
6.10	Continuation file section in a multivolume file	14
6.11	Coincidence of end of file and end-of-tape marker	14
6.12	Coincidence of beginning of file and end-of-tape marker	14
7	Structuring the files	14
7.1	Configuration of files	14
7.2	Label groups and tape marks	14
7.3	Label groups and volumes	14
7.4	Grouping the labels	15
7.5	Examples of the grouping of labels	16
8	Block structure	16
8.1	Grouping records into blocks	16
8.2	Recording density	16
8.3	Size of data blocks	16
8.4	Character code in data	16
9	Padding	18
9.1	Use of padding	18
9.2	Fixed block length	18
9.3	Word-oriented computers	18
9.4	Padding of label blocks	18
9.5	Padding of data blocks	19
10	Levels of labelling	19
10.1	Facilities available at level 1	19
10.2	Facilities available at level 2	19
10.3	Facilities available at level 3	20
10.4	Facilities available at level 4	20
10.5	Description of media	21
ANNEXES		
A	Notes on implementation	22
B	Levels of labelling	26
C	Differences between versions of this standard	31

STANDARDS ASSOCIATION OF AUSTRALIA

Australian Standard

Information processing—Magnetic tape labelling and file structure for information interchange

0 INTRODUCTION

The aim of this International Standard is to facilitate the interchange of information recorded on magnetic tapes between different users and different computers.

This is accomplished by means of magnetically recorded labels to identify and structure files, and by providing a means of describing the basic characteristics of the blocks containing the records that constitute a file.

The features provided by this International Standard allow the user to consider only the logical structure of his files.

This International Standard contains specifications for four levels of labelling. This provides a fully compatible, well-nested system of labels for use of smallest and simplest, to largest and most sophisticated computing systems, and ensures the capability for interchange among them with fewest restrictions.

In most implementations of this International Standard a general purpose operating system will be in use, but in other cases there may only be installation or user written input/output routines which may form part of a special purpose operating system. This has been allowed for in this International Standard by avoiding the term "operating system" and using instead "label handling routines".

However, for proper implementation of this International Standard the installation or user written input/output routines are expected to provide the same minimum facilities as a general purpose operating system within the area defined by this International Standard.

1 SCOPE AND FIELD OF APPLICATION

This International Standard specifies the file structure for information interchange, and specifies magnetically recorded labels to identify the files, the file sections and the reels of tape.

This International Standard establishes four levels of label formats, blocking structure, and tape-mark relationships on magnetically recorded tapes so that these volumes can be used for information interchange.

A recorded magnetic tape intended to be interchanged between systems of potentially different architecture is expected to correspond to one of these four levels. The constraints of this standard may not be needed to apply to data not intended for interchange between systems of potentially different architecture.

It is the intention of this International Standard, not that every instance of its implementation should necessarily include all of its provisions, but that each implementation be able to produce and accept volumes that correspond to a level selected by the implementors.

Failure to conform to this International Standard may result in loss of the ability to interchange data effectively.

2 REFERENCES

ISO 646, *7-bit coded character set for information processing interchange.*

ISO 962, *Information processing — Implementation of the 7-bit coded character set and its 7-bit and 8-bit extensions on 9-track 12,7 mm (0.5 in) magnetic tape.*

ISO/R 1001, *Magnetic tape labelling and file structure for information interchange.*

ISO 1861, *Information processing — 7-track, 12,7 mm (0.5 in) wide magnetic tape for information interchange recorded at 8 rpm (200 rpi).*

ISO 1862, *Information processing — 9-track, 12,7 mm (0.5 in) wide magnetic tape for information interchange recorded at 8 rpm (200 rpi).*

ISO 1863, *Information processing — 9-track 12,7 mm (0.5 in) wide magnetic tape for information interchange recorded at 32 rpm (800 rpi).*