

Australian/New Zealand Standard™

**Household and similar electrical
appliances—Safety**

**Part 2.90: Particular requirements for
commercial microwave ovens**



AS/NZS 60335.2.90:2006

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-002, Safety of Household and Similar Electrical Appliances and Small Power Transformers. It was approved on behalf of the Council of Standards Australia on 15 August 2006 and on behalf of the Council of Standards New Zealand on 25 August 2006.

This Standard was published on 20 October 2006.

The following are represented on Committee EL-002:

Australian Industry Group
Australian Retailers Association
Australian Electrical and Electronic Manufacturers Association
Business New Zealand
Consumer Electronic Suppliers Association, Australia
Consumers' Federation of Australia
Electrical regulatory authorities, Australia
Electrical Compliance Testing Association
Electrical consultants
Electricity Supply Association of Australia
Ministry of Consumer Affairs, New Zealand
New Zealand Electric Fence Energizer Manufacturers' Standards Group

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 06914.

Australian/New Zealand Standard™

Household and similar electrical appliances—Safety

Part 2.90: Particular requirements for commercial microwave ovens

Originated as AS/NZS 60335.2.90:2006.
Reissued incorporating Amendment No. 1 (April 2011).

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope	7
2 Normative references	8
3 Definitions	8
4 General requirement.....	11
5 General conditions for the tests	11
6 Classification.....	12
7 Marking and instructions	12
8 Protection against access to live parts	14
9 Starting of motor-operated appliances.....	14
10 Power input and current.....	14
11 Heating	14
12 Void	14
13 Leakage current and electric strength at operating temperature	14
14 Transient overvoltages	15
15 Moisture resistance	15
16 Leakage current and electric strength	15
17 Overload protection of transformers and associated circuits	16
18 Endurance.....	16
19 Abnormal operation	17
20 Stability and mechanical hazards	18
21 Mechanical strength	19
22 Construction.....	21
23 Internal wiring.....	25
24 Components.....	25
25 Supply connection and external flexible cords	26
26 Terminals for external conductors	26
27 Provision for earthing.....	26
28 Screws and connections	26
29 Clearances, creepage distances and solid insulation	27
30 Resistance to heat and fire	27
31 Resistance to rusting	27
32 Radiation, toxicity and similar hazards	27
Figure 101 – Test rod for interlock concealment	28
Figure BB.1 – Splash apparatus	42
Figure BB.2 – Arrangement for measurement of microwave leakage from access openings	43
Figure BB.3 – Examples of Definitions of clause 3 and clause BB.3	44

Annex AA (normative) Combination microwave ovens.....	29
Annex BB (normative) Requirements for commercial microwave ovens without a cavity door and with conveyor-type means	31
Annex CC (informative) Overview of the requirements for covers, means of access and similar.....	45
Annex DD (informative) Rationales for the microwave barrier and associated leakage tests	46
Annex EE	52
Annex ZZ (informative) Variations to IEC 60335-2-90 Ed 3.1 for application in Australia and New Zealand	54
Bibliography	55

A1
DOA
29/4/13

AUSTRALIA/NEW ZEALAND STANDARD

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2.90: Particular requirements for commercial microwave ovens

FOREWORD

This standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-002- Safety of Household and Similar Electrical Appliances and Small Power Transformers to supersede AS/NZS 60335.2.90:2002 and its amendment 1 (May 2004), from the date of publication. It constitutes a technical revision. Changes in this edition concern requirements for microwave ovens without a cavity door and with transportation means that are intended for commercial use only for the heating of food and beverages.

A1 | This Standard incorporates Amendment No. 1 (April 2011). The changes required by the amendments are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected. Where an application date other than immediate is applicable to an amendment the date of application (DOA) is indicated by the marginal bar against the part affected. Where the amendment replaces existing text the date of withdrawal (DOW) of the existing text is indicated by the marginal bar against the part affected.

The objective of this Standard is to provide manufacturers, designers, regulatory authorities, testing laboratories and similar organizations with safety requirements designed to give the user protection against hazards that might occur during normal operation and abnormal operation of the appliance and which may be used as the basis for approval for sale or for connection to the electricity supply mains in Australia and New Zealand

A1 | This Standard is an adoption with national modifications and contains the full text of the third edition of IEC 60335-2-90, *Household and similar electrical appliances – Safety - Part 2-90: Particular requirements for commercial microwave ovens* and its Amendment 1 (2010) and has been varied as indicated to take account of Australian and New Zealand conditions. It is to be used in conjunction with the latest edition of AS/NZS 60335.1, *Household and similar electrical appliances – Safety - Part 1: General requirements* and its Amendments. It was established on the basis of AS/NZS 60335.1:2002.

This part 2 supplements or modifies the corresponding clauses of AS/NZS 60335.1 (referred to as part 1 in this part 2) so as to convert it into the Australian/New Zealand Standard: Safety of commercial microwave ovens.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to AS/NZS 60335.1.

When a particular subclause of Part 1 is not mentioned in this Part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification", or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

- A1 | The numbering of clauses, subclauses, notes, tables, figures and annexes follows that of IEC 60335-2-90 Ed 3.1. To allow for the introduction of additional material by the IEC, the numbers 101 to 200 have been reserved. To allow for additional material to be introduced by Australia and New Zealand, the numbers 201 to 300 are used to number further clauses, subclauses, notes, tables and figures in part 1. The numbers 301 to 400 are used to number further clauses, subclauses, notes, tables and figures in this part 2. Additional annexes are lettered ZA, ZB and so on.

This scheme has been introduced to reduce the likelihood of the IEC and Australia and New Zealand using the same identifier for different purposes.

The use of the word VOID indicates that the IEC text is not used in Australia or New Zealand. The use of this word also avoids the need to renumber, clauses, notes, tables and figure if an earlier clause, note, table or figure is not used.

Where relevant the normative references and the bibliography are reformatted to indicate the Australia/New Zealand standard that is equivalent to the IEC standard or ISO standard to which reference is made.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown on the cover and title page only.
- (b) In the source text "this International Standard" should read "this Australian/New Zealand Standard".

A full point substitutes for a comma when referring to a decimal marker.

- A1 | Variations to IEC 60335-2-90 Ed 3.1 are indicated at the appropriate places throughout this standard. Strikethrough (~~example~~) identifies IEC tables, figures and passages of text which, for the purposes of this Australian/New Zealand standard are deleted. Where Australian/New Zealand tables, figures or passages of text are added, each is set in its proper place and identified by shading (~~example~~). Added figures are not themselves shaded, but are identified by a shaded border.

- A1 | Variations made to IEC 60335-2-90 Ed 3.1 form the Australian variations for the purposes of the IECEE scheme for recognition of testing to standards for safety of electrical equipment (the CB scheme). These variations have been incorporated in the body of the standard. They are listed in Annex ZZ for easy reference.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This Standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This Standard takes into account the requirements of AS/NZS 3000 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this Standard also incorporates functions that are covered by another part 2 of AS/NZS 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this Standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the Standard.

The essential safety requirements in AS/NZS 3820 that could be applicable to commercial microwave ovens are covered by this Standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2.90: Particular requirements for commercial microwave ovens

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with:

- the safety of **microwave ovens** with a cavity door intended for commercial use, their **rated voltage** being not more than 250 V for single-phase appliances connected between one phase and neutral and 480 V for other appliances.
- the safety of **combination microwave ovens** with a cavity door, the requirements for which are contained in Annex AA.
- the safety of **microwave ovens** without a cavity door and with **transportation means** that are intended for commercial use only, for the heating of food and beverages, the requirements for which are contained in Annex BB..

Microwave ovens, covered by annex BB, have **transportation means** for moving the **microwave load** through the **microwave oven**. Requirements for tunnel microwave ovens and several types of microwave vending machines are covered.

A1
DOA
29/4/13

This standard also deals with **microwave ovens** intended to be used on board ships, for which Annex EE is applicable.

NOTE 101 In annex BB a microwave oven without a cavity door and with transportation means is described as a **microwave oven**. All clauses of this standard apply to these appliances unless otherwise specified in Annex BB.

This international standard also takes into account **ordinary persons** having access to the **removing area** of the vending machine.

NOTE 102 The appliance may be built into a vending machine, in which case IEC 60335-2-75 may also be applicable.

NOTE 103 Appliances that use non-electrical energy are within the scope of this standard.

In general, this standard does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.

This international standard does not take into account the use of a **microwave oven** without a **cavity** door and with **transportation means** by **ordinary persons** except in the vicinity of **entrance and exit ports**.

NOTE 104 The rationales for particular microwave exposure conditions and measures related to microwave energy being confined by an open structure are in Annex BB.

NOTE 105 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- for appliances intended to be used in tropical countries, special requirements may be necessary;