

Australian Standard[®]

Steel structures



This Australian Standard® was prepared by Committee BD-001, Steel Structures. It was approved on behalf of the Council of Standards Australia on 17 April 1998. This Standard was published on 5 June 1998.

The following are represented on Committee BD-001:

- Association of Consulting Engineers Australia
 - Australian Construction Services
 - Australian Institute of Steel Construction
 - AUSTROADS
 - Building Management Authority, W.A.
 - Bureau of Steel Manufacturers of Australia
 - CSIRO, Division of Building, Construction and Engineering
 - Confederation of Australian Industry
 - Institution of Engineers, Australia
 - Metal Trades Industry Association of Australia
 - New Zealand Heavy Engineering Research Association
 - Public Works Department, N.S.W.
 - Railways of Australia Committee
 - University of New South Wales
 - University of Queensland
 - University of Sydney
 - Welding Technology Institute of Australia
-

This Standard was issued in draft form for comment as DR 97347.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

Steel structures

Originated in part as SAA INT 351—1956.
Previous edition AS 4100—1990.
Second edition 1998.
Reissued incorporating Amendment No. 1 (February 2012).

COPYRIGHT

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

ISBN 0 7337 1981 3

PREFACE

This Standard was prepared by the Standards Australia Committee BD-001, Steel Structures, to supersede AS 4100—1990.

This Standard incorporates Amendment No. 1 (February 2012). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.

The objective of this Standard is to provide designers of steel structures with specifications for steel structural members used for load-carrying purposes in buildings and other structures.

This new edition of the Standard incorporates Amendments No. 1—1992, No. 2—1993, No. 3—1995 and draft Amendment No. 4 issued for public comment as DR 97347. Draft Amendment No. 4 was not published separately as a green slip.

Amendment No. 1—1992 includes the following major changes:

- (a) Strength of steels complying with AS 1163 and AS/NZS 1594. (Table 2.1.)
- (b) Shear buckling capacity for stiffened web. (Clause 5.11.5.2.)
- (c) Bearing buckling capacity. (Clause 5.13.4.)

Amendment No. 2—1993 includes the following major changes:

- (a) Shear and bending interaction method. (Clause 5.12.3.)
- (b) Minimum area for the design of intermediate transverse web stiffeners. (Clause 5.15.3.)
- (c) Section capacity of members subject to combined actions. (Clause 8.3.)
- (d) Strength assessment of a butt weld. (Clause 9.7.2.7.)
- (e) Fatigue. (Section 11.)

Amendment No. 3—1993 includes the following major changes:

- (a) Compressive bearing action on the edge of a web. (Clause 5.13.)
- (b) Section capacity of members subject to combined actions. (Clause 8.3.)
- (c) In-plane and out-of-plane capacity of compression members. (Clauses 8.4.2.2 and 8.4.41.)
- (d) Strength assessment of a butt weld. (Clause 9.7.2.7.)
- (e) Earthquake. (Section 13.)

Amendment No. 4 includes the following major changes:

- (a) Strengths of steels complying with AS/NZS 3678, AS/NZS 3679.1 and AS/NZS 3679.2. (Table 2.1.)
- (b) Minimum edge distance of fasteners. (Clause 9.6.2.)
- (c) Permissible service temperatures according to steel type and thickness. (Table 10.4.1.)
- (d) Steel type relationship to steel grade. (Table 10.4.4.)
- (e) Welding of concentrically braced frames for structures of earthquake Design Category D and E. (Clause 13.3.4.2.)

A1

Amendment No. 1—2012 to the 1998 edition includes the following major changes:

- (a) Revisions to AS/NZS 1163, AS/NZS 3678, AS/NZS 3679.1 and AS/NZS 3679.2 reflected by amendments to Sections 2 and 10.
- (b) Revisions to AS/NZS 1554.1, AS/NZS 1554.4 and AS/NZS 1554.5 reflected by amendments to Sections 9 and 10.
- (c) Section 13 brought into line with revisions to AS 1170.4.
- (d) Quenched and tempered steels included by adding ‘AS 3597’ to listed material Standards in Section 2.
- (e) Typographical errors corrected.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE AND APPLICATION.....	8
1.2 REFERENCED DOCUMENTS.....	8
1.3 DEFINITIONS.....	8
1.4 NOTATION.....	12
1.5 USE OF ALTERNATIVE MATERIALS OR METHODS	24
1.6 DESIGN	24
1.7 CONSTRUCTION.....	24
SECTION 2 MATERIALS	
2.1 YIELD STRESS AND TENSILE STRENGTH USED IN DESIGN.....	25
2.2 STRUCTURAL STEEL.....	25
2.3 FASTENERS	25
2.4 STEEL CASTINGS	27
SECTION 3 GENERAL DESIGN REQUIREMENTS	
3.1 DESIGN	30
3.2 LOADS AND OTHER ACTIONS.....	30
3.3 STABILITY LIMIT STATE.....	31
3.4 STRENGTH LIMIT STATE.....	31
3.5 SERVICEABILITY LIMIT STATE	32
3.6 STRENGTH AND SERVICEABILITY LIMIT STATES BY LOAD TESTING	33
3.7 BRITTLE FRACTURE.....	34
3.8 FATIGUE.....	34
3.9 FIRE	34
3.10 EARTHQUAKE	34
3.11 OTHER DESIGN REQUIREMENTS.....	34
SECTION 4 METHODS OF STRUCTURAL ANALYSIS	
4.1 METHODS OF DETERMINING ACTION EFFECTS	35
4.2 FORMS OF CONSTRUCTION ASSUMED FOR STRUCTURAL ANALYSIS	35
4.3 ASSUMPTIONS FOR ANALYSIS	36
4.4 ELASTIC ANALYSIS.....	37
4.5 PLASTIC ANALYSIS.....	42
4.6 MEMBER BUCKLING ANALYSIS.....	43
4.7 FRAME BUCKLING ANALYSIS	47
SECTION 5 MEMBERS SUBJECT TO BENDING	
5.1 DESIGN FOR BENDING MOMENT	49
5.2 SECTION MOMENT CAPACITY FOR BENDING ABOUT A PRINCIPAL AXIS.....	50
5.3 MEMBER CAPACITY OF SEGMENTS WITH FULL LATERAL RESTRAINT ...	52
5.4 RESTRAINTS	54
5.5 CRITICAL FLANGE.....	58
5.6 MEMBER CAPACITY OF SEGMENTS WITHOUT FULL LATERAL RESTRAINT	58
5.7 BENDING IN A NON-PRINCIPAL PLANE	65
5.8 SEPARATORS AND DIAPHRAGMS	65
5.9 DESIGN OF WEBS.....	66

	<i>Page</i>
5.10 ARRANGEMENT OF WEBS	66
5.11 SHEAR CAPACITY OF WEBS	68
5.12 INTERACTION OF SHEAR AND BENDING	71
5.13 COMPRESSIVE BEARING ACTION ON THE EDGE OF A WEB	72
5.14 DESIGN OF LOAD BEARING STIFFENERS	77
5.15 DESIGN OF INTERMEDIATE TRANSVERSE WEB STIFFENERS.....	78
5.16 DESIGN OF LONGITUDINAL WEB STIFFENERS	80
 SECTION 6 MEMBERS SUBJECT TO AXIAL COMPRESSION	
6.1 DESIGN FOR AXIAL COMPRESSION.....	81
6.2 NOMINAL SECTION CAPACITY.....	81
6.3 NOMINAL MEMBER CAPACITY	83
6.4 LACED AND BATTENED COMPRESSION MEMBERS	87
6.5 COMPRESSION MEMBERS BACK TO BACK.....	90
6.6 RESTRAINTS	91
 SECTION 7 MEMBERS SUBJECT TO AXIAL TENSION	
7.1 DESIGN FOR AXIAL TENSION	93
7.2 NOMINAL SECTION CAPACITY.....	93
7.3 DISTRIBUTION OF FORCES	93
7.4 TENSION MEMBERS WITH TWO OR MORE MAIN COMPONENTS	94
7.5 MEMBERS WITH PIN CONNECTIONS	96
 SECTION 8 MEMBERS SUBJECT TO COMBINED ACTIONS	
8.1 GENERAL.....	97
8.2 DESIGN ACTIONS.....	97
8.3 SECTION CAPACITY	98
8.4 MEMBER CAPACITY.....	99
 SECTION 9 CONNECTIONS	
9.1 GENERAL.....	107
9.2 DEFINITIONS.....	111
9.3 DESIGN OF BOLTS	112
9.4 ASSESSMENT OF THE STRENGTH OF A BOLT GROUP	115
9.5 DESIGN OF A PIN CONNECTION	116
9.6 DESIGN DETAILS FOR BOLTS AND PINS.....	117
9.7 DESIGN OF WELDS	118
9.8 ASSESSMENT OF THE STRENGTH OF A WELD GROUP	130
9.9 PACKING IN CONSTRUCTION	131
 SECTION 10 BRITTLE FRACTURE	
10.1 METHODS	132
10.2 NOTCH-DUCTILE RANGE METHOD.....	132
10.3 DESIGN SERVICE TEMPERATURE	132
10.4 MATERIAL SELECTION.....	133
10.5 FRACTURE ASSESSMENT.....	137
 SECTION 11 FATIGUE	
11.1 GENERAL.....	138
11.2 FATIGUE LOADING	141
11.3 DESIGN SPECTRUM.....	141
11.4 EXEMPTION FROM ASSESSMENT.....	142
11.5 DETAIL CATEGORY.....	142

	<i>Page</i>
11.6 FATIGUE STRENGTH.....	154
11.7 EXEMPTION FROM FURTHER ASSESSMENT	155
11.8 FATIGUE ASSESSMENT	156
11.9 PUNCHING LIMITATION.....	156
 SECTION 12 FIRE	
12.1 REQUIREMENTS.....	157
12.2 DEFINITIONS.....	157
12.3 DETERMINATION OF PERIOD OF STRUCTURAL ADEQUACY.....	158
12.4 VARIATION OF MECHANICAL PROPERTIES OF STEEL WITH TEMPERATURE	158
12.5 DETERMINATION OF LIMITING STEEL TEMPERATURE	159
12.6 DETERMINATION OF TIME AT WHICH LIMITING TEMPERATURE IS ATTAINED FOR PROTECTED MEMBERS	159
12.7 DETERMINATION OF TIME AT WHICH LIMITING TEMPERATURE IS ATTAINED FOR UNPROTECTED MEMBERS.....	161
12.8 DETERMINATION OF PSA FROM A SINGLE TEST	162
12.9 THREE-SIDED FIRE EXPOSURE CONDITION.....	162
12.10 SPECIAL CONSIDERATIONS	163
 SECTION 13 EARTHQUAKE	
13.1 GENERAL.....	165
13.2 DEFINITIONS.....	165
13.3 DESIGN AND DETAILING REQUIREMENTS	165
 SECTION 14 FABRICATION	
14.1 GENERAL.....	168
14.2 MATERIAL.....	168
14.3 FABRICATION PROCEDURES	168
14.4 TOLERANCES.....	172
 SECTION 15 ERECTION	
15.1 GENERAL.....	177
15.2 ERECTION PROCEDURES	177
15.3 TOLERANCES.....	181
15.4 INSPECTION OF BOLTED CONNECTIONS.....	185
15.5 GROUTING AT SUPPORTS	185
 SECTION 16 MODIFICATION OF EXISTING STRUCTURES	
16.1 GENERAL.....	186
16.2 MATERIALS.....	186
16.3 CLEANING.....	186
16.4 SPECIAL PROVISIONS	186
 SECTION 17 TESTING OF STRUCTURES OR ELEMENTS	
17.1 GENERAL.....	187
17.2 DEFINITIONS.....	187
17.3 TEST REQUIREMENTS.....	187
17.4 PROOF TESTING	187
17.5 PROTOTYPE TESTING	188
17.6 REPORT OF TESTS	189

Page

APPENDICES

A	REFERENCED DOCUMENTS.....	190
B	SUGGESTED DEFLECTION LIMITS	193
C	CORROSION PROTECTION	195
D	ADVANCED STRUCTURAL ANALYSIS	197
E	SECOND ORDER ELASTIC ANALYSIS	198
F	MOMENT AMPLIFICATION FOR A SWAY MEMBER.....	199
G	BRACED MEMBER BUCKLING IN FRAMES.....	200
H	ELASTIC RESISTANCE TO LATERAL BUCKLING	202
I	STRENGTH OF STIFFENED WEB PANELS UNDER COMBINED ACTIONS ..	208
J	STANDARD TEST FOR EVALUATION OF SLIP FACTOR	210
K	INSPECTION OF BOLT TENSION USING A TORQUE WRENCH	215

STANDARDS AUSTRALIA

Australian Standard
Steel structures

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE AND APPLICATION**1.1.1 Scope**

This Standard sets out minimum requirements for the design, fabrication, erection, and modification of steelwork in structures in accordance with the limit states design method.

This Standard applies to buildings, structures and cranes constructed of steel.

A1 | **'Text deleted'**

This Standard does not apply to the following structures and materials:

- A1 | (a) Steel elements less than 3 mm thick, with the exception of sections complying with AS/NZS 1163 and packers.
- A1 | (b) Steel members for which the value of the yield stress used in design (f_y) exceeds 690 MPa.
- A1 | (c) Cold-formed members, other than those complying with AS/NZS 1163, which shall be designed in accordance with AS/NZS 4600.
- (d) Composite steel-concrete members, which shall be designed in accordance with AS 2327.
- A1 | (e) Road, railway and pedestrian bridges, which shall be designed in accordance with AS 5100.1, AS 5100.2 and AS 5100.6.

NOTE: The general principles of design, fabrication, erection, and modification embodied in this Standard may be applied to steel-framed structures or members not specifically mentioned herein.

A1 | **1.1.2 'Text deleted'**

1.2 REFERENCED DOCUMENTS

The documents referred to in this Standard are listed in Appendix A.

1.3 DEFINITIONS

For the purpose of this Standard, the definitions below apply. Definitions peculiar to a particular Clause or Section are also given in that Clause or Section.

Action—the cause of stress or deformations in a structure.

Action effect or load effect—the internal force or bending moment due to actions or loads.

Authority—a body having statutory powers to control the design and erection of a structure.