

Australian/New Zealand Standard™

**Geographic information—Geography
Markup Language (GML)**



AS/NZS ISO 19136:2008

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee IT-004, Geographical Information/Geomatics. It was approved on behalf of the Council of Standards Australia on 25 July 2008 and on behalf of the Council of Standards New Zealand on 21 July 2008.
This Standard was published on 16 September 2008.

The following are represented on Committee IT-004:

ACT Planning and Land Authority
ANZLIC - the Spatial Information Council
Australian Antarctic Division
Australian Bureau of Statistics
Australian Hydrographic Office
Australian Key Centre In Land Information Studies
Australian Map Circle
Australian Spatial Information Business Association
CSIRO Exploration & Mining
Department for Administrative and Information Services (SA)
Department of Defence (Australia)
Department of Lands NSW
Department of Natural Resources and Water (Qld)
Department of Planning and Infrastructure (NT)
Department of Primary Industries and Water Tasmania
Department of Sustainability and Environment (Victoria)
Geoscience Australia
InterGovernmental Committee on Surveying and Mapping
Land Information New Zealand
Office of Spatial Data Management
Western Australian Land Information System

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

RECONFIRMATION
OF
AS/NZS ISO 19136:2008
Geographic information–Geography
Markup Language (GML)

RECONFIRMATION NOTICE

Technical Committee IT-004 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 9 April 2018.

Approved for reconfirmation in New Zealand on behalf of the New Zealand Standards Approval Board on 26 June 2018.

The following are represented on Technical Committee IT-004:

ANZLIC - the Spatial Information Council
Australian Antarctic Division
Australian Bureau of Meteorology
Australian Bureau of Statistics
Australian Maritime Safety Authority
CSIRO
Curtin University of Technology
Department of Defence (Australian Government)
Department of Human Services (Australian Government)
Geoscience Australia
InterGovernmental Committee on Surveying and Mapping
New Zealand Geospatial Office
Science New Zealand Inc
Spatial Industries Business Association

NOTES

Australian/New Zealand Standard™

**Geographic information—Geography
Markup Language (GML)**

First published as AS/NZS ISO 19136:2008.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia, GPO Box 476, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 8884 X

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee IT-004, Geographical Information/Geomatics.

The objective of this Standard is to provide a Geography Markup Language (GML) Standard, it has XML encoding in compliance with ISO 19118 for the transport and storage of geographic information modelled in accordance with the conceptual modelling framework used in the ISO 19100 series of Standards.

This Standard is identical with, and has been reproduced from ISO 19136:2007, *Geographic information—Geography Markup Language (GML)*.

As this Standard is reproduced from an international standard, the following applies:

- (a) Its number appears on the cover and title page while the international standard number appears only on the cover.
- (b) In the source text ‘this International Standard’ should read ‘this Australian/New Zealand Standard’.
- (c) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>		<i>Australian/New Zealand Standard</i>	
ISO		AS/NZS ISO	
8601	Data elements and interchange formats—Information interchange—Representation of dates and times	8601	Data elements and interchange formats—Information interchange—Representation of dates and times
11404	Information technology—Programming languages, their environments and system software interfaces—Language-independent datatypes	—	
19103	Geographic information—Conceptual schema language	19103	Geographic information—Conceptual schema language
19107	Geographic information—Spatial schema	19107	Geographic information—Spatial schema
19108	Geographic information—Temporal schema	19108	Geographic information—Temporal schema
19109	Geographic information—Rules for application schema	19109	Geographic information—Rules for application schema
19111	Geographic information—Spatial referencing by coordinates	19111	Geographic information—Spatial referencing by coordinates
19115	Geographic information—Metadata	19115	Geographic information—Metadata
19118	Geographic information—Encoding	19117	Geographic information—Encoding
19123	Geographic information—Schema for coverage geometry and functions	19123	Geographic information—Schema for coverage geometry and functions

ISO		AS/NZS ISO
19139	Geographic information— Metadata—XML schema implementation	—
80000	Quantities and units	—
80000-3	Part 3: Space and time	—
ISO/IEC		
19757	Information technology— Document Schema Definition Languages (DSDL)	—
19757-3	Part 3: Rule-based validation— Schematron	—

The terms ‘normative’ and ‘informative’ are used to define the application of the annex to which they apply. A normative annex is an integral part of a standard, whereas an informative annex is only for information and guidance.

CONTENTS

	<i>Page</i>
1	Scope 1
2	Conformance 1
2.1	Conformance requirements 1
2.2	Conformance classes related to GML application schemas 2
2.3	Conformance classes related to GML profiles 2
2.4	Conformance classes related to GML documents 4
2.5	Conformance classes related to software implementations 4
3	Normative references 4
4	Terms and symbols 5
4.1	Terms and definitions 5
4.2	Symbols and abbreviated terms 12
5	Conventions 13
5.1	XML namespaces 13
5.2	Versioning 14
5.3	Deprecated parts of previous versions of GML 14
5.4	UML notation 14
5.5	XML Schema 16
6	Overview of the GML schema 16
6.1	GML schema 16
6.2	GML application schemas 16
6.3	Relationship between the ISO 19100 series of International Standards, the GML schema and GML application schemas 17
6.4	Organization of this International Standard 18
6.5	Deprecated and experimental schema components 19
7	GML schema — General rules and base schema components 20
7.1	GML model and syntax 20
7.2	gmlBase schema components 22
8	GML schema — Xlinks and basic types 33
8.1	Xlinks — Object associations and remote properties 33
8.2	Basic types 34
9	GML schema — Features 43
9.1	General concepts 43
9.2	Relationship with ISO 19109 43
9.3	Features 43
9.4	Standard feature properties 44
9.5	Geometry properties 46
9.6	Topology properties 48
9.7	Temporal properties 48
9.8	Defining application-specific feature types 49
9.9	Feature collections 50
9.10	Spatial reference system used in a feature or feature collection 52
10	GML schema — Geometric primitives 52
10.1	General concepts 52
10.2	Abstract geometric primitives 58
10.3	Geometric primitives (0-dimensional) 59

	<i>Page</i>
10.4	Geometric primitives (1-dimensional)..... 60
10.5	Geometric primitives (2-dimensional)..... 72
10.6	Geometric primitives (3-dimensional)..... 81
11	GML schema — Geometric complex, geometric composites and geometric aggregates 83
11.1	Overview 83
11.2	Geometric complex and geometric composites 84
11.3	Geometric aggregates 86
12	GML schema — Coordinate reference systems schemas 91
12.1	Overview 91
12.2	Reference systems 93
12.3	Coordinate reference systems..... 95
12.4	Coordinate systems 103
12.5	Datums 110
12.6	Coordinate operations 117
13	GML schema — Topology 129
13.1	General concepts 129
13.2	Abstract topology 130
13.3	Topological primitives 130
13.4	Topological collections 135
13.5	Topology complex 137
14	GML schema — Temporal information and dynamic features 139
14.1	General concepts 139
14.2	Temporal schema..... 140
14.3	Temporal topology schema 148
14.4	Temporal reference systems 151
14.5	Representing dynamic features..... 158
15	GML schema — Definitions and dictionaries 162
15.1	Overview 162
15.2	Dictionary schema 162
16	GML schema — Units, measures and values..... 165
16.1	Introduction 165
16.2	Units schema 165
16.3	Measures schema 171
16.4	Value objects schema..... 172
17	GML schema — Directions..... 179
17.1	Direction schema 179
17.2	direction, DirectionPropertyType 179
17.3	DirectionVectorType 180
17.4	DirectionDescriptionType 180
18	GML schema — Observations 181
18.1	Observations 181
18.2	Observation schema 182
19	GML schema — Coverages..... 185
19.1	The coverage model and representations 185
19.2	Grids schema..... 188
19.3	Coverage schema 191
20	Profiles 205
20.1	Profiles of GML and application schemas..... 205
20.2	Definition of profile 205
20.3	Relation to application schema 205
20.4	Rules for elements and types in a profile 206
20.5	Rules for referencing GML profiles from application schemas 207
20.6	Recommendations for application schemas using GML profiles 207
20.7	Summary of rules for GML profiles 208

	<i>Page</i>
21	Rules for GML application schemas 208
21.1	Instances of GML objects 208
21.2	GML application schemas 209
21.3	Schemas defining Features and Feature Collections 212
21.4	Schemas defining spatial geometries 213
21.5	Schemas defining spatial topologies 214
21.6	Schemas defining time 215
21.7	Schemas defining coordinate reference systems 215
21.8	Schemas defining coverages 216
21.9	Schemas defining observations 218
21.10	Schemas defining dictionaries and definitions 219
21.11	Schemas defining values 220
21.12	GML profiles of the GML schema 220
Annex A (normative)	Abstract test suites for GML application schemas, GML profiles and GML documents 223
Annex B (normative)	Abstract test suite for software implementations 238
Annex C (informative)	GML schema 242
Annex D (normative)	Implemented Profile of the ISO 19100 series of International Standards and Extensions 244
Annex E (normative)	UML-to-GML application schema encoding rules 309
Annex F (normative)	GML-to-UML application schema encoding rules 329
Annex G (informative)	Guidelines for subsetting the GML schema 339
Annex H (informative)	Default styling 352
Annex I (informative)	Backwards compatibility with earlier versions of GML 363
Annex J (informative)	Modularization and dependencies 380
Bibliography 382
Index 384

INTRODUCTION

Geography Markup Language is an XML grammar written in XML Schema for the description of application schemas as well as the transport and storage of geographic information.

The key concepts used by Geography Markup Language (GML) to model the world are drawn from the ISO 19100 series of International Standards and the OpenGIS Abstract Specification.

A feature is an “abstraction of real world phenomena” (ISO 19101); it is a geographic feature if it is associated with a location relative to the Earth. So a digital representation of the real world may be thought of as a set of features. The state of a feature is defined by a set of properties, where each property may be thought of as a {name, type, value} triple.

The number of properties a feature may have, together with their names and types, is determined by its type definition. Geographic features with geometry are those with properties that may be geometry-valued. A feature collection is a collection of features that may itself be regarded as a feature; as a consequence a feature collection has a feature type and thus may have distinct properties of its own, in addition to the features it contains.

Following ISO 19109, the feature types of an application or application domain is usually captured in an application schema. A GML application schema is specified in XML Schema and can be constructed in two different and alternative ways:

- by adhering to the rules specified in ISO 19109 for application schemas in UML, and conforming to both the constraints on such schemas and the rules for mapping them to GML application schemas specified in this International Standard;
- by adhering to the rules for GML application schemas specified in this International Standard for creating a GML application schema directly in XML Schema.

Both ways are supported by this International Standard. To ensure proper use of the conceptual modelling framework of the ISO 19100 series of International Standards, all application schemas are expected to be modelled in accordance with the General Feature Model as specified in ISO 19109. Within the ISO 19100 series, UML is the preferred language by which to model conceptual schemas.

GML specifies XML encodings, conformant with ISO 19118, of several of the conceptual classes defined in the ISO 19100 series of International Standards and the OpenGIS Abstract Specification. These conceptual models include those defined in:

- ISO/TS 19103 — Conceptual schema language (units of measure, basic types);
- ISO 19107 — Spatial schema (geometry and topology objects);
- ISO 19108 — Temporal schema (temporal geometry and topology objects, temporal reference systems);
- ISO 19109 — Rules for application schemas (features);
- ISO 19111 — Spatial referencing by coordinates (coordinate reference systems);
- ISO 19123 — Schema for coverage geometry and functions.

The aim is to provide a standardized encoding (i.e. a standardized implementation in XML) of types specified in the conceptual models specified by the International Standards listed above. If every application schema were encoded independently and the encoding process included the types from, for example, ISO 19108, then,

without unambiguous and completely fixed encoding rules, the XML encodings would be different. Also, since every implementation platform has specific strengths and weaknesses, it is helpful to standardize XML encodings for core geographic information concepts modelled in the ISO 19100 series of International Standards and commonly used in application schemas.

In many cases, the mapping from the conceptual classes is straightforward, while in some cases the mapping is more complex (a detailed description of the mapping is part of this International Standard).

In addition, GML provides XML encodings for additional concepts not yet modelled in the ISO 19100 series of International Standards or the OpenGIS Abstract Specification, for example, dynamic features, simple observations or value objects.

Predefined types of geographic feature in GML include coverages and simple observations.

A coverage is a subtype of feature that has a coverage function with a spatiotemporal domain and a value set range of homogeneous 1- to n -dimensional tuples. A coverage may represent one feature or a collection of features “to model and make visible spatial relationships between, and the spatial distribution of, Earth phenomena” (OGC Abstract Specification Topic 6 [20]) and a coverage “acts as a function to return values from its range for any direct position within its spatiotemporal domain” (ISO 19123).

An observation models the act of observing, often with a camera or some other procedure, a person or some form of instrument (Merriam-Webster Dictionary: “an act of recognizing and noting a fact or occurrence often involving measurement with instruments”). An observation is considered to be a GML feature with a time at which the observation took place, and with a value for the observation.

A reference system provides a scale of measurement for assigning values to a position, time or other descriptive quantity or quality.

A coordinate reference system consists of a set of coordinate system axes that is related to the Earth through a datum that defines the size and shape of the Earth.

A temporal reference system provides standard units for measuring time and describing temporal length or duration.

A reference system dictionary provides definitions of reference systems used in spatial or temporal geometries.

Spatial geometries are the values of spatial feature properties. They indicate the coordinate reference system in which their measurements have been made. The “parent” geometry element of a geometric complex or geometric aggregate makes this indication for its constituent geometries.

Temporal geometries are the values of temporal feature properties. Like their spatial counterparts, temporal geometries indicate the temporal reference system in which their measurements have been made.

Spatial or temporal topologies are used to express the different topological relationships between features.

A units of measure dictionary provides definitions of numerical measures of physical quantities, such as length, temperature and pressure, and of conversions between units.

AUSTRALIAN/NEW ZEALAND STANDARD

Geographic information — Geography Markup Language (GML)**1 Scope**

The Geography Markup Language (GML) is an XML encoding in compliance with ISO 19118 for the transport and storage of geographic information modelled in accordance with the conceptual modelling framework used in the ISO 19100 series of International Standards and including both the spatial and non-spatial properties of geographic features.

This International Standard defines the XML Schema syntax, mechanisms and conventions that:

- provide an open, vendor-neutral framework for the description of geospatial application schemas for the transport and storage of geographic information in XML;
- allow profiles that support proper subsets of GML framework descriptive capabilities;
- support the description of geospatial application schemas for specialized domains and information communities;
- enable the creation and maintenance of linked geographic application schemas and datasets;
- support the storage and transport of application schemas and datasets;
- increase the ability of organizations to share geographic application schemas and the information they describe.

Implementers may decide to store geographic application schemas and information in GML, or they may decide to convert from some other storage format on demand and use GML only for schema and data transport.

NOTE If an ISO 19109 conformant application schema described in UML is used as the basis for the storage and transportation of geographic information, this International Standard provides normative rules for the mapping of such an application schema to a GML application schema in XML Schema and, as such, to an XML encoding for data with a logical structure in accordance with the ISO 19109 conformant application schema.

2 Conformance**2.1 Conformance requirements**

Clauses 7 to 19 of this International Standard specify XML Schema components, i.e. the GML schema, which shall be used in GML application schemas in accordance with Clause 21. Clause 20 specifies rules for the specification of a GML profile that may be defined for use in a GML application schema.

Few applications will require the full range of capabilities described by the GML schema. This clause, therefore, defines a set of conformance classes that will support applications whose requirements range from the minimum necessary to define simple feature types to full use of the GML schema.