

# AS 1379 Supplement 1—2008

## **Specification and supply of concrete— Commentary (Supplement 1 to AS 1379—2007)**



This Australian Standard Supplement was prepared by Committee BD-049, Manufacture of Concrete. It was approved on behalf of the Council of Standards Australia on 10 April 2008. This Supplement was published on 12 June 2008.

---

The following are represented on Committee BD-049:

- Ash Development Association of Australia
  - Association of Consulting Engineers, Australia
  - AUSTROADS
  - Australasian Slag Association
  - Cement Concrete and Aggregate Australia—Cement
  - Cement Concrete and Aggregate Australia—Concrete
  - Concrete Institute of Australia
  - National Precast Concrete Association Australia
- 

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee.

---

### **Keeping Standards up-to-date**

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting [www.standards.org.au](http://www.standards.org.au)

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

---

STANDARDS AUSTRALIA

---

**RECONFIRMATION**

**OF**

**AS 1379 SUPP 1–2008**

**Specification and supply of concrete – Commentary  
(Supplement 1 to AS 1379 - 2007)**

---

**RECONFIRMATION NOTICE**

Technical Committee BD-049 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 16 April 2018.

The following are represented on Technical Committee BD-049:

Ash Development Association of Australia

Australasian (iron & steel) Slag Association

AUSTROADS

Cement Concrete & Aggregates Australia – Cement

Cement Concrete & Aggregates Australia – Concrete

National Precast Concrete Association Australia

## NOTES

# AS 1379 Supplement 1—2008

## **Specification and supply of concrete— Commentary (Supplement 1 to AS 1379—2007)**

First published as AS 1379 Supp 1—1997.  
Second edition 2008.

### **COPYRIGHT**

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 8748 7

## PREFACE

This Commentary (AS 1379—Supplement 1) was prepared by Standards Australia Committee BD-049, Manufacture of Concrete, to supersede AS 1379 Supp 1—1997.

### **Objective**

The objective of this Commentary is to—

- (a) provide background reference material to the Standard;
- (b) indicate the origin of particular requirements;
- (c) indicate departures from previous practice; and
- (d) explain the application of certain Clauses.

The clause numbers and titles used in the Commentary are the same as those in AS 1379 except that they are prefixed by the letter C. To avoid possible confusion between this Commentary and the Standard, clauses are cross-referenced within the text, while Commentary clauses are referred to as Paragraph C... in accordance with Standards Australia policy.

## CONTENTS

	<i>Page</i>
SECTION C1 SCOPE AND GENERAL	
C1.1 SCOPE .....	5
C1.2 REFERENCED DOCUMENTS .....	5
C1.3 DEFINITIONS .....	5
C1.4 NOTATION .....	6
C1.5 SPECIFICATION OF CONCRETE .....	6
C1.6 METHODS OF ORDERING .....	10
C1.7 BASIS OF SUPPLY .....	13
SECTION C2 CONCRETE CONSTITUENTS	
C2.1 GENERAL .....	15
C2.2 CEMENT CONSTITUENTS .....	15
C2.3 AGGREGATES .....	15
C2.4 MIXING WATER .....	15
C2.5 CHEMICAL ADMIXTURES .....	15
C2.6 OTHER MATERIALS .....	16
C2.7 LIMITATIONS ON CHEMICAL CONTENT OF CONCRETE .....	16
C2.8 ALKALI AGGREGATE REACTION .....	17
SECTION C3 PLANT AND EQUIPMENT	
C3.1 GENERAL .....	18
C3.2 STORAGE CONTAINERS .....	18
C3.3 WEIGHING EQUIPMENT .....	18
C3.4 LIQUID DISPENSING EQUIPMENT .....	18
C3.5 MIXERS .....	19
SECTION C4 PRODUCTION AND DELIVERY	
C4.1 GENERAL .....	21
C4.2 BATCH PRODUCTION .....	21
C4.3 CONTINUOUS PRODUCTION .....	26
C4.4 DELIVERY .....	27
SECTION C5 SAMPLING AND TESTING OF CONCRETE	
C5.1 GENERAL .....	28
C5.2 SLUMP .....	28
C5.3 STRENGTH .....	29
C5.4 AIR CONTENT .....	30
C5.5 CHLORIDE AND SULFATE CONTENT .....	30
C5.6 DRYING SHRINKAGE .....	30
C5.7 7 DAY STRENGTH OF NORMAL-CLASS CONCRETE .....	31
C5.8 OTHER PARAMETERS .....	31
SECTION C6 SAMPLING, TESTING AND ASSESSMENT FOR COMPLIANCE OF CONCRETE SPECIFIED BY COMPRESSIVE STRENGTH	
C6.1 GENERAL .....	34
C6.2 SAMPLING AND TESTING .....	34
C6.3 PRODUCTION ASSESSMENT .....	35
C6.4 RECORDING AND DISSEMINATION OF PRODUCTION ASSESSMENT INFORMATION .....	38

	<i>Page</i>
C6.5 PROJECT ASSESSMENT OF STRENGTH GRADE.....	38
C6.6 ASSESSMENT BY ALTERNATIVE METHODS WITH AN ACCEPTED OPERATING CHARACTERISTIC .....	38
APPENDICES	
CA UNIFORMITY OF MIXING.....	39
CB GUIDE TO THE SPECIFICATION OF SPECIAL-CLASS CONCRETE.....	40
CC MEANS OF DEMONSTRATING COMPLIANCE WITH THIS STANDARD.....	44

## STANDARDS AUSTRALIA

### Australian Standard

## Specification and supply of concrete—Commentary (Supplement 1 to AS 1379—2007)

### SECTION C1 SCOPE AND GENERAL

#### C1.1 SCOPE

The Standard was prepared for use in the specification and supply of all concrete, whether or not it is addressed in the scope and application of AS 3600.

It is not intended to apply to mortars or grouts unless these contain coarse aggregates.

Requirements for mortars for masonry construction are specified in AS 3700 and the methods for sampling and testing mortars in AS 2701.

Requirements for grouts to be used for the grouting of prestressing tendons in ducts are specified in AS 3600.

The supply of concrete by the premix concrete industry has been expressly but not solely contemplated in the preparation of the Standard.

It is not intended that this Standard take precedence over existing Australian Standards for the manufacture of specific concrete products.

The Standard is intended to complete the independence of AS 1379 from AS 3600. Due to the lack of synchronization in publishing dates, for many years concrete as a material relied on both AS 1379 and AS 3600 to one degree or another. AS 1379 is now a ‘stand-alone’ document for the specification and supply of concrete.

#### C1.2 REFERENCED DOCUMENTS

The Standards listed in the Clause are subject to revision from time to time and the current edition should always be used. The currency of any Standard may be checked with Standards Australia.

#### C1.3 DEFINITIONS

No Commentary, except for the following clauses:

##### C1.3.6 Cement

The meaning of the term cement has been extended beyond its traditional meaning of portland cement to include supplementary cementitious materials. For the purpose of this Standard, cement can be portland or blended cements as defined in AS 3972.

Blended cements include any combination of portland cement with fly-ash, amorphous silica and ground granulated iron blast furnace slag.

##### C1.3.15 Project assessment

Section 6 requires suppliers to continuously monitor the strength of the concrete supplied by ‘production assessment.’

Project assessment is an additional assessment that may be specified, and attracts an additional cost.

Currently AS 3600 requires project assessment to be specified for all special-class concrete. Project assessment may also be specified for normal-class concrete.