

AS 10303.12—1999
ISO 10303.12:1997

Australian Standard™

**Industrial automation systems
and integration—Product data
representation and exchange**

**Part 12: Description methods:
The EXPRESS-I language
reference manual**

This Australian Standard was prepared by Committee IT/6, Information Technology for Industrial Automation and Integration. It was approved on behalf of the Council of Standards Australia on 16 February 1999 and published on 5 May 1999.

The following interests are represented on Committee IT/6:

Association of Consulting Engineers Australia
Australian Air Transport Association
Australian Electrical and Electronic Manufacturers Association
Australian Foundry Institute
Australian Industry Group
Australian Information Industry Association
Australian Institute of Steel Construction
Australian Robot Association
Bureau of Steel Manufacturers of Australia
CSIRO Centre for Planning and Design
CSIRO Manufacturing Science and Technology
Department of Defence (Australia)
Department of Industry Science and Tourism (Commonwealth)
Federal Chamber of Automotive Industries
Institution of Engineers Australia
Monash University
New South Wales TAFE Commission
Royal Australian Institute of Architects
Royal Melbourne Institute of Technology
University of Melbourne

Review of Australian Standards. *To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.*

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 98617.

AS 10303.12—1999

Australian Standard™

**Industrial automation systems
and integration—Product data
representation and exchange**

**Part 12: Description methods:
The EXPRESS-I language
reference manual**

First published as AS 10303.12—1999.

Published by Standards Australia
(Standards Association of Australia)
1 The Crescent, Homebush NSW 2140

ISBN 0 7337 2634 8

PREFACE

This Standard was prepared by the Standards Australia Committee IT/6, Information Technology for Industrial Automation and Integration. It is identical with, and has been reproduced from, ISO/TR 10303-12:1997, *Industrial automation systems and integration—Product data representation and exchange*, Part 12: *Description methods: The EXPRESS-I language reference manual*.

The objective of this Standard is to provide, for designers of computer-interpretable representation and exchange of product data, the specification for elements of the EXPRESS-I language. This language is a formal data representation and abstract test case specification which can be used to exemplify the information requirements of other Parts of AS 10303 and is a companion to the EXPRESS and EXPRESS-G languages.

This Standard is Part 12 of AS 10303, *Industrial automation systems and integration—Product data representation and exchange*, which is published in Parts as follows:

- Part 1: Overview and fundamental principles
- Part 11: Description methods: The EXPRESS language reference manual
- Part 12: Description methods: The EXPRESS-I language reference manual (this Standard)
- Part 21: Implementation methods: Clear text encoding of the exchange structure
- Part 31: Conformance testing methodology and framework: General concepts
- Part 41: Integrated generic resources: Fundamentals of product description and support
- Part 42: Integrated generic resources: Geometric and topological representation
- Part 43: Integrated generic resources: Representation structures
- Part 44: Integrated generic resources: Product structure configuration
- Part 46: Integrated generic resources: Visual presentation
- Part 47: Integrated generic resource: Shape variation tolerances
- Part 101: Integrated application resources: Draughting
- Part 105: Integrated application resource: Kinematics
- Part 201: Application protocol: Explicit draughting
- Part 202: Application protocol: Associative draughting
- Part 203: Application protocol: Configuration controlled design
- Part 207: Application protocol: Sheet metal die planning and design

The term ‘normative’ has been used in this Standard to define the application of the annex to which it applies. A ‘normative’ annex is an integral part of a Standard.

As this Standard is reproduced from an International Standard, the following applies:

Its number does not appear on each page of text and its identity is shown only on the cover and title page.

In the source text ‘this part of ISO TR 10303’ should read ‘this Australian Standard’.

A full point should be substituted for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to equivalent Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard or other Publication</i>	<i>Australian or Australian/New Zealand Standard</i>
ISO	AS
10303	10303
Industrial automation systems and integration—Product data representation and exchange	Industrial automation systems and integration—Product data representation and exchange
10303-1	10303.1
Part 1: Overview and fundamental principles	Part 1: Overview and fundamental principles

ISO		AS	
10303-11	Part 11: Description methods: The EXPRESS language reference manual	10303.11	Part 11: Description methods: The EXPRESS language reference manual
10303-31	Part 31: Conformance testing methodology and framework: General concepts	10303.31	Part 31: Conformance testing methodology and framework: General concepts
ISO/IEC		AS/NZS	
8824	Information technology—Abstract Syntax Notation One (ASN.1)	8824	Information technology—Abstract syntax notation one
8824-1	Part 1: Specification of basic notation	8824.1	Part 1: Specification of basic notation
10646	Information technology—Universal Multiple-Octet Coded Character Set (UCS)	4189	Information technology—Universal multiple-octet coded Character Set (UCS)
10646-1	Part 1: Architecture and Basic Multilingual Plane	4189.1	Part 1: Architecture and basic multilingual plane

© Copyright – STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
1 Scope	1
2 Normative references	2
3 Definitions	3
3.1 Terms defined in ISO 10303-1	3
3.2 Terms defined in ISO 10303-11	3
3.3 Terms defined in ISO 10303-31	3
3.4 Other definitions	4
3.4.1 attribute	4
3.4.2 information base	4
3.4.3 object base	4
3.4.4 schema	4
3.4.5 type	4
3.4.6 universe of discourse	4
4 Conformance requirements	5
4.1 Formal specifications written in EXPRESS-I	5
4.1.1 Conformance levels	5
4.2 Implementations of EXPRESS-I	5
5 Fundamental principles	6
6 Language elements	7
6.1 Character set	7
6.1.1 Digits	7
6.1.2 Letters	8
6.1.3 Special characters	8
6.1.4 Underscore	8
6.1.5 Whitespace	8
6.1.6 Remarks	9
6.2 Reserved words	10
6.2.1 Keywords	10
6.2.2 Reserved words which are operators	11
6.2.3 Built-in constants	11

	<i>Page</i>
6.2.4	Built-in functions 11
6.2.5	Built-in procedures 11
6.3	Symbols 12
6.4	Identifiers and references 12
7	Named domains 15
7.1	Entity domain 15
7.2	Enumeration domain 15
7.3	Select domain 15
7.4	Type domain 15
8	Values and instances 16
8.1	Base values 16
8.1.1	Binary value 16
8.1.2	Boolean value 16
8.1.3	Number value 16
8.1.4	Integer value 17
8.1.5	Logical value 17
8.1.6	Real value 17
8.1.7	String value 18
8.1.8	Enumeration value 20
8.2	Aggregation values 20
8.3	Simple instance 21
8.4	Type instance 21
8.5	Select instance 22
8.6	Enumeration instance 22
8.7	Entity instance 23
8.7.1	Attributes 24
8.7.2	Supertypes and subtypes 26
8.8	Constant instance 27
8.9	Schema data instance 27
8.10	Model display 28
9	Abstract test case specification 30
9.1	Context 30
9.2	Parameters 31
9.2.1	Formal parameter 31
9.2.2	Actual parameter 32
9.3	Test case 32
9.4	Test objective 33
9.4.1	Test purpose 34
9.4.2	Test reference 34
9.4.3	Test criteria 34
9.4.4	Test notes 35
9.5	Test realization 35
10	Interfaces 36

	<i>Page</i>
10.1 Schema instance interface	36
10.2 Schema reference	36
10.3 Context data references	37
11 Scope and visibility	38
11.1 Scope rules	38
11.2 Visibility rules	39
11.2.1 General rules of visibility	39
11.2.2 Named data type identifier visibility rules	40
11.3 Explicit item rules	41
11.3.1 Alias statement	42
11.3.2 Attribute	42
11.3.3 Constant	42
11.3.4 Constant instance	42
11.3.5 Context	42
11.3.6 Entity	43
11.3.7 Entity instance	43
11.3.8 Enumeration item	44
11.3.9 Enumeration instance	44
11.3.10 Function	44
11.3.11 Model	44
11.3.12 Parameter	44
11.3.13 Procedure	45
11.3.14 Query expression	45
11.3.15 Repeat statement	45
11.3.16 Rule label	45
11.3.17 Schema data instance	46
11.3.18 Select instance	46
11.3.19 Simple instance	46
11.3.20 Test case	46
11.3.21 Type	47
11.3.22 Type instance	47
11.3.23 Type label	47
11.3.24 Variable	47
12 Mapping from EXPRESS to EXPRESS-I	48
12.1 Mapping of EXPRESS schema	48
12.1.1 Mapping of use and reference	49
12.2 Mapping of EXPRESS simple data types	50
12.3 Mapping of aggregation data types	51
12.4 Mapping of EXPRESS defined data type	52
12.5 Mapping of EXPRESS enumeration type	52
12.6 Mapping of EXPRESS select type	53
12.6.1 Simple select case	53
12.6.2 Complex select case	53
12.7 Mapping of EXPRESS constant	54

	<i>Page</i>
12.8 Mapping of EXPRESS entity	55
12.9 Mapping of EXPRESS entity attributes	55
12.9.1 Explicit attribute	56
12.9.2 Derived and inverse attributes	56
12.9.3 Attribute with a simple domain	57
12.9.4 Attribute with an entity domain	58
12.9.5 Attribute with a type, select or enumeration domain	59
12.10 Mapping of supertypes and subtypes	60
12.10.1 Mapping of redeclared attributes	63
 Annexes	
A Syntax description of EXPRESS-I	65
A.1 Tokens	65
A.1.1 Keywords	65
A.1.2 Character classes	68
A.2 Lexical elements	69
A.2.1 Remarks	69
A.3 Interpreted identifiers	70
A.4 Grammar rules	70
A.5 Cross reference listing	77
B Protocol implementation conformance statement (PICS)	88
B.1 EXPRESS-I language parser	88
C Information object registration	89
D Language specification syntax	90
D.1 The syntax of the specification	90
D.2 Special character notation	91
E Example test cases	93
E.1 Test case 1	93
E.2 Test case 2	95
E.3 Test case 3	96
E.4 Test case 4	97
F Usage notes	100
F.1 EXPRESS data examples	100
F.2 Abstract test cases	100
F.3 Object bases	101
F.3.1 Input	101
F.3.2 Output	101
F.3.3 Code testing	101
F.4 Non-EXPRESS data examples	102
G Technical discussions	103
G.1 Abstract test cases	103
G.2 Relationship with EXPRESS	103
G.3 Object references	104
G.4 Aggregations	104
G.5 String values	104

	<i>Page</i>
G.6 Model testing and validation	105
G.7 Enhancement of test case capabilities	105
G.8 Compatibility with EXPRESS	105
G.9 Trial Usage	105
G.10 Alphabet extensions	106
G.11 Supertype mapping	106
G.12 CD ballot comments --- 1995	107
G.12.1 Test case support	107
G.12.2 Complex entity instances	107
G.12.3 Type instances	108
H Bibliography	109
Index	110

Figures

1 The major elements of the EXPRESS-I language	xv
--	----

Tables

1 Keywords common to EXPRESS-I and EXPRESS	10
2 Additional EXPRESS-I keywords	10
3 The EXPRESS-I use of EXPRESS operators	11
4 The EXPRESS-I use of EXPRESS constants	11
5 The EXPRESS-I use of EXPRESS functions	11
6 The EXPRESS-I use of EXPRESS procedures	12
7 Symbols common to EXPRESS-I and EXPRESS	12
8 Additional EXPRESS-I symbols	12
9 Scope and identifier defining EXPRESS-I items	38
10 Scope and identifier defining EXPRESS items utilised by EXPRESS-I	39
11 Scope and visibility rules	41
12 Summary overview of EXPRESS to EXPRESS-I mappings	48
13 Overview of SCHEMA mapping	49
14 Simple type mapping	51
15 Mapping of AGGREGATES	51
16 Overview of ENTITY mapping	55
17 Overview of SUPERTYPE and SUBTYPE mapping	61

Industrial automation systems and integration — Product data representation and exchange — Part 12 : Description methods: The EXPRESS-I language reference manual

1 Scope

This part of ISO 10303 defines a language by which an instance of (part of) a universe of discourse can be displayed. It also provides a formal description method for supporting the specification of abstract test cases. The language is called EXPRESS-I. It is a companion language to EXPRESS which is specified in ISO 10303-11.

EXPRESS-I is an instantiation language for a conceptual schema language as defined in ISO TR 9007, and the particular conceptual schema language that formed the starting point for EXPRESS-I was EXPRESS. The EXPRESS-I language provides for the display of the state of the objects belonging to a universe of discourse and the information units pertaining to those objects.

The following are within the scope:

- display of instances of schemas;
- display of instances of types and entities;
- abstract test case data;
- mapping from EXPRESS schemas and data types to EXPRESS-I instances.

The following are outside the scope of this part of ISO 10303:

- mapping from other (conceptual schema) languages to EXPRESS-I;
- definition of database formats;
- definition of file formats;
- definition of transfer formats;
- process control;
- information processing;
- exception handling.

EXPRESS-I is not a programming language.