

AS 3990—1993

Reconfirmed 2016

Australian Standard[®]

Mechanical equipment—Steelwork

This Australian Standard was prepared by Committee ME/5, Cranes (Balloted by ME/1, Boilers and Pressure Vessels; ME/4, Lift Installations; ME/5, Cranes; ME/18, Mining Equipment; ME/38, Gas and Liquid Petroleum Piping Systems; ME/43, Bulk Handling Equipment). It was approved on behalf of the Council of Standards Australia on 24 February 1993 and published on 17 May 1993.

The following interests are represented on the balloting Committees:

- Australian commerce associations
 - Australian development associations
 - Australian energy associations
 - Australian engineering associations
 - Australian Federal authorities
 - Australian importers associations
 - Australian industry associations
 - Australian manufactures associations
 - Australian marketing associations
 - Australian mining associations
 - Australian research associations
 - Australian Steamship Owners Federation
 - Australian State authorities
 - Australian trade associations
 - Australian universities
 - Australian utilities associations
-

Review of Australian Standards. *To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.*

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

STANDARDS AUSTRALIA

RECONFIRMATION

OF

AS 3990—1993

Mechanical equipment—Steelwork

RECONFIRMATION NOTICE

Technical Committee ME-005 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 1 November 2016.

The following are represented on Technical Committee ME-005:

Australian Chamber of Commerce and Industry
Australian Industry Group
Australian Institute for Non-Destructive Testing
Bureau of Steel Manufacturers of Australia
Concrete Pumping Association of Australia
Crane Association of New Zealand
Crane Industry Council of Australia
Department of Industry, Skills and Regional Development (NSW)
Department of Justice and Attorney General (QLD)
Electricity Engineers Association (New Zealand)
Engineers Australia
Institution of Professional Engineers New Zealand
SafeWork NSW
Transport for NSW
Worksafe Division, Department of Commerce, Western Australia
Worksafe New Zealand
WorkSafe Victoria

NOTES

Australian Standard®

Mechanical equipment—Steelwork

AS 3990 first published in part as AS CAI—1933.
Second edition 1939.
Revised and issued as SAA Int. 351—1952.
Revised and issued as AS CAI—1968.
Fourth edition 1972.
AS 1250 first published 1972.
AS CAI—1972 and AS 1250—1972 revised, amalgamated
and issued as AS 1250—1975.
AS CAI—1972 withdrawn 1976.
Third edition as AS 1250—1981.
Revised and redesignated in part as AS 3990(Int)—1991.
Revised and issued as AS 3990—1993.

PREFACE

This Standard was prepared by the Standards Australia Committee on Cranes and balloted by the Standards Australia Committees for Boilers and Unfired Pressure Vessels, Lift Installations, Cranes, Mining Equipment, Gas and Liquid Petroleum Piping Systems, and Bulk Handling Equipment to provide a working stress method for the design of mechanical equipment steelwork. AS 1250—1981, *SAA Steel Structures Code*, which provided a working stress method, was superseded by AS 4100—1990, *Steel structures*, which provides the limit states design method.

Although the limit states design method (AS 4100) is the preferred method of designing steelwork, it is necessary to continue the working stress design method (this Standard) for certain mechanical equipment where the application Standards allow. This is particularly so for mechanical equipment where the equivalent international Standards use the working stress design method.

While the editorial style and layout have been updated, this Standard incorporates the minimum changes necessary to AS 1250—1981, *SAA Steel Structures Code*. Amendments 1 and 2 have been incorporated into the text. Section 10 has been deleted, Section 11 renumbered and new Appendices F and G added. Clauses 1.1, 2.2, 3.3.1, 3.3.5, 9.5.2, 10.1.1, 10.1.4 and 10.1.5; and Appendix C have been revised.

The issue of this Standard follows its publication as an Interim Standard in December 1991. Section 1 and Appendix G have been revised, a new Application Clause included and Reference Standards updated to current editions.

Attention is drawn to the following Standards which may be required for use in connection with this Standard:

AS

- 1110 ISO metric hexagon precision bolts and screws
- 1111 ISO metric hexagon commercial bolts and screws
- 1112 ISO metric hexagon nuts, including thin nuts, slotted nuts and castle nuts
- 1163 Structural steel hollow sections
- 1170 SAA Loading Code
 - 1170.1 Part 1: Dead and live loads and load combinations
 - 1170.2 Part 2: Wind loads
 - 1170.3 Part 3: Snow loads
- 1252 High strength steel bolts with associated nuts and washers for structural engineering
- 1275 Metric screw threads for fasteners
- 1302 Steel reinforcing bars for concrete
- 1303 Steel reinforcing wire for concrete
- 1379 The specification and manufacture of concrete
- 1391 Methods for tensile testing of metals
- 1418 SAA Crane Code
- 1554 SAA Structural Steel Welding Code
 - 1554.1 Part 1: Welding of steel structures
 - 1554.2 Part 2: Arc stud welding (steel studs to steel)
 - 1554.5 Part 5: Welding of steel structures subject to high levels of fatigue loading

- 1559 Fasteners—Bolts, nuts and washers for tower construction
- 1594 Hot-rolled steel flat products
- 1627 Metal finishing—Preparation and pretreatment of surfaces
- 1627.7 Part 7: Hand tool cleaning of metal surfaces
- 2074 Steel castings
- 2121 SAA Earthquake Code
- 2214 SAA Structural Steel Welding Supervisors Certification Code
- 2312 Guide to the protection of iron and steel against exterior atmospheric corrosion
- 2812 Welding, brazing and cutting of metals—Glossary of terms
- 3600 Concrete structures
- 3678 Structural steel—Hot-rolled plates, floorplates and slabs
- 3679 Structural steel
- 3679.1 Part 1: Hot-rolled bars and sections
- 3679.2 Part 2: Welded sections
- 4100 Steel structures
- BS
- 5135 Metal-arc welding of carbon and carbon manganese steels
- Supplement 1 (PD 3343) to BS 449,
Part 1: Recommendations for design (withdrawn)

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	6
1.2 APPLICATION	6
1.3 STANDARDS	6
1.4 NEW MATERIALS OR METHODS	6
1.5 DESIGN AND SUPERVISION	6
1.6 DEFINITIONS	7
1.7 NOTATION	8
SECTION 2 MATERIALS	
2.1 STRUCTURAL STEEL	11
2.2 FASTENERS AND ELECTRODES	11
2.3 STEEL CASTINGS	12
2.4 CONCRETE	12
SECTION 3 GENERAL DESIGN REQUIREMENTS	
3.1 LOADS	13
3.2 DESIGN METHODS	13
3.3 OTHER DESIGN CONSIDERATIONS	15
SECTION 4 GEOMETRICAL PROPERTIES	
4.1 GENERAL	18
4.2 GEOMETRICAL PROPERTIES FOR CALCULATING BENDING STRESSES	18
4.3 PLATE THICKNESSES	18
4.4 HOLES	19
4.5 SECTIONAL AREAS OF BOLTS, SCREWED TENSION RODS AND RIVETS	20
4.6 MAXIMUM SLENDERNESS RATIOS	20
SECTION 5 DESIGN OF BEAMS	
5.1 GENERAL	22
5.2 MAXIMUM PERMISSIBLE STRESS	22
5.3 MAXIMUM PERMISSIBLE COMPRESSIVE STRESS	22
5.4 MAXIMUM PERMISSIBLE STRESS IN A BEAM BENT ABOUT THE AXIS OF MAXIMUM STRENGTH	23
5.5 ELASTIC CRITICAL STRESS	27
5.6 BENDING STRESSES FOR CASED BEAMS	28
5.7 PURLINS AND GIRTS	28
5.8 EFFECTIVE SPAN OF BEAMS	29
5.9 EFFECTIVE LENGTH OF BEAMS FOR LATERAL BUCKLING	29
5.10 SHEAR	33
5.11 BEARING STRESSES	34
5.12 FLANGE DETAILS	34
5.13 WEB DETAILS	35
5.14 SEPARATORS AND DIAPHRAGMS	39

	<i>Page</i>
SECTION 6 DESIGN OF STRUTS	
6.1 AXIAL STRESSES IN UNCASSED STRUTS	40
6.2 AXIAL FORCES IN CASSED STRUTS	40
6.3 EFFECTIVE LENGTH OF STRUTS	41
6.4 ECCENTRICITY FOR STRUTS	43
6.5 SPLICES	43
6.6 STRUTS WITH TWO OR MORE MAIN COMPONENTS IN CONTACT . .	44
6.7 STRUTS WITH TWO SEPARATED COMPONENTS	44
6.8 CAPS AND BASES FOR STRUTS	48
6.9 BEARING STRESSES	49
SECTION 7 DESIGN OF TENSION MEMBERS	
7.1 AXIAL STRESSES IN TENSION MEMBERS	50
7.2 TENSION MEMBERS SUBJECTED TO BENDING	50
7.3 DISTRIBUTION OF FORCES	50
7.4 TENSION MEMBERS WITH TWO OR MORE MAIN COMPONENTS . . .	52
7.5 CONNECTIONS	53
7.6 BEARING STRESSES	53
SECTION 8 COMBINED STRESSES	
8.1 GENERAL	54
8.2 INDIVIDUAL MOMENTS AND FORCES	54
8.3 DIRECT STRESS COMBINATIONS	54
SECTION 9 DESIGN OF CONNECTIONS	
9.1 MINIMUM DESIGN FORCE ON CONNECTIONS	57
9.2 CHOICE OF FASTENERS	57
9.3 COMBINED CONNECTIONS	57
9.4 CONNECTION STIFFENERS	57
9.5 STRESSES IN BOLTS, SCREWED TENSION RODS, RIVETS AND PINS	57
9.6 DESIGN DETAILS FOR FASTENERS	58
9.7 DESIGN DETAILS FOR PINS	59
9.8 WELDS	59
9.9 PACKING	61
SECTION 10 FABRICATION AND ERECTION	
10.1 GENERAL	62
10.2 TOLERANCES	62
10.3 FABRICATION PROCEDURES	63
10.4 ERECTION	65
APPENDICES	
A DEFLECTION (See Clause 3.3.5)	67
B FATIGUE (See Clause 3.3.6)	69
C STRENGTHS OF STEELS COMPLYING WITH AS 1163, AS 1594, AS 3678 AND AS 3679	76
D LIST OF REFERENCES ON THE ELASTIC FLEXURAL-TORSIONAL BUCKLING OF STEEL BEAMS	77
E EFFECTIVE LENGTH OF STRUTS (See Clause 6.3)	78
F DESIGN REQUIREMENTS FOR HIGH STRENGTH STRUCTURAL BOLTS (See Clause 9.5)	82
G FABRICATION, ASSEMBLY AND INSPECTION OF HIGH-STRENGTH STRUCTURAL BOLTS (See Clause 10.1.5)	85

STANDARDS AUSTRALIA

Australian Standard

Mechanical equipment—steelwork

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE This Standard applies to the design, fabrication, erection, repair and alteration of steelwork associated with boilers and pressure vessels, lifts, cranes, mining equipment, gas and liquid petroleum piping systems, bulk handling equipment and the like, in accordance with the working stress design method.

The Standard does not apply to the following structures and materials:

- (a) Road and railway bridges.
- (b) Steel elements, other than packers, less than 3 mm thick.
- (c) Steel for which the value F_Y used in design exceeds 450 MPa.
- (d) Cold-formed members other than those complying with AS 1163.

Steelwork may be designed to—

- (i) the limit states design method of AS 4100; or
- (ii) the working stress design method of AS 3990 (this Standard).

NOTE: It is intended that the working stress method will be phased out in Australia as it is phased out internationally.

1.2 APPLICATION This Standard is intended to apply to steelwork associated with mechanical equipment such as boilers and pressure vessels, lifts, cranes, mining equipment, gas and liquid petroleum piping systems and bulk handling equipment.

1.3 STANDARDS Unless otherwise noted, a Standard referred to in this Standard is the current edition thereof.

1.4 NEW MATERIALS OR METHODS This Standard shall not be interpreted to prevent the use of materials or of methods of design or construction not specifically referred to herein.

NOTE: It will be necessary to seek approval from the Building Authority for the use of new materials or methods.

1.5 DESIGN AND SUPERVISION

1.5.1 Design The design of a structure or the part of a structure to which this standard is applied shall be the responsibility of an engineer experienced in the design of such structures.

For the purposes of this Standard the term 'Design Engineer' shall mean the Engineer responsible for design and shall include his representative.