

Australian Standard[®]

**ACOUSTICS—METHOD FOR THE
DETERMINATION OF AIRBORNE
NOISE EMITTED BY HOUSEHOLD
AND SIMILAR ELECTRICAL
APPLIANCES**

**Part 1—GENERAL
REQUIREMENTS**

This Australian Standard was prepared by Committee AV/7, Acoustics—Noise from Office and Household Equipment. It was approved on behalf of the Council of the Standards Association of Australia on 27 July 1987 and published on 1 September 1987.

The following interests are represented on Committee AV/7:

Association of Consulting Engineers, Australia
Australian Acoustical Society
Australian Consumer Association
Australian Environmental Council
Confederation of Australian Industry
CSIRO, Division of Applied Physics

Review of Australian Standards. *To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.*

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 86172.

Australian Standard®

**ACOUSTICS—METHOD FOR THE
DETERMINATION OF AIRBORNE
NOISE EMITTED BY HOUSEHOLD
AND SIMILAR ELECTRICAL
APPLIANCES**

**Part 1—GENERAL
REQUIREMENTS**

First published 1987

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 4725 1

PREFACE

This Standard was prepared by the Association's Committee on Acoustics—Noise from Office and Household Equipment, at the request of various manufacturing and governmental organisations.

This Standard is based on JEC 704—1, Test Code for the Determination of Airborne Acoustical Noise Emitted by Household and Similar Electrical Appliances, Part 1: General Requirements, and it envisaged that additional Standards in the series will be published in the future, covering the various types of appliances.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
FOREWORD	5
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	6
1.2 APPLICATION	6
1.3 REFERENCED DOCUMENTS	6
1.4 DEFINITIONS	7
SECTION 2 MEASUREMENT METHODS AND ACOUSTICAL ENVIRONMENTS	
2.1 GENERAL	8
2.2 MEASUREMENT METHODS	8
2.3 ACOUSTICAL ENVIRONMENTS	8
SECTION 3 INSTRUMENTATION	
3.1 INSTRUMENTATION FOR MEASURING ACOUSTICAL DATA	9
3.2 INSTRUMENTATION FOR MEASURING CLIMATIC CONDITIONS	9
3.3 INSTRUMENTATION FOR MEASURING OPERATING CONDITIONS	9
SECTION 4 OPERATION AND LOCATION OF APPLIANCES UNDER TEST	
4.1 EQUIPPING AND PRECONDITIONING OF APPLIANCES	10
4.2 SUPPLY OF ELECTRIC ENERGY, WATER, OR GAS	10
4.3 CLIMATIC CONDITIONS	10
4.4 LOADING AND OPERATING OF APPLIANCES	10
4.5 LOCATION AND MOUNTING OF APPLIANCES	10
SECTION 5 MEASUREMENT OF NOISE LEVELS	
5.1 GENERAL	12
5.2 MICROPHONE ARRAY AND MEASUREMENT SURFACE FOR ESSENTIALLY FREE-FIELD CONDITIONS OVER A REFLECTING PLANE	12
5.3 MICROPHONE ARRAY AND LOCATION OF REFERENCE SOUND SOURCE IN FREE-FIELD CONDITIONS	19
5.4 MICROPHONE ARRAY AND SOURCE LOCATION IN SPECIAL REVERBERANT TEST ROOMS SOUND SOURCE IN FREE-FIELD CONDITIONS	19
5.5 MICROPHONE ARRAY AND LOCATION OF REFERENCE SOUND SOURCE IN REVERBERANT FIELD CONDITIONS . .	19
5.6 SOUND PRESSURE LEVEL MEASUREMENTS	19
SECTION 6 CALCULATION OF SOUND PRESSURE AND SOUND POWER LEVELS	
6.1 GENERAL	21
6.2 CALCULATION OF MEAN SOUND PRESSURE LEVELS	21
6.3 CALCULATION OF SOUND POWER LEVELS FOR THE COMPARISON METHOD	21
6.4 CALCULATION OF SOUND POWER LEVELS FOR MEASUREMENTS WITH THE DIRECT METHOD IN QUALIFIED FREE-FIELD CONDITIONS IN ACCORDANCE WITH AS 1217.5	21
6.5 CALCULATION OF A-WEIGHTED SOUND POWER LEVELS FOR MEASUREMENTS WITH THE DIRECT METHOD IN SPECIAL REVERBERATION TEST ROOMS IN ACCORDANCE WITH AS 1217.4	21

SECTION 7. INFORMATION TO BE RECORDED

7.1	GENERAL DATA	23
7.2	DESCRIPTION OF THE APPLIANCE UNDER TEST	23
7.3	MEASUREMENT METHOD	23
7.4	ACOUSTICAL TEST ENVIRONMENT	23
7.5	INSTRUMENTATION	23
7.6	EQUIPMENT AND PRECONDITIONING OF APPLIANCE UNDER TEST	23
7.7	ELECTRIC SUPPLY, WATER SUPPLY, ETC	23
7.8	CLIMATIC CONDITIONS	23
7.9	OPERATION OF THE APPLIANCE UNDER TEST	23
7.10	LOCATION AND MOUNTING OF THE APPLIANCE UNDER TEST	23
7.11	MEASUREMENT DATA	23
7.12	CALCULATED SOUND PRESSURE AND SOUND POWER LEVELS	24
APPENDIX A. GUIDELINES FOR THE DESIGN OF SIMPLE TEST ROOMS WITH ESSENTIALLY FREE-FIELD CONDITIONS		24

FOREWORD

Although the noise levels produced by household appliances do not generally present a hazard to the hearing of the operator or other exposed persons, the need for standardized procedures for the determination of the noise emitted has been recognized for a long time. Such procedures should be specified not only for special types of appliances, but the principles should be applicable to the majority of appliances in general use.

The potential users of such methods will be manufacturers of household appliances, testing laboratories, labelling organizations, and consumers' unions. Generally, the determination of noise levels is only part of a comprehensive testing procedure covering many aspects of the properties and performance of the appliance. It is therefore important that the requirements for noise measurements (e.g. test environment, instrumentation, and amount of labour involved) should be realistic and easily reproducible.

In most cases, the results of noise measurements will be used for noise level indication purposes (e.g. for noise labelling, in which the results will be utilized for comparing the noise emitted by a specific appliance with the noise emitted by other appliances of the same generic type). In other cases, the results will be taken as basis for engineering action (e.g. in the development stages of a new piece of equipment or in deciding on means for sound insulation). For all purposes, it is important to specify procedures with known accuracy so that the results of measurements taken by different laboratories can be compared.

These conditions have, as far as possible, been taken into account in the preparation of this Standard. The acoustic measuring methods are based on those described in AS 1217.4, Acoustics—Determination of Sound Power Levels of Noise Sources, Part 4—Engineering Methods For Special Reverberation Test Room; and AS 1217.5, Acoustics—Determination of Sound Power Levels of Noise Sources, Part 5—Engineering Methods for Free-field Conditions Over a Reflecting Plane.

The adoption of these methods permits the use of anechoic (or more correctly, hemi-anechoic) chambers and specially adapted reverberant rooms. The result of the measurements is the sound power level of the appliance. Within the measuring uncertainty specifically related to these methods, the results from determination under free-field conditions over a reflecting plane are equal to those obtained in a special reverberant test room.

It should be emphasized that this Standard is concerned with airborne noise only. In some cases, structure-borne noise may be of importance.

STANDARDS ASSOCIATION OF AUSTRALIA

Australian Standard

ACOUSTICS—METHODS FOR THE DETERMINATION OF AIRBORNE NOISE EMITTED BY HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES

Part 1—GENERAL REQUIREMENTS

SECTION 1. SCOPE AND GENERAL

1.1 SCOPE. This Standard sets out objective methods of engineering accuracy (engineering method, grade 2 according to ISO 2204) for determining sound power levels of airborne acoustical noise emitted by household and similar appliances within the specified frequency range of interest.

This Standard does not apply to the following:

- (a) Appliances, equipment, or machines designed primarily for industrial or professional purposes.
- (b) Appliances which are integrated parts of a building or its installations such as equipment for air conditioning, heating, and ventilating (except household fans, cooker hoods, and free-standing heating appliances), oil burners for central heating, pumps for water supply, macerators, and pumps for sewerage systems.
- (c) Separate motors or generators.
- (d) Appliances intended specifically for outdoor use.

Not included in this Standard are methods for determining sound power levels with greater precision accuracy (precision method, grade 1 according to ISO 2204) specified for example in AS 1217.2, AS 1217.3, and AS 1217.6. They may, however, be applied if the appropriate instrumentation and test environment are available.

1.2 APPLICATION. This Standard applies to electric appliances (including their accessories or components) for household and similar use, supplied from mains or batteries, or from both. The method includes the analysis of octave bands between 125 Hz and 8000 Hz (this interval being, for practical reasons, narrower than the frequency range of audible sound), and for prescribed operating conditions of the appliance to be measured. It may be used for noise labelling testing by the relevant Statutory Authority.

The following sound power levels are used:

- (a) Overall A-weighted sound power level (L_{WA}).
- (b) Octave band sound power levels (L_{WF}).

In general, the described methods are specified for appliances operated with no operator present. Only for the (rare) cases where an appliance can only be operated by an operator, or must be fed by an operator, shall a standard test operator be present, as specified in the relevant other Standards in this series.

NOTES:

1. By 'similar use' is understood the use in similar conditions as occur in residential situation (e.g. in inns, coffee houses, tearooms, hotels, barber shops, hairdresser shops, laundrettes) if not otherwise specified in the relevant other Standards in the series.

2. The uncertainties of measurements according to this Standard tend to result, for A-weighted sound power levels, in standard deviations generally not exceeding approximately 2 dB, provided that the noise spectrum does not contain pronounced discrete frequencies, if it does, then the magnitude of the uncertainties will be larger. The nominated standard deviations reflect the cumulative effects of all causes of measurement uncertainties, excluding variations in the noise level of the appliance from test to test.
3. The noise values obtained under the described conditions of this Standard will not necessarily correspond to the noise experienced under the operational conditions of practical use (see Clause 4.4 (a)).
4. For quality control during production, etc, simplified methods may be appropriate. For noise control purposes (e.g. development of quieter appliances, insulation of equipment) other measurement methods will usually have to be applied (e.g. narrow-band frequency analysis). Such methods are not covered by this Standard.

1.3 REFERENCED DOCUMENTS. The following Standards are referred to in this Standard:

- AS 1055.1 Acoustics—Description and Measurement of Environmental Noise, Part 1—General Procedures
- AS 1217.2 Acoustics—Determination of Sound Power Levels of Noise Sources, Part 2—Precision Methods for Broad-band Sources in Reverberation Rooms.
- AS 1217.3 Acoustics—Determination of Sound Power Levels of Noise Sources, Part 3—Precision Methods for Discrete-frequency and Narrow-band Sources in Reverberation Rooms.
- AS 1217.4 Acoustics—Determination of Sound Power Levels of Noise Sources, Part 4—Engineering Methods for Special Reverberation Test Room.
- AS 1217.5 Acoustics—Determination of Sound Power Levels of Noise Sources, Part 5—Engineering Methods for Free-field Conditions Over a Reflecting Plane.
- AS 1217.6 Acoustics—Determination of Sound Power Levels of Noise Sources, Part 6—Precision Methods for Anechoic and Hemi-anechoic rooms.
- AS 1259 Sound Level Meters.
- AS 1633 Acoustics—Glossary of Terms and Related Symbols.
- AS 2454 Textile Floor Covering—Definitions, Terminology and Structure Classification.