

Australian Standard[®]

Limes and limestones

Part 1: Limes for building

This Australian Standard was prepared by Committee BD/27, Lime. It was approved on behalf of the Council of Standards Australia on 11 July 1997 and published on 5 September 1997.

The following interests are represented on Committee BD/27:

AUSTROADS

Cement and Concrete Association of Australia

CSIRO Building, Construction and Engineering

Master Builders Australia

National Lime Association of Australia

Review of Australian Standards. *To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.*

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 96436.

Australian Standard[®]

Limes and limestones

Part 1: Limes for building

Originated as part of AS A3—1928 and AS A4—1928.
Previous edition AS 1672—1974.
Revised and redesignated in part as AS 1672.1—1997.

PREFACE

This Standard was prepared by the Standards Australia Committee BD/27, Lime, to supersede, in part, AS 1672—1974, *Building limes*.

Major alterations to the relevant parts of AS 1672 are as follows:

- (a) This Standard contains only the specification of limes for building.
- (b) Test methods are now in AS 4489.
- (c) The definitions clause of AS 1672 has been expanded to include lime slurry, lime putty, water and processing additions.
- (d) The physical and chemical requirements in AS 1672 have been incorporated into Table 1 and Table 2 of this Standard.
- (e) The sampling clause of AS 1672 has been transferred to AS 4489.1.1.
- (f) Appendix A of AS 1672 has been incorporated into Clause 4.2 of this Standard.
- (g) Editorial amendments have been effected.

This Standard provides lime manufacturers and lime users with requirements for specifying quicklime and hydrated lime intended for use in building. It allows acceptance of coarser finishing lime than permitted by AS 1672 provided that the product meets a soundness—pat test.

The term 'informative' has been used in this Standard to define the application of the appendix to which it applies. An 'informative' appendix is only for information and guidance.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
1 SCOPE	4
2 REFERENCED DOCUMENTS	4
3 DEFINITIONS	4
4 REQUIREMENTS	5
5 SAMPLING AND TESTING	5
6 PACKING, MARKING AND DELIVERY OF BAGGED LIME	6
APPENDIX A MEANS FOR DEMONSTRATING COMPLIANCE WITH THIS STANDARD	8

STANDARDS AUSTRALIA

Australian Standard**Limes and limestones****Part 1: Limes for building**

1 SCOPE This Standard specifies requirements for quicklime and hydrated lime intended for use in building.

NOTE: Alternative means for determining compliance with this Standard are given in Appendix A.

2 REFERENCED DOCUMENTS The following documents are referred to in this Standard:

AS

4489	Test methods for limes and limestones
4489.1.1	Method 1.1: Sample preparation—Quicklime and hydrated lime
4489.2.1	Method 2.1: Fineness—Wet sieving
4489.3.1	Method 3.1: Slaking—Dewar flask
4489.4.1	Method 4.1: Soundness—Pat
4489.4.2	Method 4.2: Soundness—Le Chatelier
4489.4.3	Method 4.3: Soundness—Autoclave
4489.5.1	Method 5.1: Chemical composition—Quicklime and hydrated lime
4489.6.1	Method 6.1: Lime index—Available lime
4489.7.1	Method 7.1: Loss on ignition—Quicklime, hydrated lime and limestone
4489.8.1	Method 8.1: Free moisture—Convection oven
4489.9.1	Method 9.1: Solid content—Convection oven
4489.10.1	Method 10.1: Bulk density—Quicklime and hydrated lime
1199	Sampling procedures and tables for inspection by attributes
1399	Guide to AS 1199—Sampling procedures and tables for inspection by attributes

AS/NZS

ISO 9000	Quality management and quality assurance standards
ISO 9000.1	Part 1: Guidelines for selection and use
ISO 9004	Quality management and quality system elements
ISO 9004.1	Part 1: Guidelines

SAA

HB18	Guidelines for third-party certification and accreditation
HB18.28	Guide 28—General rules for a model third-party certification scheme for products

3 DEFINITIONS For the purpose of this Standard, the definitions below apply.

3.1 Finishing lime—hydrated lime specially prepared for use in a finishing coat, plaster or render.