

Australian/New Zealand Standard™

**Information technology—CDIF semantic
metamodel**

Part 3: Data definitions



AS/NZS ISO/IEC 15476.3:2006

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee IT-015, Software and Systems Engineering. It was approved on behalf of the Council of Standards Australia on 27 October 2006 and on behalf of the Council of Standards New Zealand on 10 November 2006.
This Standard was published on 12 December 2006.

The following are represented on Committee IT-015:

Australian Computer Society
Australian Electrical and Electronic Manufacturers Association
Australian Society or Technical Communications
Australian Software Metrics Association
Engineers Australia/ACTS Joint Board in Software Engineering
Griffith University
National Association of Testing Authorities Australia
National ICT Australia
New Zealand Organisation for Quality
Software Quality Association, ACT
Software Quality Association, NSW
Systems Engineering Society of Australia
The University of Queensland
University of Auckland, NZ
University of South Australia
University of Technology, Sydney
Vendor Interests, NZ

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 06511.

Australian/New Zealand Standard™

**Information technology—CDIF semantic
metamodel**

Part 3: Data definitions

First published as AS/NZS ISO/IEC 15476.3:2006.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia, GPO Box 476, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 7910 7

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee IT-015, Software and Systems Engineering.

The objective of this Standard is to provide people vendors and users of modelling tools and meta-data repositories with a definition of Data Definition Subject Area of the CDIF semantic metamodel. (This subject area contains meta-objects that are used as a basis of the data components of other subject area standards, and also meta-relationships and meta-attributes that are applicable to all data-related meta-objects).

This Standard is identical with, and has been reproduced from ISO/IEC 15476-3:2006, *Information technology—CDIF semantic metamodel—Part 3: Data definitions*.

As this Standard is reproduced from an international standard, the following applies:

- (a) Its number appears on the cover and title page while the international standard number appears only on the cover.
- (b) In the source text ‘this International Standard’ should read ‘this Australian/New Zealand Standard’.
- (c) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>		<i>Australian/New Zealand Standard</i>	
ISO		AS	
31	Quantities and units	2900	Quantities and units
31-1	Part 1: Space and time	2900.1	Part 1: Space and time
ISO/IEC		AS/NZS ISO/IEC	
15474	Information technology—CDIF framework	15474	Information technology—CDIF framework
15474-1	Part 1: Overview	15474.1	Part 1: Overview
15474-2	Part 2: Modelling and extensibility	15474.2	Part 2: Modelling and extensibility
15476	Information technology—CDIF semantic metamodel	15476	Information technology—CDIF semantic metamodel
15476-1	Part 1: Foundation	15476.1	Part 1: Foundation
15476-2	Part 2: Common	15476.2	Part 2: Common
15476-4	Part 4: Data models	15476.4	Part 4: Data models

Only normative references in the source document that have been adopted as Australian or Australian/New Zealand Standard have been listed.

CONTENTS

	<i>Page</i>
1	Scope 1
2	Conformance 2
2.1	General 2
2.2	Input conformance 2
2.3	Output conformance 2
2.4	Round-trip conformance 3
3	Normative references 3
4	Terms and definitions 4
4.1	From other International Standards 4
4.1.1	ISO/IEC 15474-1 4
4.1.2	ISO/IEC 13238-1 4
4.1.3	For this International Standard 4
5	Symbols (and abbreviated terms) 5
5.1	Naming, diagramming and definition conventions 5
5.2	Abbreviations 5
6	Data definition subject area overview 5
6.1	Introduction 5
6.2	Data Typing 5
6.3	The General Structuring Mechanism 5
6.3.1	Introduction 5
6.3.2	Meta-entities and Meta-relationships 5
6.3.3	DefinitionObject and ComponentObject 7
6.4	Alternate Decompositions 8
6.5	Pointers and Arrays 10
6.6	Data Types 10
6.7	Constraining Data Type and Attribute Values 11
6.8	Units for Numeric DataTypes 12
6.9	Void and Unknown Data Types 13
6.10	Computable Languages 13
6.11	Formats for Computable Values 13
6.12	Diagrams 16
7	Data definitions subject area summary 21
7.1	AttributableMetaObject classification hierarchy 21
7.2	MetaEntity summary 23
7.3	MetaRelationship summary 37
8	Data definitions subject area specification 39
8.1	Introduction 39
8.1.1	Subject area definition 39
8.2	Meta-entity definitions 39
8.2.1	AggregateDataType 39
8.2.2	ApproximateNumericType 40
8.2.3	ArrayQualifier 41
8.2.4	Attribute 42
8.2.5	BasicDataType 42
8.2.6	BinaryCodedDecimalType 43
8.2.7	BinaryType 43
8.2.8	BooleanType 44
8.2.9	BoundedArrayQualifier 44
8.2.10	CartesianComplexType 45

	<i>Page</i>
8.2.11 ComplexType	46
8.2.12 DataType	47
8.2.13 DateType	48
8.2.14 DayTimeIntervalType	49
8.2.15 DefinitionObject	49
8.2.16 EnumerationType	49
8.2.17 ExactNumericType	50
8.2.18 FixedDecimalType	51
8.2.19 FixedLengthBinaryType	52
8.2.20 FixedLengthStringType	54
8.2.21 IntegerType	55
8.2.22 MagnitudeType	55
8.2.23 MoneyType	56
8.2.24 NLFixedLengthStringType	57
8.2.25 NLVariableLengthStringType	58
8.2.26 NumericType	59
8.2.27 PackedDecimalType	59
8.2.28 PointerQualifier	60
8.2.29 PolarComplexType	60
8.2.30 QualifiedDataType	62
8.2.31 Qualifier	62
8.2.32 RefinedDataType	63
8.2.33 SerialType	63
8.2.34 StringType	65
8.2.35 TemporalType	66
8.2.36 TimeIntervalType	66
8.2.37 TimeStampType	67
8.2.38 TimeType	68
8.2.39 UnboundedArrayQualifier	69
8.2.40 Unit	70
8.2.41 ValueDomain	74
8.2.42 ValueDomainEnumeration	75
8.2.43 ValueDomainGroup	76
8.2.44 ValueDomainProcedure	77
8.2.45 ValueDomainRange	78
8.2.46 ValueDomainRule	80
8.2.47 VariableLengthBinaryType	81
8.2.48 VariableLengthStringType	82
8.2.49 VoidType	84
8.2.50 YearMonthIntervalType	84
8.3 Meta-relationship definitions	85
7.3.1 ArrayQualifier.HasType.DataType	85
7.3.2 DataType.TakesValueFrom.ValueDomain	85
7.3.3 NumericType.IsMeasuredIn.Unit	86
8.3.1 RootEntity.IsRelatedTo.RootEntity	86
8.3.2 QualifiedDataType.IsQualificationOf.DataType	86
8.3.3 QualifiedDataType.IsQualifiedBy.Qualifier	87
8.3.4 RefinedDataType.IsRefinementOf.DataType	87
8.3.5 ValueDomainGroup.Contains.ValueDomain	88

Table of Illustrations

Figure 1 – CDIF family of International Standards	1
Figure 2 – Part of general Structuring Mechanism for data definitions subject area	6
Figure 3 – Meta-model fragment for simple attribution with defined DataTypes	6
Figure 4 – Instance Diagram showing simple attribution with defined DataTypes	7

Figure 5 – Instance diagram of attributes sharing the same structured definition.....	8
Figure 6 – Instance diagram of alternate Data Structures	9
Figure 7 – Concepts of shared attribute values and definitions	10
Figure 8 – Usage of ValueDomainGroup and ValueDomain	12
Figure 9 – Data Definition Subject Area - Main Diagram.....	16
Figure 10	17
Figure 11 – MagnitudeType Subtypes	18
Figure 12 – NumericType Subtypes.....	19
Figure 13 – Subtypes and meta-relationships for Qualifier.....	20
Figure 14 – ValueDomainGroup and related meta-entities	20
Table of Tables	
Table 1 – Formats for Computable Values.....	13
Table 2 – Notation Used for Computable Values	15
Table 3 – Function Values for Computable Values	15

INTRODUCTION

This International Standard will assist the vendors and users of modelling tools and meta-data repositories in developing mechanisms for interchanging information. This International Standard specifies an element of a family of related standards. When used together, these International Standards specify a mechanism for transferring information between tools.

ISO/IEC 15474-1:2002, *Information technology - CDIF framework - Part 1: Overview* and ISO/IEC 15474-2, *Information technology - CDIF framework - Part 2: Modelling and extensibility* should be read first when initially exploring CDIF. The first explains the overall CDIF architecture and how the family of standards fits together. The second explains the scope, and modelling approach in CDIF. The CDIF meta-metamodel and extensibility mechanism are also defined in that document.

This International Standard explains the data definitions subject area of the CDIF semantic metamodel, which defines the primitive data types and the objects which are used for structured data. The CDIF semantic metamodel is used to ensure that the information transferred by tools communicating using CDIF is expressed with an agreed meaning.

This International Standard has been developed with the wide support and participation of vendors, users, academia and government involved in or familiar with the CASE industry, its products and the general requirements associated with interchanging information between these products.

This document is organized into the following Clauses:

— Clause 1 to 5 are prescribed ISO/IEC Clauses.

— Clause 6: Subject area overview:

This Clause gives an overview of the coverage of this subject area.

— Clause 7: Subject area summary:

This Clause gives an overview of the content of this subject area.

— Clause 8: Subject area specification:

This Clause gives the formal specification of all the objects defined in the subject area, and the formal reference to those used, but not defined in the subject area.

This document is intended to be used by anyone wishing to understand and/or use CDIF. This document provides a definition of a single subject area of the CDIF semantic metamodel. It is suitable for:

— Those evaluating CDIF;

— Those who wish to understand the principles and concepts of a CDIF transfer; and

— Those developing importers and exporters.

This document, ISO/IEC 15474-1:2002, *Information technology - CDIF framework - Part 1: Overview*, and the framework document ISO/IEC 15474-2:2002, *Information technology - CDIF framework - Part 2: Modelling and extensibility*, should be read first when initially exploring CDIF and before attempting to read other documents in the CDIF family of International Standards.

While there are no specific prerequisites for reading this document, it will be helpful for the reader to have familiarity with the following:

- Entity-Relationship-Attribute modelling;
- Modelling (CASE) tools;
- Information repositories;
- Data dictionaries; and
- Multiple meta-layer modelling.

AUSTRALIAN/NEW ZEALAND STANDARD

Information technology — CDIF semantic metamodel —**Part 3:
Data definitions****1 Scope**

The CDIF family of International Standards is primarily designed to be used as a description of a mechanism for transferring information between modelling tools. It facilitates a successful transfer when the authors of the importing and exporting tools have nothing in common except an agreement to conform to CDIF. The language that is defined for the transfer format also has applicability as a general language for import/export from repositories. The CDIF semantic metamodel defined for CASE also has applicability as the basis of standard definitions for use in repositories.

The International Standards which form the complete family of CDIF standards are documented in ISO/IEC 15474-1:2002, *Information technology — CDIF framework — Part 1: Overview*. These standards cover the overall framework, the transfer format and the CDIF semantic metamodel.




Figure 1 – CDIF family of International Standards

The diagram in Figure 1 depicts the various International Standards that comprise the CDIF family of standards. The shaded box depicts this International Standard and its position in the CDIF family of standards.