

AS/NZS 60335.2.92:2003  
(IEC 60335-2-92:2002, IDT)  
Reconfirmed 2016

## Australian/New Zealand Standard™

---

Household and similar electrical  
appliances – Safety –

Part 2.92: Particular requirements for  
pedestrian-controlled mains-  
operated lawn scarifiers and aerators  
(IEC 60335-2-92:2002, IDT)

---

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL/2 - Safety of household and similar electrical appliances and small power transformers. It was approved on behalf of the Council of Standards Australia on 15 April 2003 and by the Council of Standards New Zealand on 8 May 2003. It was published on 30 May 2003.

---

The following interests are represented on Committee EL/2

Association of Certification Bodies  
Australian Chamber of Commerce and Industry  
Australian Electrical and Electronic Manufacturers Association  
Canterbury Manufacturers Association New Zealand  
Consumer Electronic Suppliers Association, Australia  
Electrical regulatory authorities, Australia  
Electrical test laboratories  
Electrical consultants  
Electricity Supply Association of Australia  
Institution of Engineers Australia  
Metal Trades Industries Association of Australia  
Ministry of Consumer Affairs, New Zealand

---

### **Keeping Standards up-to-date**

Standards are living documents, which reflect progress in science, technology and systems.

To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Australia web site at [www.standards.com.au](http://www.standards.com.au) or Standards New Zealand web site at [www.standards.co.nz](http://www.standards.co.nz) and looking up the relevant Standard in the on-line catalogue. Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comment to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

---

**RECONFIRMATION**

**OF**

**AS/NZS 60335.2.92:2003**

**Household and similar electrical appliances—Safety  
Part 2.92: Particular requirements for pedestrian-controlled mains-operated lawn  
scarifiers and aerators (IEC 60335-2-92:2002, IDT)**

---

**RECONFIRMATION NOTICE**

Technical Committee EL-002 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 28 April 2016.

Approved for reconfirmation in New Zealand on behalf of the Standards Council of New Zealand on 18 May 2016.

The following are represented on Technical Committee EL-002:

Australian Industry Group  
Australian Retailers Association  
Business New Zealand  
Consumer Electronics Suppliers Association  
Consumers Federation of Australia  
Electrical Regulatory Authorities Council  
Engineers Australia  
Joint Accreditation System of Australia and New Zealand  
New Zealand Electric Fence Energiser Manufacturers Standards WG  
NSW Fair Trading  
Testing Interests (New Zealand)  
Worksafe New Zealand

## NOTES

AS/NZS 60335.2.92:2003  
(IEC 60335-2-92:2002, IDT)

## Australian/New Zealand Standard™

---

Household and similar electrical  
appliances – Safety –

Part 2.92: Particular requirements for  
pedestrian-controlled mains-  
operated lawn scarifiers and aerators  
(IEC 60335-2-92:2002, IDT)

---

Originated as AS/NZS 60335.2.92:2003

### **COPYRIGHT**

© Standards Australia/ Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher

Published jointly by Standards Australia International Ltd  
GPO Box 5420, Sydney, NSW 2001 Australia, and  
Standards New Zealand  
Private Bag 2439, Wellington 6020, New Zealand

ISBN 0 7337 5379 5

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope .....	7
2 Normative references .....	7
3 Definitions.....	8
4 General requirement.....	10
5 General conditions for the tests .....	11
6 Classification.....	11
7 Marking and instructions .....	11
8 Protection against access to live parts .....	14
9 Starting a motor-operated appliance .....	14
10 Power input and current.....	14
11 Heating .....	14
12 Void .....	14
13 Leakage current and electric strength at operating temperature .....	14
14 Transient overvoltages .....	14
15 Moisture resistance .....	14
16 Leakage current and electric strength .....	15
17 Overload protection of transformers and associated circuits .....	15
18 Endurance.....	15
19 Abnormal operation .....	15
20 Stability and mechanical hazards .....	16
21 Mechanical strength .....	21
22 Construction.....	22
23 Internal wiring.....	24
24 Components .....	24
25 Supply connection and external flexible cords .....	24
26 Terminals for external conductors .....	25
27 Provision for earthing.....	25
28 Screws and connections .....	25
29 Clearances, creepage distances and solid insulation .....	25
30 Resistance to heat and fire .....	25
31 Resistance to rusting .....	25
32 Radiation, toxicity and similar hazards .....	26

Annexes .....	34
Annex AA (normative) Test enclosure construction .....	34
Annex BB (normative) Base for thrown object test enclosure.....	39
Annex CC (normative) Target panel elevation zones and recommended test report for thrown object test .....	42
Bibliography .....	44
Annex ZZ (informative) Variations to IEC 60335-2-92:2002 for application in Australia and New Zealand .....	45
Figure 101 – Safety distances – Rotary appliances.....	26
Figure 102 – Safety distances – Other lawn scarifiers and aerators.....	27
Figure 103 – Foot probe.....	28
Figure 104 – Foot probe test .....	29
Figure 105 – Strength of cutting means .....	30
Figure 106 – Operator zone .....	31
Figure 107 – Use of test rod to check guarding of cylinders .....	32
Figure 108 – Side coverage of cylinders .....	32
Figure 109 –Guarding of rear discharge cylinders.....	32
Figure 110 – Guarding of front discharge cylinders .....	32
Figure 111 – Impact test fixture for handle insulation .....	33
Figure AA.1 – Thrown object test fixture .....	35
Figure AA.2 – Single spindle rotary appliances – Test enclosure.....	36
Figure AA.3 – Test enclosure walls and base .....	37
Figure AA.4 – Test fixture for corrugated fibreboard penetration test.....	38
Figure BB.1 – Thrown object test fixture base detail .....	40
Figure BB.2 – Nail plan of test fixture base.....	41

## STANDARDS AUSTRALIA / STANDARDS NEW ZEALAND

---

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –  
SAFETY –****Part 2.92: Particular requirements for pedestrian-controlled  
mains-operated lawn scarifiers and aerators**

## FOREWORD

This standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-002- Safety of Household and Similar Electrical Appliances and Small Power Transformers.

The objective of this Standard is to provide manufacturers, designers, regulatory authorities, testing laboratories and similar organizations with safety requirements designed to give the user protection against hazards that might occur during normal operation and abnormal operation of the appliance and which may be used as the basis for approval for sale or for connection to the electricity supply mains in Australia and New Zealand

This Standard is an adoption with national modifications and contains the full text of the second edition of IEC 60335-2-92:2002, *Household and similar electrical appliances – Safety - Part 2-92: Particular requirements for pedestrian-controlled mains-operated lawn scarifiers and aerators* including Corrigendum 1 and has been varied as indicated to take account of Australian and New Zealand conditions. It is to be used in conjunction with the latest edition of AS/NZS 60335.1, *Household and similar electrical appliances – Safety - Part 1: General requirements* and its Amendments. It was established on the basis of AS/NZS 60335.1:2002.

This part 2 supplements or modifies the corresponding clauses of AS/NZS 60335.1 (referred to as part 1 in this part 2) so as to convert it into the Australian/New Zealand Standard: Safety of spray extraction appliances for industrial and commercial use.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to AS/NZS 60335.1.

When a particular subclause of Part 1 is not mentioned in this Part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification", or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The numbering of clauses, subclauses, notes, tables, figures and annexes follows that of IEC 60335-2-92:2002. To allow for the introduction of additional material by the IEC, the numbers 101 to 200 have been reserved. To allow for additional material to be introduced by Australia and New Zealand, the numbers 201 to 300 are used to number further clauses, subclauses, notes, tables and figures in part 1. The numbers 301 to 400 are used to number further clauses, subclauses, notes, tables and figures in this part 2. Additional annexes are lettered ZA, ZB and so on.

This scheme has been introduced to reduce the likelihood of the IEC and Australia and New Zealand using the same identifier for different purposes.

The use of the word VOID indicates that the IEC text is not used in Australia or New Zealand. The use of this word also avoids the need to renumber, clauses, notes, tables and figure if an earlier clause, note, table or figure is not used.

Clause 2 has been reformatted to indicate the Australia/New Zealand standard that is equivalent to the IEC standard or ISO standard to which normative reference is made.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown on the cover and title page only.
- (b) In the source text "this International Standard" should read "this Australian/New Zealand Standard".

A full point substitutes for a comma when referring to a decimal marker.

Variations to IEC 60335-2-92:2002 are indicated at the appropriate places throughout this standard. Strikethrough (~~example~~) identifies IEC tables, figures and passages of text which, for the purposes of this Australian/New Zealand standard are deleted. Where Australian/New Zealand tables, figures or passages of text are added, each is set in its proper place and identified by shading (~~example~~). Added figures are not themselves shaded, but are identified by a shaded border.

Variations made to IEC 60335-2-92:2002 form the Australian variations for the purposes of the IECEE scheme for recognition of testing to standards for safety of electrical equipment (the CB scheme). These variations have been incorporated in the body of the standard. They are listed in Annex ZZ for easy reference.

## INTRODUCTION

It has been assumed in the drafting of this international standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of AS/NZS 3000 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of AS/NZS 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

The essential safety requirements in AS/NZS 3820 that could be applicable to pedestrian-controlled mains-operated lawn scarifiers and aerators are covered by this standard

-----

## AUSTRALIA/NEW ZEALAND STANDARD

---

### HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

#### Part 2.92: Particular requirements for pedestrian-controlled mains-operated lawn scarifiers and aerators

## 1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of **pedestrian-controlled** mains-operated electrical lawn scarifiers and aerators with rotating cutters for regenerating lawns by, for instance, combing out grass thatch and moss, or by cutting vertically into the lawn face. These scarifiers are designed primarily for use at and around the home or for similar purposes, their **rated voltage** being not more than 250 V single phase.

This standard does not, in general, take into account:

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.

NOTE 101 Attention is drawn to the fact that

- in many countries additional requirements are specified by the national authorities responsible for the protection of labour.

NOTE 102 This standard does not apply to

- **lawnmowers** (IEC 60335-2-77);
- **lawn trimmers and lawn edge trimmers** (IEC 60335-2-91);
- **lawn edgers, flail mowers, sickle-bar mowers or agricultural mowers.**

## 2 Normative references

This clause of Part 1 is applicable except as follows.

*Addition:*

International Standard	Year	Title	AU/NZ Standard	Year
ISO 2758	2001	<i>Paper – Determination of bursting strength</i>		
ISO 3411	1995	<i>Earth-moving machinery – Human physical dimensions of operators and minimum operator space envelope</i>		