

Australian Standard[®]

**Determination of platinum and
palladium in gold and gold bearing
alloys—Flame atomic absorption
spectrometry (FAAS) or inductively
coupled plasma-atomic emission
spectrometry (ICP-AES) (fire assay
methods)**



This Australian Standard® was prepared by Committee CH-010, Analysis of Metals. It was approved on behalf of the Council of Standards Australia on 25 October 2007. This Standard was published on 20 December 2007.

The following are represented on Committee CH-010:

- Australasian Institute of Mining and Metallurgy
 - Australian Aluminium Council
 - Institute of Materials Engineering Australasia
 - International Precious Metals Institute
 - National Association of Testing Authorities Australia
 - The Royal Australian Chemical Institute
-

This Standard was issued in draft form for comment as DR 06637.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

STANDARDS AUSTRALIA

RECONFIRMATION

OF

AS 4119–2007

Determination of platinum and palladium in gold and gold bearing alloys – Flame atomic absorption spectrometry (FAAS) or inductively coupled plasma-atomic emission spectrometry (ICP-AES) (fire assay methods)

RECONFIRMATION NOTICE

Technical Committee CH-010 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 26 April 2018.

The following are represented on Technical Committee CH-010:

Australian Chamber of Commerce and Industry
Bureau of Steel Manufacturers of Australia
Geoscience Australia
International Copper Association Australia
Jewellers Association of Australia
Materials Australia
National Association of Testing Authorities Australia
Perth Mint

NOTES

Australian Standard[®]

**Determination of platinum and
palladium in gold and gold bearing
alloys—Flame atomic absorption
spectrometry (FAAS) or inductively
coupled plasma-atomic emission
spectrometry (ICP-AES) (fire assay
methods)**

First published as AS 4119—2007.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia
ISBN 0 7337 8497 6

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee CH-010, Analysis of Metals.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this Standard is to provide a procedures for the determination of platinum and palladium in gold and gold bearing alloys by flame atomic absorption spectrometry (FAAS) or inductively coupled plasma atomic emission spectrometry (ICP-AES).

This Standard is one of a series of Standards for the determination of gold and gold bearing alloys.

An interlaboratory test program was organized to provide information on the repeatability and reproducibility of the method. The following laboratories participated in the test program to provide the data given in Table 1:

AGR Matthey Newburn

AGR Matthey Thomastown

EBS & Associates

Spectrometer Services

Umpire Assay Laboratories

The term ‘informative’ has been used in this Standard to define the application of the appendix to which it applies. An ‘informative’ appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
1 SCOPE.....	4
2 REFERENCED DOCUMENTS.....	4
3 DEFINITIONS.....	5
4 PRINCIPLE	5
5 REAGENTS.....	6
6 APPARATUS	7
7 SAMPLE INSPECTION.....	8
8 PROCEDURE.....	8
9 INSTRUMENTAL DETERMINATION.....	9
10 CALCULATION	10
11 PRECISION.....	11
12 ACCEPTANCE OF RESULTS.....	11
13 TEST REPORT.....	12
APPENDIX A METHODS OF SAMPLING DORE BULLION	13

STANDARDS AUSTRALIA

Australian Standard**Determination of platinum and palladium in gold and gold bearing alloys—Flame atomic absorption spectrometry (FAAS) or inductively coupled plasma-atomic emission spectrometry (ICP-AES) (fire assay methods)****1 SCOPE**

This Standard sets out spectrometric procedures for the determination of platinum and palladium in gold and gold bearing alloys by initial fire assay followed by flame atomic absorption spectrometry (FAAS) or inductively coupled plasma-atomic emission spectrometry (ICP-AES).

The methods are applicable to gold and gold alloys containing less than 10% palladium and less than 10% platinum.

NOTES:

- 1 Recommended methods of sampling gold alloys for use with this Standard are provided in Appendix A.
- 2 The presence of the following elements may cause difficulties in obtaining a homogeneous sample: iron, lead, antimony, nickel or arsenic.

2 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

AS

- | | |
|--------|---|
| 2134 | Recommended practice for chemical analysis by atomic absorption spectrometry |
| 2134.1 | Part 1: Flame atomic absorption spectrometry (FAAS) |
| 2243 | Safety in laboratories (series) |
| 2508 | Safe storage and handling information cards for hazardous materials |
| 2162 | Verification and use of volumetric apparatus |
| 2162.1 | Part 1: General—Volumetric glassware |
| 2162.2 | Part 2: Guide to the use of piston-operated volumetric apparatus (POVA) |
| 2164 | Laboratory glassware—One-mark volumetric flasks |
| 2166 | Laboratory glassware—One-mark pipettes |
| 2167 | Graduated straight pipettes |
| 2850 | Chemical analysis—Interlaboratory test programs—For determining precision of analytical method(s)—Guide to the planning and conduct |
| 3641 | Recommended practice for atomic emission spectrometric analysis |
| 3641.1 | Part 1: Principles and techniques |
| 3641.2 | Part 2: Inductively coupled plasma excitation |

AS ISO/IEC

- | | |
|-------|---|
| 17025 | General requirements for the competence of testing and calibration laboratories |
|-------|---|