

Australian Standard™

**Electricity metering equipment (ac)—
General requirements, tests and test
conditions**

**Part 21: Tariff and load control
equipment
(IEC 62052-21, Ed. 1.0 (2004) MOD)**



This Australian Standard was prepared by Committee EL-011, Electricity Metering Equipment. It was approved on behalf of the Council of Standards Australia on 19 January 2006.
This Standard was published on 15 February 2006.

The following are represented on Committee EL-011:

Australian Chamber of Commerce and Industry
Australian Electrical and Electronic Manufacturers Association
Electrical Regulatory Authorities Council
Electricity Engineers Association (New Zealand)
Energy Networks Association
Engineers Australia
Ministry of Economic Development (New Zealand)
NEMMCO
National Measurement Institute

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia, GPO Box 476, Sydney, NSW 2001.

This Standard was issued in draft form for comment as DR 05139.

Australian Standard™

**Electricity metering equipment (ac)—
General requirements, tests and test
conditions**

**Part 21: Tariff and load control
equipment
(IEC 62052-21, Ed. 1.0 (2004) MOD)**

First published as AS 62052.21—2006.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 7251 X

PREFACE

This Standard was prepared by the joint Standards Australia/Standards New Zealand Committee EL-011, Electricity Metering Equipment. After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian, rather than an Australian/New Zealand Standard.

The objective of this Standard is to provide electricity utilities and manufacturers with type tests for tariff and load control equipment for electricity metering equipment.

This Standard is an adoption with national modifications and has been reproduced from IEC 62052-21, Ed.1.0 (2004), *Electricity metering equipment (ac)—General requirements, tests and test conditions—Part 21: Tariff and load control equipment*, and has been varied as indicated to take account of Australian climatic conditions and fundamental technological differences.

Variations to IEC 62052-21, Ed.1.0 (2004) are indicated at the appropriate places throughout this standard. Strikethrough (~~example~~) identifies IEC text, tables and figures which, for the purposes of this Australian Standard, are deleted. Where text, tables or figures are added, each is set in its proper place and identified by shading (example). Added figures are not themselves shaded, but are identified by a shaded border.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text ‘part of IEC 62052’ should read ‘AS 62052.21’.
- (c) A full point should be substituted for a comma when referring to a decimal marker.

The terms ‘normative’ and ‘informative’ are used to define the application of the annex to which they apply. A normative annex is an integral part of a standard, whereas an informative annex is only for information and guidance.

CONTENTS

	<i>Page</i>
INTRODUCTION	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	4
3.1 General definitions	4
3.2 Definitions related to electronic ripple control receivers	4
3.3 Definitions related to the ripple control code and to the control element	6
3.4 Definitions related to time switches	7
3.5 Definitions related to the output elements	8
3.6 Definitions of mechanical elements	8
3.7 Definitions of insulations	9
3.8 Definitions of influence quantities	10
3.9 Definition of tests	11
4 Standard electrical values	11
4.1 Standard reference voltage (U_n)	11
4.2 Standard reference frequency (f_n)	11
5 Mechanical requirements and tests	12
5.1 General mechanical requirements	12
5.2 Case	12
5.3 Window	13
5.4 Terminals, terminal block(s), protective earth terminal	13
5.5 Terminal cover(s)	14
5.6 Clearance and creepage distances	15
5.7 Insulating encased tariff and load control equipment of protective class II	16
5.8 Resistance to heat and fire	16
5.9 Protection against penetration of dust and water	16
5.10 Void	17
5.11 Void	17
5.12 Marking of tariff and load control equipment	17
6 Climatic conditions, requirements and tests	18
6.1 Temperature range	18
6.2 Relative humidity	18
6.3 Tests of the effect of the climatic environments	18
7 Electrical requirements and tests	19
7.1 Supply voltage	19
7.2 Heating	21
7.3 Insulation	21
7.4 Output elements	23
7.5 Functional requirements and tests	27
7.6 Electromagnetic compatibility (EMC)	27
7.7 Radio interference suppression	30
8 Test conditions and type test	30
8.1 Test conditions	30
8.2 Type test	30

Annex A (normative) Relationship between ambient air temperature and relative humidity	31
Annex B (normative) Reference and limiting values of the influence quantities	32
Annex C (normative) Electromagnet for testing the influence of externally produced magnetic fields	33
Annex D (informative) Test set-up for EMC tests	34
Annex E (informative) Test schedule	35
Annex F (informative) Acceptance tests	37
Bibliography	39
Figure A.1 – Relationship between ambient air temperature and relative humidity	31
Figure C.1 – Electromagnet for testing the influence of externally produced magnetic fields	33
Figure D.1 – Test set-up for the test of immunity to electromagnetic r.f. fields	34
Figure D.2 – Test set-up for fast transient burst test	34
Table 1 – Clearances and creepage distances for insulating encased tariff and load control equipment of protective class I	15
Table 2 – Clearances and creepage distances for insulating encased tariff and load control equipment of protective class II	15
Table 3 – Temperature range	18
Table 4 – Relative humidity	18
Table 5 – Voltage range	19
Table 6 – Power consumption	20
Table 7 – Rated breaking voltages	24
Table 8 – Rated breaking currents	24
Table B.1 – Reference and limiting values	32
Table E.1 – Test schedule	35
Table F.1 – Single sample plan	37
Table F.2 – Double sample plan	38

INTRODUCTION

~~This standard distinguishes between protective class I and protective class II tariff and load control equipment.~~

The test levels are regarded as minimum values to guarantee the proper functioning of the equipment under normal working conditions. For special application, other test levels might be necessary and should be agreed on between the user and the manufacturer.

For information, the relevant parts of IEC 62052, IEC 62054 and IEC 62059 are listed:

- | | |
|--------------|--|
| IEC 62052-21 | Electricity metering (a.c.) – General requirements, tests and test conditions – Part 21: Tariff and load control equipment
<i>(Replaces the general requirements of IEC 61037 and IEC 61038.)</i> |
| IEC 62054-11 | Electricity metering (a.c.) – Tariff and load control – Part 11: Particular requirements for electronic ripple control receivers
<i>(Replaces the particular requirements of IEC 61037.)</i> |
| IEC 62054-21 | Electricity metering (a.c.) – Tariff and load control – Part 21: Particular requirements for time switches ¹
<i>(Replaces the particular requirements of IEC 61038.)</i> |
| IEC 62059-11 | Electricity metering equipment (a.c.) – Dependability – Part 11: General concepts |
| IEC 62059-21 | Electricity metering equipment (a.c.) – Dependability – Part 21: Collection of meter dependability data from the field |
| IEC 62059-41 | Electricity metering equipment (a.c.) – Dependability – Part 41: Reliability prediction ² |

¹ To be published.

² To be published.

NOTES

STANDARDS AUSTRALIA

Australian Standard**Electricity metering equipment (ac)—General requirements, tests and test conditions****Part 21: Tariff and load control equipment
(IEC 62052-21, Ed. 1.0 (2004) MOD)**

Any table, figure or text of the international standard that is struck through is not part of this standard. Any Australian/New Zealand table, figure or text that is added is part of this standard and is identified by shading.

1 Scope

This part of IEC 62052 specifies general requirements for the type test of newly manufactured indoor tariff and load control equipment, like electronic ripple control receivers and time switches that are used to control electrical loads, multi-tariff registers and maximum demand indicator devices.

This standard gives no requirements for constructional details internal to the tariff and load control equipment.

In the case where tariff and load control functionality is integrated into multifunction electricity metering equipment, the relevant parts of this standard apply.

This standard does not cover the acceptance tests and the conformity tests. Nevertheless, an example of what could be an acceptance test is given in Annex F.

The dependability aspect is covered by the documents of the IEC 62059 series.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

References to international standards that are struck through in this clause are replaced by references to Australian or Australian/New Zealand Standards that are listed immediately thereafter and identified by shading. Any Australian or Australian/New Zealand Standard that is identical to the International Standard it replaces is identified as such.

IEC 60050-300:2001 *International Electrotechnical Vocabulary (IEV) – Electrical and electronic measurements and measuring instruments – Part 311: General terms relating to measurements – Part 312: General terms relating to electrical measurements – Part 313: Types of electrical measuring instruments – Part 314: Specific terms according to the type of instrument*

~~IEC 60060-1:1989, High-voltage test techniques – Part 1: General definitions and test requirements~~