

Australian Standard<sup>®</sup>

---

**INFORMATION PROCESSING—**

**ISO 7-BIT AND 8-BIT CODED  
CHARACTER SETS—  
CODE EXTENSION TECHNIQUES**

---

This Australian standard was prepared by Committee IS/1, Information Processing Systems. It was approved on behalf of the Council of the Standards Association of Australia on 2 March 1987 and published on 6 April 1987.

---

The following interests are represented on Committee IS/1:

Australian Association of Permanent Building Societies  
Australian Bankers' Association  
Australian Bureau of Statistics  
Australian Computer Equipment Manufacturers Association  
Australian Computer Services Association  
Australian Computer Society  
Australian Computer Users Association  
Australian Information Industry Association  
CSIRO  
CSIRONET  
Department of Defence  
Department of Industry, Technology and Commerce  
Life Insurance Federation of Australia  
Public Service Board, N.S.W.  
Telecom Australia  
Universities and Colleges

---

**Review of Australian Standards.** *To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.*

*Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.*

*Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.*

---

AS 1953—1987

Australian Standard<sup>®</sup>

---

**INFORMATION PROCESSING—  
ISO 7-BIT AND 8-BIT CODED  
CHARACTER SETS—  
CODE EXTENSION TECHNIQUES**

---

First published . . . . .	1977
Revised . . . . .	1987

PUBLISHED BY STANDARDS AUSTRALIA  
(STANDARDS ASSOCIATION OF AUSTRALIA)  
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 4581 X

## PREFACE

This standard was prepared by the Association's Committee on Information Processing Systems. It is identical with and has been reproduced from International Standard ISO 2022—1986, drawn up by ISO TC 97, Information Processing Systems. It supersedes AS 1953—1977 which was based on ISO 2022—1973. ISO 2022 was revised in 1982 and again in 1986.

Annex D of this document contains a consolidated list of the major changes which have occurred between the 1973 and 1986 editions.

The purpose of this standard is to specify methods of extending the 7-bit code, remaining in a 7-bit environment or increasing to an 8-bit environment. These techniques are described in four interrelated clauses dealing respectively with the extension of the 7-bit code remaining in a 7-bit environment, the structure of a family of 8-bit codes, the extension of an 8-bit code remaining in an 8-bit environment, and the relationship between the 7-bit code and an 8-bit code.

It also describes the structure of families of codes which are related to the code of AS 1776 by their structure.

For the purpose of this Australian standard, the text of the ISO standard given herein should be modified as follows:

- (a) *Terminology.* The words 'Australian Standard' should replace the words 'International Standard' wherever they appear.
- (b) *Cross-references.* The references to International Standards should be replaced by references to Australian Standards as follows:

*Reference to International Standard*

ISO 646, Information processing—  
ISO 7-bit coded character set for  
information interchange

ISO 4873, Information processing—  
ISO 7-bit code for information  
interchange—Structure and rules for  
implementation

ISO 6429, Information processing—  
ISO 7-bit and 8-bit coded character  
sets—Additional control functions for  
character-imaging devices

*Appropriate Australian Standard*

AS 1776, Information processing—  
ISO 7-bit coded character set for  
information interchange

AS XXXX, Information processing—  
ISO 8-bit code for information  
interchange—Structure and rules for  
implementation\*

AS 2761, Information processing—  
ISO 7-bit and 8-bit coded character sets—  
Additional control functions for  
character-imaging devices

---

\* In the course of preparation.

## © Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

## Contents

	Page
1 Scope .....	7
2 Field of application .....	7
3 Conformance .....	7
4 References .....	8
5 Definitions and notation .....	8
5.1 Definitions .....	8
5.1.1 bit combination .....	8
5.1.2 byte .....	8
5.1.3 character .....	8
5.1.4 coded character set; code .....	8
5.1.5 code extension .....	8
5.1.6 code table .....	8
5.1.7 control character .....	8
5.1.8 control function .....	8
5.1.9 to designate .....	8
5.1.10 environment .....	8
5.1.11 escape sequence .....	8
5.1.12 Final character .....	8
5.1.13 graphic character .....	8
5.1.14 graphic symbol .....	8
5.1.15 Intermediate character .....	8
5.1.16 to invoke .....	8
5.1.17 position .....	8
5.1.18 to represent .....	8
5.1.19 version of the 7-bit code .....	9
5.1.20 version of the 8-bit code .....	9
5.2 Notation .....	9
6 Extension of the 7-bit code remaining in a 7-bit environment .....	9
6.1 Introduction .....	9
6.1.1 Structure of the 7-bit code .....	9
6.1.2 Extension by substitution .....	9

	Page
6.1.3 Extension by increasing the repertoire of characters . . . . .	9
6.1.4 Elements of code extension . . . . .	10
6.1.5 Compatibility . . . . .	10
6.1.6 Code extension characters of ISO 646 . . . . .	11
6.1.7 Other code extension characters . . . . .	11
6.1.8 Combination of graphic characters . . . . .	11
6.2 Extension of the graphic set by means of shift functions . . . . .	11
6.2.1 Use of locking-shift functions . . . . .	11
6.2.2 Use of single-shift functions . . . . .	11
6.2.3 Unique additional graphic sets . . . . .	12
6.2.4 Multiple graphic sets . . . . .	12
6.3 Code extension by means of escape sequences . . . . .	12
6.3.1 Purposes of escape sequences . . . . .	12
6.3.2 Structure of escape sequences . . . . .	12
6.3.3 Categories of escape sequences . . . . .	12
6.3.4 Single additional control functions . . . . .	15
6.3.5 Sets of 32 control characters for columns 0 and 1 . . . . .	15
6.3.6 Sets of 32 control functions for representation by ESC F <sub>e</sub> . . . . .	15
6.3.7 Sets of 94 graphic characters . . . . .	15
6.3.8 Sets of 96 graphic characters . . . . .	15
6.3.9 Set of graphic characters with multiple-byte representation . . . . .	16
6.3.10 Dynamically Redefinable Character Sets (DRCS) . . . . .	16
6.3.11 Other coding systems . . . . .	17
6.3.12 Announcement of extension facilities . . . . .	17
6.3.13 Revision of registered sets . . . . .	17
6.3.14 Three-character escape sequences without assigned meanings . . . . .	17
6.3.15 Summary of assignments of Intermediate characters . . . . .	17
6.4 Initial designation and invocation . . . . .	17
6.5 Pictorial representation of code extension in a 7-bit environment . . . . .	17
7 Structure of a family of 8-bit codes . . . . .	17
7.1 The 8-bit code table . . . . .	17
7.2 The family concept . . . . .	20
8 Use of code extension in an 8-bit code . . . . .	20

	Page
8.1 Elements of code extension in an 8-bit environment . . . . .	20
8.2 Extension of the graphic set by means of shift functions . . . . .	21
8.2.1 Use of locking-shift functions . . . . .	21
8.2.2 Use of single-shift functions . . . . .	21
8.3 Code extension by means of escape sequences . . . . .	21
8.3.1 Two-character escape sequences . . . . .	21
8.3.2 Three-character escape sequences . . . . .	21
8.3.4 Escape sequences with four or more characters . . . . .	21
8.4 Sets of graphic characters with multiple-byte representation . . . . .	21
8.5 Compatibility . . . . .	22
8.6 Pictorial representation of code extension in an 8-bit environment . . . . .	22
9 Announcement of extension facilities used . . . . .	22
9.1 General . . . . .	22
9.2 Restrictions . . . . .	22
10 Relationship between 7-bit and 8-bit codes . . . . .	26
10.1 Transformation between 7-bit and 8-bit codes . . . . .	26
10.2 Representation of the 7-bit code in an 8-bit environment . . . . .	26
10.3 Interaction of shift functions . . . . .	27
10.4 Preservation of information on retransformation . . . . .	27
11 Relationship with Presentation Protocol . . . . .	27
12 Specific meanings of escape sequences . . . . .	27
 <b>Annexes</b>	
A The International Register of Coded Character Sets to be used with escape sequences . . . . .	28
B Shift functions . . . . .	29
C Summary of the escape sequences defined in this International Standard . . . . .	30
D Main differences between the first edition (1977) and the present edition . . . . .	31

(PAGE 6 IN THE HARD COPY IS BLANK.)

# Information processing — ISO 7-bit and 8-bit coded character sets — Code extension techniques

## 1 Scope

This International Standard specifies methods of extending the 7-bit code, remaining in a 7-bit environment or increasing to an 8-bit environment. These techniques are described in four interrelated clauses dealing respectively with

- the extension of the 7-bit code remaining in a 7-bit environment;
- the structure of a family of 8-bit codes;
- the extension of an 8-bit code remaining in an 8-bit environment;
- the relationship between the 7-bit code and an 8-bit code.

This International Standard also describes the structure of families of codes which are related to the code of ISO 646 by their structure.

Code extension techniques are classified and some classes are given a structure in this International Standard. Specific assignments of bit combinations to relate individual character sets and control functions with their invocation or designation are to be made in accordance with ISO 2375 (see annex A).

## 2 Field of application

While the 7-bit code of ISO 646 is the agreed code for information interchange, an 8-bit code as described in this International Standard is provided for information interchange within an 8-bit environment.

The 7-bit code of ISO 646 allows the representation of up to 128 characters. Additionally, ISO 646 allows the representation of other graphic characters by the combination of two or more graphic characters with the control characters BACKSPACE or CARRIAGE RETURN. In some instances, the character set of ISO 646 lacks sufficient control functions or graphic characters to satisfy the needs of an application. These needs may be satisfied by means of code extension which is the subject of this International Standard.

The principles established in this International Standard may be utilized to form supplementary code extension facilities. For example ISO 6429 has followed such a procedure to formulate some parameterized control functions.

This International Standard presents a review of the salient structure of the 7-bit code and then builds upon that structure to specify various means of extending the control function and graphic sets of the code. It also

specifies structures and techniques to construct and formalize codes related to the 7-bit code. These related codes are structured so as to allow application-dependent usage without preventing the interchangeability of data employing them. It describes

- a) the structure of the 7-bit code;
- b) the extension of the 7-bit code, remaining in a 7-bit environment and making use of code extension techniques;
- c) the structure of a family of 8-bit codes, remaining compatible with the 7-bit structure;
- d) the extension of an 8-bit code, remaining in an 8-bit environment, and making use of code extension techniques.

In order to use identical techniques in each of the above cases, and to facilitate conversion between them, standard rules for code extension are necessary. This has the advantage of

- a) reducing the risk of conflict between systems required to inter-operate;
- b) permitting provision for code extension in the design of systems;
- c) providing standardized methods of calling into use agreed sets of characters;
- d) allowing the interchange of data between 7-bit and 8-bit environments, etc.

Code extension techniques are designed to be used for data to be processed serially in a forward direction. Use of these techniques in strings of data which are processed other than serially in a forward direction or included in data formatted for fixed-length record processing may have undesirable results or may require additional special treatment to ensure correct interpretation.

## 3 Conformance

Full conformance to a standard means that all its requirements are met. For such conformance to be unique the standard must contain no options. This is typically the case for hardware standards.

This International Standard is of a different nature and as a result, it is only practicable to envisage limited conformance to it, as defined hereunder.

This International Standard addresses whole classes of provisions, and it is not intended that they are all implemented in all instances.