

AS/NZS 4936:2002

Reconfirmed 2020

Australian/New Zealand Standard™

**Air admittance valves (AAVs) for use in
sanitary plumbing and drainage
systems**

AS/NZS 4936:2002

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee WS-002, Sanitary Plumbing Fittings. It was approved on behalf of the Council of Standards Australia on 14 August, 2002 and on behalf of the Council of Standards New Zealand on 24 July 2002. It was published on 2 September 2002.

The following are represented on Committee WS-002:

Australian Chamber of Commerce
Brisbane Water
Business New Zealand
Certification Bodies (Australia)
Department of Land and Water Conservation
Department of Local Government (Queensland)
Master Plumbers, Gasfitters and Drainlayers New Zealand
Plumbers, Gasfitters and Drainlayers Board
Queensland Brassware Industry Advisory Panel
South Australian Water Corporation
The Open Polytechnic of New Zealand
Water Corporation Western Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Australia web site at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

RECONFIRMATION
OF
AS/NZS 4936:2002
Air admittance valves (AAVs) for use in
sanitary plumbing and drainage systems

RECONFIRMATION NOTICE

Major stakeholders of this publication have reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 29 August 2018.

Approved for reconfirmation in New Zealand on behalf of the New Zealand Standards Approval Board on 18 June 2020.

NOTES

Australian/New Zealand Standard™

Air admittance valves (AAVs) for use in sanitary plumbing and drainage systems

First published as AS/NZS 4936:2002.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 4760 4

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee WS-002, Sanitary Plumbing Fittings.

The objective of this Standard is to provide performance requirements for air admittance valves suitable for use in plumbing systems designed in accordance with AS/NZS 3500.2.1 and AS/NZS 3500.2.2.

This Standard takes cognisance of prEN 12380.2-2001, *Air admittance valves — For use in drainage systems*, from which it has been generally adapted but extends its scope to include those air admittance valves that are integral with the fixture trap.

The term ‘normative’ has been used in this Standard to define the application of the appendix to which it applies. A ‘normative’ appendix is an integral part of a Standard.

CONTENTS

	<i>Page</i>
1 SCOPE.....	4
2 REFERENCED DOCUMENTS	4
3 DEFINITIONS	4
4 MARKING.....	4
5 CLASSIFICATION.....	5
6 DESIGN.....	5
7 PERFORMANCE REQUIREMENTS	5
8 INSTALLATION INSTRUCTIONS.....	6
 APPENDICES	
A OPENING CHARACTERISTIC AND AIRFLOW TEST	7
B DROP TEST	9
C AIRTIGHTNESS TEST.....	11
D ENDURANCE AND TEMPERATURE TEST	13
E INSTALLATION INSTRUCTIONS	15

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard**Air admittance valves (AAVs) for use in sanitary plumbing and drainage systems****1 SCOPE**

This Standard specifies the requirements and test methods for air admittance valves including those that are integral to a fixture trap. This Standard does not cover air admittance valves for use where the air temperature is either below 0°C or above 60°C.

2 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

AS

2888	Methods of testing plastics waste fittings
2888.8	Thermal cycling test
3500	National plumbing and drainage
3500.2.1	Part 2.1: Sanitary plumbing and drainage—Performance Requirements

AS/NZS

3500	National plumbing and drainage
3500.0	Part 0: Glossary of terms
3500.2.2	Part 2.2: Sanitary plumbing and drainage—Acceptable solutions

EN

12380.2	Air admittance valves—For use in drainage systems
---------	---

3 DEFINITIONS

For the purpose of this Standard the definitions below apply.

3.1 Air admittance valve

A component fitted to a plumbing system allowing air to enter the piping system, but not allowing air or gases out.

3.2 Determined airflow capacity

The airflow, in litres per second, measured on the apparatus described in Appendix A of this Standard whilst producing a pressure of -250 ± 10 Pa at the manometer tapping.

4 MARKING

Each valve shall be marked with the following information using means that do not interfere with the valve's function:

- The manufacturer's name, brand or trademark.
- The number of this Standard.
- The mark of the certifying body.
- The determined airflow capacity of the valve in litres per second.