

Australian Standard™

## Electrical installations in ships

**Part 353: Single and multicore non-radial field power cables with extruded solid insulation for rated voltages 1 kV and 3 kV**



This Australian Standard was prepared by Committee EL-003, Electric Wires and Cables. It was approved on behalf of the Council of Standards Australia on 9 November 2005.  
This Standard was published on 5 December 2005.

---

The following are represented on Committee EL-003:

Australasian Railway Association  
Australian Electrical and Electronic Manufacturers Association  
Australian Industry Group  
Canterbury Manufacturers Association New Zealand  
Department of Defence (Australia)  
Department of Primary Industries, Mine Safety (NSW)  
Electrical Contractors Association of New Zealand  
Electrical Regulatory Authorities Council  
Energy Networks Association  
Engineers Australia  
Ministry of Economic Development (New Zealand)

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at [www.standards.com.au](http://www.standards.com.au) and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to the Chief Executive, Standards Australia, GPO Box 476, Sydney, NSW 2001.

---

*This Standard was issued in draft form for comment as DR 05372.*

Australian Standard™

## **Electrical installations in ships**

### **Part 353: Single and multicore non-radial field power cables with extruded solid insulation for rated voltages 1 kV and 3 kV**

First published as AS 60092.353—2005.

#### **COPYRIGHT**

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 7019 3

## PREFACE

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee EL-003, Electric Wires and Cables. After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian, rather than an Australian/New Zealand Standard.

The objective of this Standard is to specify the constructional and test requirements for shipboard power cables having a voltage rating of 0.6/1(1.2) kV and 1.8/3(3.6) kV.

This Standard is identical with, and has been reproduced from IEC 60092-353, Ed. 2 (1995) including Amendment 1: 2001, *Electrical installations in ships—Part 353: Single and multicore non-radial field power cables with extruded solid insulation for rated voltages 1 kV and 3 kV*.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text 'IEC 60092' should read 'AS 60092'.
- (c) A full point should be substituted for a comma when referring to a decimal marker.

The term 'informative' is used to define the application of the annex to which it applies. An informative annex is only for information and guidance.

## CONTENTS

	<i>Page</i>
1 General.....	1
1.1 Scope and object.....	1
1.2 Normative references.....	1
1.3 Definitions.....	2
2 General requirements .....	2
2.1 Rated voltage .....	2
2.2 Types of insulating compounds .....	3
2.3 Types of sheathing compounds.....	3
2.4 Markings.....	3
2.4.1 Indication of origin and voltage identification.....	3
2.4.2 Continuity.....	3
2.4.3 Durability .....	3
2.4.4 Legibility .....	3
2.4.5 Core identification .....	3
3 Construction requirements .....	4
3.1 General description.....	4
3.2 Conductors .....	4
3.3 Insulation .....	5
3.3.1 Material.....	5
3.3.2 Electrical and non-electrical characteristics of the insulation system .....	5
3.3.3 Thickness of insulation.....	5
3.4 Cabling .....	6
3.5 Inner covering, fillers and binder .....	6
3.5.1 General.....	6
3.5.2 Thickness of inner covering.....	7
3.6 Collective metallic screen .....	7
3.6.1 Construction.....	7
3.6.2 Requirements.....	7
3.7 Non-metallic sheath .....	7
3.7.1 Material.....	7
3.7.2 Electrical and non-electrical characteristics of the sheathing material .....	7
3.7.3 Thickness of sheath(s) .....	8
3.7.4 Colour of sheath.....	8
3.8 Armour.....	8
3.8.1 General.....	8
3.8.2 Braid wire diameter .....	8
3.8.3 Coverage density .....	9
3.8.4 Application of the armour .....	9
4 Test requirements .....	9
4.1 Particular tests.....	9
4.1.1 Compatibility test between conductor and insulation .....	9
4.1.2 Durability of marking .....	9
4.2 Tests on completed cables.....	9
4.2.1 Routine tests.....	9
4.2.2 Special tests .....	9

4.2.3	Type tests, electrical .....	10
4.2.4	Type tests, non-electrical .....	10
Annex A (informative)	Alternative enhanced insulation thickness for 450/750 V .....	11

## STANDARDS AUSTRALIA

---

**Australian Standard****Electrical installations in ships****Part 353: Single and multicore non-radial field power cables with extruded solid insulation for rated voltages 1 kV and 3 kV**

---

**1 General****1.1 Scope and object**

This part of IEC 60092 is applicable to shipboard power cables with extruded solid insulation, having a voltage rating of 0,6/1 (1,2) kV and 1,8/3 (3,6) kV (see 2.1) intended for fixed installations.

NOTE – Provision is made for fire-resistant (limited circuit integrity) cables to be specified if required.

The various types of power cables are given in 3.1. The constructional requirements and test methods shall comply with those indicated in IEC 60092-350, unless otherwise specified in this standard.

The object of this standard is:

- to standardize cables whose safety and reliability is ensured when they are installed in accordance with the requirements of IEC 60092-352;
- to lay down standard manufacturing requirements and characteristics of such cables directly or indirectly bearing on safety;
- to specify test methods for checking conformity with those requirements.

**1.2 Normative references**

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 60092. At the time of publication, the editions indicated were valid. All normative documents are subject to revision, and parties to agreements based on this part of IEC 60092 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

References to international standards that are struck through in this clause are replaced by references to Australian or Australian/New Zealand Standards that are listed immediately thereafter and identified by shading. Any Australian or Australian/New Zealand Standard that is identical to the International Standard it replaces is identified as such.

~~IEC 60038:1983, IEC standard voltages~~

AS 60038, *Standard voltages*

IEC 60092-350:1988, Electrical installations in ships – Part 350: Low-voltage shipboard power cables - General construction and test requirements  
Amendment 1 (1994)  
Amendment 2 (1999)

~~IEC 60092-351:1983, Electrical installations in ships – Part 351: Insulating materials for shipboard power cables~~