Australian Standard™

Work in compressed air and hyperbaric facilities

Part 1: Work in tunnels, shafts and caissons

Standards Australia

This Australian Standard was prepared by Committee SF-046, Non-diving Work in Compressed Air and Hyperbaric Treatment Facilities. It was approved on behalf of the Council of Standards Australia on 2 January 2003 and published on 16 January 2003.

The following are represented on Committee SF-046:

Australian and New Zealand Hyperbaric Medicine Group

Australian and New Zealand College of Anaesthetists

Australian Industry Group

Australian Medical Association

Hyperbaric Engineering Industry Forum

Hyperbaric Technicians and Nurses Association

Institution of Engineers Australia

South Pacific Underwater Medicine Society

WorkCover New South Wales

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Australian Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.com.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

This Standard was issued in draft form for comment as DR 01379.

Australian Standard™

Work in compressed air and hyperbaric facilities

Part 1: Work in tunnels, shafts and caissons

First published as AS CA12—1948.
Previous edition AS CA12—1970.
AS CA12—1970 revised and redesignated as AS 4774.1—2003.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 5021 4

PREFACE

This Standard was prepared by Standards Australia Committee SF-046, Non-diving Work in Compressed Air and Hyperbaric Treatment Facilities, to supersede AS CA12—1970, *Work in compressed air (known as the SAA Compressed Air Code)*.

Technological advances and a greatly increased availability of data concerning the effects of working in compressed air have identified a need to expand and split this Standard into two parts with Part 1 (this part) essentially a revision of AS CA12—1970 covering work in tunnels, shafts and caissons, and Part 2 specifying requirements for work in hyperbaric oxygen facilities.

The revision includes the insertion of metric values with both figures for bar gauge (as used in the industry) and the SI unit of kilopascals shown to reduce the risk of errors in conversions between the two. The Standard has been modified extensively during this revision and attention is drawn to the following changes:

(a) The Standard has been modified to address tunnel boring machines.

(b) Staged decompression using oxygen breathing has been specified.

(c) A requirement has been added for a hazard identification, risk assessment and control process to be conducted prior to work in compressed air being undertaken.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the appendices. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is only for information and guidance.

CONTENTS

Page

SECTION 1 SCOPE AND GENERAL
1.1 SCOPE 5
1.2 OBJECTIVE 5
1.3 APPLICATION 5
1.4 REFERENCED DOCUMENTS 5
1.5 DEFINITIONS 5

SECTION 2 PERSONNEL AND DUTIES
2.1 DUTY OF CONSTRUCTOR 8
2.2 LOCK OPERATOR 8
2.3 TREATMENT CHAMBER OPERATOR 9
2.4 FIRST-AID PERSONNEL 9
2.5 MEDICAL OFFICER 9
2.6 COMPRESSOR MONITORING 10

SECTION 3 HAZARD IDENTIFICATION, RISK ASSESSMENT AND CONTROL
3.1 CONSULTATION 11
3.2 HAZARD IDENTIFICATION, RISK ASSESSMENT AND CONTROL PROCESS 11
3.3 HAZARD IDENTIFICATION 11
3.4 RISK ASSESSMENT 12
3.5 RISK CONTROL 12

SECTION 4 PLANNING AND PROCEDURES
4.1 PLANNING 14
4.2 PROCEDURES 14
4.3 TRAINING 14
4.4 COMMUNICATIONS 15
4.5 IDENTIFICATION BADGE 15
4.6 NOTICES AND INSTRUCTIONS 15
4.7 PROHIBITION OF SMOKING, ALCOHOL AND DRUGS 16
4.8 MAXIMUM PERIODS IN COMPRESSED AIR 16
4.9 COMPRESSION 16
4.10 DECOMPRESSION 17
4.11 VENTILATION OF THE WORKING CHAMBER 17
4.12 CHANGE IN WORKING PRESSURE 19
4.13 DECANTING 20
4.14 SAFETY RESCUE SYSTEM 20
4.15 CONTROL OF OXYGEN 20

SECTION 5 MEDICAL REQUIREMENTS
5.1 MEDICAL CERTIFICATION 21
5.2 MEDICAL PRACTITIONER 21
5.3 SUPERVISION OF HEALTH 21

Page

SECTION 6 PLANT
6.1 GENERAL 22
6.2 PERSONNEL LOCK 22
6.3 TREATMENT CHAMBER 25
6.4 SPECIAL PROVISIONS FOR WORKING CHAMBERS 26
6.5 SPECIAL PROVISIONS FOR COMPRESSED AIR CAISSONS AND SHAFTS 27
6.6 COMPRESSED AIR SUPPLY 28
6.7 COMPRESSED AIR PLANT 28
6.8 ELECTRICAL INSTALLATION 29
6.9 FIRE CONTROL EQUIPMENT 29
6.10 PERSONNEL FACILITIES 30

SECTION 7 SPECIAL PRECAUTIONS—USE OF EXPLOSIVES
7.1 COMPLIANCE WITH CODE 31
7.2 LOADING 31
7.3 DETONATION—BEFORE AND AFTER 31

SECTION 8 RECORDS
8.1 MEDICAL OFFICER'S REPORT 32
8.2 RECORDS 32

SECTION 9 EMPLOYEE RESPONSIBILITIES
9.1 RESPONSIBILITIES 33
9.2 COMPRESSED AIR WORKERS LOGBOOK 33

APPENDICES
A LIST OF REFERENCED AND RELATED DOCUMENTS 34
B GUIDANCE FOR MEDICAL PRACTITIONERS 36
C INFORMATION AND INSTRUCTIONS TO ALL PERSONS WORKING IN COMPRESSED AIR 42
D RECOMPRESSION PROTOCOL 45
E MEDICAL EXAMINATION FORMS 47
F LONG BONE SURVEY FOR DYSBARIC OSTEONECROSIS 53

STANDARDS AUSTRALIA

Australian Standard
Work in compressed air and hyperbaric facilities

Part 1: Work in tunnels, shafts and caissons

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard specifies requirements for medical supervision, operating procedures, equipment (minimum requirements, design and operation) and general precautions to be observed for work in tunnels, shafts and caissons where compressed air is the breathing medium and the maximum pressure of the work area is 4 bar (400 kPa) gauge.

Appendices include medical standards and examination reports, instructions for persons working in compressed air and information on decompression illness for compressed air workers.

1.2 OBJECTIVE

The objective of this Standard is to provide a set of requirements to ensure safe working conditions for people entering and working under increased ambient pressure (excluding diving operations and hyperbaric treatment operations (see AS 4774.2)) and to promote uniformity of practice in relation to the health and safety of persons working in or entering shafts, tunnels, tunnelling machines and compressed air caissons pressurized above atmospheric pressure.

1.3 APPLICATION

This Standard applies to operations in tunnels, shafts and caissons pressurized to a maximum of 4 bar (400 kPa) gauge using compressed air as the breathing medium.

This Standard may also be used for guidance for operations in other environments and areas pressurized to greater than 4 bar (400 kPa) gauge. However, additional training and procedures will be necessary and the use of compressed air as the breathing medium should be reconsidered.

1.4 REFERENCED DOCUMENTS

A list of referenced and other related publications is provided in Appendix A.

1.5 DEFINITIONS

For the purpose of this Standard, the definitions below apply.

1.5.1 Built in breathing system (BIBS)

A system providing a close fitting face mask for each person in a personnel lock, from which the occupants breathe oxygen to speed their safe decompression. The system exhausts the exhaled breath of the mask wearer outside the lock chamber.

 © Standards Australia