

Australian Standard<sup>®</sup>

**Locksets and hardware for doors and  
windows**

**Part 1: Glossary of terms and rating  
system**



This Australian Standard® was prepared by Committee CS-082, Locksets and Hardware. It was approved on behalf of the Council of Standards Australia on 5 February 2008. This Standard was published on 4 April 2008.

---

The following are represented on Committee CS-082:

- Architectural Hardware Industry Association
  - ASIS Australia Chapter
  - Australian Chamber of Commerce and Industry
  - Australian Industry Group
  - Australian Window Association
  - Certification Interests (Australia)
  - Locksmiths Guild of Australia
  - Master Locksmiths Association of Australasia
  - New South Wales Police Force
- 

This Standard was issued in draft form for comment as DR 07209.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

---

### **Keeping Standards up-to-date**

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting [www.standards.org.au](http://www.standards.org.au)

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

---

Australian Standard<sup>®</sup>

**Locksets and hardware for doors and  
windows**

**Part 1: Glossary of terms and rating  
system**

Originated as AS 4145.1—1993.  
Second edition 2008.  
Reissued incorporating Amendment No. 1 (December 2009).

**COPYRIGHT**

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia  
ISBN 0 7337 8611 1

## PREFACE

This Standard was prepared by the Standards Australia Committee CS-082, Locksets and Hardware, to supersede AS 4145.1—1993, *Locksets—Glossary of terms*.

*This Standard incorporates Amendment No. 1 (December 2009). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.*

The objective of this Standard is to set out a rating system for locksets and hardware for doors and windows and to standardize the terminology and rating used in the Australian lock industry and marketplace. Terms associated with locksets for doors and windows in buildings make up the bulk of this Standard.

Where non-preferred terms have been included in this glossary, the definition is indicated by reference to the preferred term.

This revision also includes a new section on the requirements for testing and rating the various classification systems required for the suite of locksets and hardware. It is intended as a product selection system enabling the consumer to choose the appropriate locksets suitable for the required application.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is only for information and guidance.

## CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE .....	4
1.2 APPLICATION .....	4
1.3 REFERENCED DOCUMENTS .....	4
1.4 DEFINITIONS .....	4
SECTION 2 GLOSSARY OF TERMS .....	5
SECTION 3 RATING SYSTEMS	
3.1 GENERAL .....	22
3.2 RATING SYSTEM.....	22
3.3 DURABILITY RATING .....	22
3.4 KEYING SECURITY .....	23
3.5 CYLINDER SECURITY .....	24
3.6 REQUIREMENTS FOR PHYSICAL SECURITY OF LOCKS.....	25
3.7 REQUIREMENTS FOR PHYSICAL SECURITY OF LOCKSETS.....	26
3.8 CORROSION CLASSIFICATION.....	29
APPENDICES	
A SELECTION SYSTEM.....	32
B MARKING .....	34
C ATMOSPHERIC ENVIRONMENTS.....	35
D ABBREVIATIONS .....	37
E DOOR LOCK FUNCTIONS .....	41

## STANDARDS AUSTRALIA

**Australian Standard**  
**Locksets and hardware for doors and windows****Part 1: Glossary of terms and rating system**

## SECTION 1 SCOPE AND GENERAL

**1.1 SCOPE**

This Standard sets out the glossary of terms and the rating system required for the use of the AS 4145 suite of Standards.

NOTE: For guidance on selection on the appropriate product, refer to Appendix A.

**1.2 APPLICATION**

This Standard defines the locksets and hardware terms used for doors and windows and provides information on selection system (e.g., rating system, classification, etc.), marking, abbreviation and door lock functions.

NOTE: This Standard may be used for information purposes.

**1.3 REFERENCED DOCUMENTS**

The following documents are referred to in this Standard.

AS

1428 Design for access and mobility

1428.1 Part 1: General requirements for access—New building work

1789 Electroplated zinc (electrogalvanized) coatings on ferrous articles (batch process)

1905 Components for the protection of openings in fire-resistant walls

1905.1 Part 1: Fire-resistant doorsets

2331 Methods of test for metallic and related coatings

2331.3.1 Method 3.1: Corrosion and related property test—Neutral salt spray test (NSS test)

4145 Locksets

4145.2 Part 2: Mechanical locksets for doors and windows in buildings

BCA Building Code of Australia

**1.4 DEFINITIONS**

For the purpose of the AS 4145 suite of Standards, including this Standard, the definitions in Section 2 apply.