

Australian Standard[®]

**CIRCULAR MACHINE SCREWING
DIES, CIRCULAR HAND
SCREWING DIES AND HEXAGON
DIE-NUTS**

**Part 1—GENERAL PURPOSE
METRIC SCREW
THREADS**

[Title Allocated by Defence Cataloguing Authority:
DIE, RETHREADING AND DIE THREAD CUTTING
(Circular Machine Screwing Dies, Hand Screwing Dies
and Hexagon Die-nuts); NSC 5136]

The following scientific, industrial and governmental organizations and departments were officially represented on the committee entrusted with the preparation of this standard:

CSIRO, Division of Materials Science
CSIRO, National Measurement Laboratory
Confederation of Australian Industry
Department of Defence
Department of Productivity
Department of Technical and Further Education
Electricity Supply Association of Australia
Fasteners Institute of Australia
Institution of Engineers, Australia
Institution of Production Engineers
Metal Trades Industry Association of Australia
Railways of Australia Committee
Telecom Australia

This standard, prepared by Committee ME/28, Screw Threads, was approved on behalf of the Council of the Standards Association of Australia on 27 August 1979, and was published on 1 December 1979.

Review of Australian Standards. *To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.*

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This standard was issued in draft form for public review as DR 78153.

Australian Standard[®]

**CIRCULAR MACHINE SCREWING
DIES, CIRCULAR HAND
SCREWING DIES AND HEXAGON
DIE-NUTS**

**Part 1—GENERAL PURPOSE
METRIC SCREW
THREADS**

First published 1979

PREFACE

This standard was prepared by the Association's Committee on Screw Threads. With AS 1364, Parts 2 and 3 it supersedes AS B96, Circular Screwing Dies and Hexagon Die-nuts, which was the endorsement of BS 1127:1950.

The need for a standard has arisen primarily because Australia has adopted the metric system of units (SI), but it is equally important that Australian practice be aligned with current world practice as given in ISO standards.

AS 1364 covers circular machine screwing dies, circular hand screwing dies, and hexagon die-nuts as follows:

Part 1—General Purpose Metric Screw Threads

Part 2—Pipe Threads of Whitworth Form

Part 3—Inch Screw Threads

This standard sets out the requirements of circular machine screwing dies, circular hand screwing dies, and hexagon die-nuts for cutting parallel screw threads in accordance with AS 1721, General Purpose Metric Screw Threads, and AS 1275, Metric Screw Threads for Fasteners (Based on ISO Recommendations). The general dimensions of circular machine screwing dies are the same as those given in ISO 2568, Hand and Machine-operated Circular Screwing Dies and Hand-operated Die Stocks. With respect to circular hand screwing dies, however, the committee noted that the ISO system would require a larger number of dies to cover a given range of screw thread diameters than is currently needed for inch series threads, and hence would require a larger number of die stocks. There is also no necessity for interchangeability in related die heads as is the case for circular machine screwing dies. This, together with the fact that there are a significant number of inch-based die stocks used throughout the country generally, led the

committee to base the general dimensions for such dies on current practices soft-converted into metric units.

There are no ISO standards giving general dimensions for hexagon die-nuts, although some work is being done by ISO/TC29/SC4, Screwing Taps and Dies. It would appear that no agreement will be forthcoming in the near future, and therefore the general dimensions given in this standard have been developed by the committee and are based on ISO 272, Hexagon Bolts and Nuts—Widths Across Flats Heights of Heads, Thicknesses of Nuts—Metric Series, which gives the hexagon sizes for metric fasteners. It is intended that the proposed series be forwarded to ISO/TC 29/SC 4 as an Australian proposal. As an interim measure until stocks of hexagon metric die-nuts become available, the dimensions of inch-based hexagons soft-converted into metric units are given in an appendix. It is intended to withdraw this material when appropriate.

The standard also sets out material and performance requirements which are not given in the ISO standards, and includes a method of test based on the ability of the die to cut a screw thread of a given tolerance class.

This standard requires reference to the following standards:

AS 1014	Gauging of Metric Screw Threads
AS 1275	Metric Screw Threads for Fasteners (Based on ISO Recommendations)
AS 1442	Carbon Steels and Carbon-manganese Steels—Hot-rolled Bars and Semi-finished Products
AS 1654	Limits and Fits for Engineering
AS 1721	General Purpose Metric Screw Threads.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
SECTION 1. SCOPE AND GENERAL REQUIREMENTS	
1.1 Scope	4
1.2 Application	4
1.3 Definitions	4
1.4 Marking	4
1.5 Designation	5
SECTION 2. CIRCULAR MACHINE SCREWING DIES	
2.1 Material and Hardness	6
2.2 Dimensions and Tolerances	6
2.3 Test Requirements	6
SECTION 3. CIRCULAR HAND SCREWING DIES	
3.1 Material and Hardness	9
3.2 Dimensions and Tolerances	9
3.3 Test Requirements	9
SECTION 4. HEXAGON DIE-NUTS	
4.1 Material and Hardness	12
4.2 Dimensions and Tolerances	12
4.3 Test Requirements	12
APPENDICES	
A General Dimensions and Basis for the Derivation of Tolerances for Screwing Dies	15
B Hexagon Die-nuts—Non-preferred Series	18
TABLES	
2.1 Circular Machine Screwing Dies for Metric Coarse Pitch Threads . .	7
2.2 Circular Machine Screwing Dies for Metric Fine Pitch Threads . . .	8
3.1 Circular Hand Screwing Dies for Metric Coarse Pitch Threads . . .	10
3.2 Circular Hand Screwing Dies for Metric Fine Pitch Threads	11
4.1 Hexagon Die-nuts for Metric Coarse Pitch Threads	13
4.2 Hexagon Die-nuts for Metric Fine Pitch Threads	14
A1 Circular Machine Screwing Dies—General Dimensions	16
A2 Circular Hand Screwing Dies—General Dimensions	17
A3 Circular Machine Screwing Dies—Manufacturing Tolerances	17
A4 Circular Hand Screwing Dies—Manufacturing Tolerances	17
A5 Hexagon Die-nuts—Manufacturing Tolerances	17
B1 Hexagon Die-nuts—General Dimensions (Non-preferred Series) . . .	18
FIGURES	
1.1 Nomenclature for Circular Machine Screwing Dies	5
2.1 Circular Machine Screwing Die	6
3.1 Circular Split Hand Screwing Die	9
4.1 Hexagon Die-nut	13

STANDARDS ASSOCIATION OF AUSTRALIA

Australian Standard

for

CIRCULAR MACHINE SCREWING DIES, CIRCULAR HAND SCREWING DIES
AND HEXAGON DIE-NUTS

PART 1—GENERAL PURPOSE METRIC SCREW THREADS

SECTION 1. SCOPE AND GENERAL REQUIREMENTS

1.1 SCOPE. This standard specifies requirements for screwing dies and die-nuts for cutting coarse pitch metric screw threads in accordance with AS 1275, and coarse and fine pitch metric screw threads in accordance with AS 1721, in sizes up to and including M64 for circular machine screwing dies, up to and including M24 for circular hand screwing dies and up to and including M52 for hexagon die-nuts.

Appendix A gives the basis of the general dimensions and tolerances for circular machine screwing dies for screw threads up to and including M71 diameter, to enable the manufacture of screwing dies outside the dimensional range of the standard and also to provide for other diameter/pitch combinations.

NOTES:

1. To ensure interchangeability of circular machine screwing dies in related die heads, the external dimensions of circular machine screwing dies for inch screw threads given in AS 1364, Part 3 are the same as those specified for metric threads in this standard.
2. During the transition period to the ISO metric hexagon series, hexagon die-nuts may be supplied with general dimensions in accordance with Appendix B which represents current practices soft-converted into metric units. If the purchaser specifically requires die-nuts with ISO metric hexagons as given in Tables 4.1 and 4.2, he should indicate this in his enquiry or order.

1.2 APPLICATION. The dies and die-nuts shall comply with the relevant requirements of this Section and with the requirements of the following Sections, as appropriate:

- (a) Section 2—circular machine screwing dies for screw threads up to and including M64 diameter.
- (b) Section 3—circular hand screwing dies for screw threads up to and including M24 diameter.
- (c) Section 4—hexagon die-nuts for screw threads up to and including M52 diameter.

1.3 DEFINITIONS. For the purposes of this standard, the following definitions apply.

NOTE: For the nomenclature of circular screwing dies, see Fig. 1.1.

1.3.1 Screwing die—a multiple-edged tool used for cutting an external screw thread.

1.3.2 Circular machine screwing die—a screwing die that is cylindrical in form and without provision for the adjustment of the cutting size. These dies are intended for use with die heads in machine-screwing operations.

1.3.3 Circular hand screwing dies—a screwing die that is cylindrical in form and has a slit between the outside diameter and a chip clearance hole for the purpose of adjusting the cutting size. These dies are intended for use in die stocks in hand-screwing operations.

1.3.4 Hexagon die-nut—a screwing die that has an external hexagon drive. These dies are intended for use in hand-screwing operations to re-form damaged existing threads.

1.3.5 Chamfer lead—a tapered truncation and relieving of the first few threads to form a bevelled cutting edge.

1.4 MARKING. Screwing dies shall be legibly marked on the face with the following particulars:

- (i) Thread designation.

NOTE: Coarse pitch metric screw thread series are normally designated by the nominal diameter only, e.g. M6; however, the pitch may also be included. The designation for other than coarse pitch threads is to include the pitch of the screw thread, e.g. M6 × 0.75.

- (ii) For screwing dies manufactured from high speed steel, the letters HSS.
- (iii) For screwing dies with a left-hand thread, the letters LH.
- (iv) In addition the packages of screwing dies may also be marked with the number of this Australian standard, i.e. AS 1364, Part 1 (see Note).

Example. A screwing die for a 6 mm coarse pitch screw thread manufactured from high speed steel, would be marked—

M6 — HSS

or may be marked—

M6 × 1 — HSS

NOTE: Warning is given that the presence of the Australian standard number, AS 1364.1, on a screwing die, its packaging or literature related thereto could be taken as a claim by the manufacturer that the screwing die so marked complies in all respects with this standard.

Attention is particularly drawn, however, to the scheme for independent assurance of compliance with this standard provided by the AS Mark which is a registered certification trademark owned by the Standards Association of Australia. This is shown below enclosed in the words 'Approved to Australian Standard 1364.1'.

This mark can be used only by manufacturers licensed under the certification mark scheme operated by the SAA, and only when accompanied by the number of the relevant Australian standard.

The presence of this mark on or in relation to a product is an assurance that the goods have been produced to comply with the requirements of the Australian standard under a system of supervision, control and testing applied during manufacture and including periodical inspections at the manufacturer's works in accordance with the certification mark scheme of the SAA.