

Australian Standard™

**Methods for the determination of the  
flash point of flammable liquids  
(closed cup)**

**Part 6: Determination of flash point—  
Closed cup equilibrium method**

This Australian Standard was prepared by Committee CH-009, Safe Handling of Chemicals. It was approved on behalf of the Council of Standards Australia on 5 April 2005. This Standard was published on 26 April 2005.

---

The following are represented on Committee CH-009:

Air Conditioning and Refrigeration Wholesalers Association  
Australasian Fire Authorities Council  
Australasian Railways Association  
Australian Consumer & Specialty Products Association  
Australian Institute of Petroleum  
Avcare  
Consumers' Federation of Australia  
Department of Emergency Services, Queensland  
Department of Environment & Conservation, N.S.W.  
Department of Industry & Resources, W.A.  
Engineers Australia  
New Zealand Chemical Industry Association  
New Zealand Fire Service  
Plastics and Chemicals Industry Association  
TRANZ Rail  
Victorian WorkCover Authority

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at [www.standards.com.au](http://www.standards.com.au) and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to the Chief Executive, Standards Australia, GPO Box 5420, Sydney, NSW 2001.

---

Australian Standard™

**Methods for the determination of the  
flash point of flammable liquids  
(closed cup)**

**Part 6: Determination of flash point—  
Closed cup equilibrium method**

Originated as part of AS 2106—1977.  
Previous edition AS/NZS 2106.6:1999.  
Revised and designated as AS 2106.6—2005.

**COPYRIGHT**

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 5420, Sydney, NSW 2001, Australia  
ISBN 0 7337 6636 6

## PREFACE

This Standard was prepared by Joint Australian/New Zealand Standards Committee CH-009, Safe Handling of Chemicals, to supersede AS/NZS 2106.6:1999, *Methods for the determination of the flash point of flammable liquids (closed cup)*, Part 6: *Determination of flash point—Closed cup equilibrium method*. It is identical with, and has been reproduced from ISO 1523:2002, *Determination of flash point—Closed cup equilibrium method*.

The objective of this Standard is to describe the determination of flash point using a closed cup equilibrium method such as that using the Abel apparatus.

The main changes between this edition and that published in 1999 include information on sampling and calibration of apparatus.

As this publication has been reproduced from an International Standard, the following modifications apply:

- (a) Its number does not appear on each page of text and its identity is shown on the cover and title page.
- (b) In the source text ‘this International Standard’ should read ‘this Australian Standard.’
- (c) Substitute a full point for a comma when referring to a decimal marker.

References to International Standards should be replaced by Australian Standards, as follows:

<i>Reference to International Standard</i>		<i>Australian Standard</i>	
ISO		AS/NZS	
1513	Paints and varnishes—Examination and preparation of samples for testing	1580	Paints and related materials—Methods of test
		1580.103.1	Method 103.1: Examination and preparation of samples for testing
		AS	
1516	Determination of flash/no flash point—Closed cup equilibrium method	2106	Methods for the determination of the flash point of flammable liquids (closed cup)
		2106.5	Part 5: Determination of flash/no flash—Rapid equilibrium method
2719	Determination of flash point—Pensky-Martens closed cup method	2106.2	Part 2: Determination of flash point—Pensky-Martens closed cup method
3679	Determination of flash point—Rapid equilibrium closed cup method	2106.4	Part 4: Determination of flash point—Rapid equilibrium closed cup method
13736	Petroleum products and other liquids—Determination of flash point—Abel closed cup method	2106.1	Part 1: Abel closed cup method

Other International Standards referenced in the source document have not been adopted as Australian Standards.

## CONTENTS

1	Scope .....	1
2	Normative references .....	1
3	Term and definition .....	2
4	Principle.....	2
5	Chemicals and materials.....	2
6	Apparatus .....	2
7	Apparatus preparation .....	3
8	Sampling.....	4
9	Sample handling .....	5
10	Procedure .....	5
11	Calculation .....	6
12	Expression of result .....	7
13	Precision.....	7
14	Test report .....	7
	<b>Annex A (informative) Verification of apparatus.....</b>	<b>8</b>
	<b>Bibliography.....</b>	<b>11</b>

## INTRODUCTION

This International Standard describes one of two closed cup equilibrium methods for the determination of the flash point of paints, varnishes, petroleum and related products, and it should be read in conjunction with the second equilibrium method, ISO 3679 ([5] in the bibliography), when selecting a method.

The determination of the flash/no flash temperature using the same equipment is described in ISO 1516 ([4] in the bibliography).

By the procedure specified, differences between test apparatus of various standard designs are minimized by ensuring that the test is carried out only when the product under test and the air/vapour mixture above it in the test vessel are considered to be in temperature equilibrium.

## AUSTRALIAN STANDARD

**Methods for the determination of the flash point of flammable liquids  
(closed cup)**

## Part 6:

## Determination of flash point—Closed cup equilibrium method

**WARNING** — The use of this International Standard may involve hazardous materials, operations and equipment. This International Standard does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this International Standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

**1 Scope**

This International Standard specifies a method to determine the flash point of paints, varnishes, paint binders, solvents, petroleum or related products.

This International Standard is not applicable to water-borne paints which may, however, be tested using ISO 3679 ([5] in the bibliography).

The method is suitable for use over the temperature range  $-30\text{ }^{\circ}\text{C}$  to  $110\text{ }^{\circ}\text{C}$ , depending on the use of different apparatus listed in Table 1.

The interpretation of results obtained from solvent mixtures containing halogenated hydrocarbons should be considered with caution, as these mixtures can give anomalous results.

**2 Normative references**

The following normative documents contain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 1513:1992, *Paints and varnishes — Examination and preparation of samples for testing*

ISO 2719:—<sup>1)</sup>, *Petroleum products and lubricants — Determination of flash point — Pensky-Martens closed cup method*

ISO 3170:1988, *Petroleum liquids — Manual sampling*

ISO 3171:1988, *Petroleum liquids — Automatic pipeline sampling*

ISO 13736:1997, *Petroleum products and other liquids — Determination of flash point — Abel closed cup method*

ISO 15528:2000, *Paints, varnishes and raw materials for paints and varnishes — Sampling*

ASTM D56-00, *Standard Test Method for Flash Point by Tag Closed Tester*

DIN 51755:1974, *Testing of mineral oils and other combustible liquids; determination of flash point by the closed tester according to Abel-Pensky*

---

1) To be published. (Revision of ISO 2719:1988)