

# AS 1288 Supplement 1—2006

## **Glass in buildings—Selection and installation (Supplement to AS 1288—2006)**



This Australian Standard Supplement was prepared by Committee BD-007, Glazing and Fixing of Glass. It was approved on behalf of the Council of Standards Australia on 17 March 2006.

This Supplement was published on 28 March 2006.

---

The following are represented on Committee BD-007:

Association of Accredited Certification Bodies  
Australian Building Codes Board  
Australian Chamber of Commerce and Industry  
Australian Glass and Glazing Association  
Australian Industry Group  
Australian Institute of Building Surveyors  
Australian Shop and Office Fitting Industry Association  
Australian Window Association  
Building Research Association of New Zealand  
CSIRO Manufacturing and Infrastructure Technology  
Department of Local Government WA  
Energy Efficiency and Conservative Authority of New Zealand  
Housing Industry Association  
Institution of Engineers Australia  
International Window Film Association Institute  
Master Builders Australia  
Monash University  
New Zealand Plastics Glazing Materials Suppliers  
New Zealand Safety Glass Association  
Plastics and Chemicals Industries Association Incorporated  
University of New South Wales  
University of Sydney  
Window Association of New Zealand  
Window and Door Industry Council

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at [www.standards.com.au](http://www.standards.com.au) and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to the Chief Executive, Standards Australia, GPO Box 476, Sydney, NSW 2001.

## AS 1288 Supplement 1—2006

### **Glass in buildings—Selection and installation (Supplement to AS 1288—2006)**

First published as AS 1288 Supp 1—2006.

#### **COPYRIGHT**

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 7323 0

## PREFACE

This Supplement was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee BD-007, Glazing and Fixing of Glass. After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this Supplement is to provide tables for minimum glass thicknesses calculated for stress at the ultimate limit state wind pressures and for deflection at serviceability limit state wind pressures. This Supplement is intended as a companion document to AS 1288—2006, *Glass in buildings—Selection and installation*.

This Supplement is the result of a consensus among representatives on the Committee that it be produced as an Australian Standard.

In the preparation of this Standard valuable assistance was given by organizations and individuals experienced in various aspects of design and use of glass, and the Committee acknowledges their help.

## CONTENTS

	<i>Page</i>
SECTION 1 GENERAL.....	4
SECTION 2 GLASS THICKNESS CALCULATED FOR STRESS AT ULTIMATE LIMIT STATE—FOUR-EDGE SUPPORT .....	5
SECTION 3 GLASS THICKNESS CALCULATED FOR DEFLECTION AT SERVICEABILITY LIMIT STATE—FOUR-EDGE SUPPORT .....	101
SECTION 4 GLASS THICKNESS CALCULATED FOR STRESS AT ULTIMATE LIMIT STATE—TWO-EDGE SUPPORT.....	161
SECTION 5 GLASS THICKNESS CALCULATED FOR DEFLECTION AT SERVICEABILITY LIMIT STATE—TWO-EDGE SUPPORT .....	174
SECTION 6 FACETED GLAZING .....	187
SECTION 7 FIN-SUPPORTED GLAZING	
7.1 DETERMINATION OF MINIMUM FIN THICKNESS .....	190
7.2 DETERMINATION OF FIN DEPTH.....	192

## STANDARDS AUSTRALIA

Australian Standard

**Glass in buildings—Selection and installation  
(Supplement to AS 1288—2006)**

## SECTION 1 GENERAL

This Supplement provides tables for the minimum glass thickness calculated for stress at ultimate limit state and deflection at the serviceability limit state wind pressures.

This Supplement is intended to be used in conjunction with AS 1288—2006. When selecting glass type and thicknesses, it is essential to take into consideration the relevant glazing support conditions and intended application.

For 3 mm monolithic annealed glass, the maximum area shall not exceed 0.85 m<sup>2</sup>. For 3 mm annealed glass used in IGUs, the maximum area shall not exceed 1.36 m<sup>2</sup>.