

Australian Standard™

Water closets (WC)

Part 1: Pans



This Australian Standard was prepared by Committee WS-003, Sanitary Plumbing Fixtures. It was approved on behalf of the Council of Standards Australia on 5 August 2005. This Standard was published on 29 August 2005.

The following are represented on Committee WS-003:

Australian Chamber of Commerce and Industry
Australian Industry Group
Brisbane Water
Certification Interest (Australia)
Housing Industry Association
Local Government New Zealand
Testing Interests
Water Corporation Western Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia, GPO Box 476, Sydney, NSW 2001.

This Standard was issued in draft form for comment as DR 05312.

Australian Standard™

Water closets (WC)

Part 1: Pans

Originated as AS A50—1946.
Previous edition AS 1172.1—1993.
Second edition 2005.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 6839 3

PREFACE

This Standard was prepared by the Standards Australia Committee on Sanitary Plumbing Fittings to supersede AS 1172.1—1993, *Water closets of 6/3 L capacity*, Part 1: *Pans* on publication.

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee WS-003. After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this Standard is to provide manufacturers, importers, suppliers and users with requirements for pans for water closets.

Major alterations to the 1993 edition include—

- (a) introduction of the reduced flush liquid contaminants test (Appendix H);
- (b) minor revisions of a number of other tests (without changing the substance of the tests); and
- (c) editorial revision of the whole document including revision of the style of the Standard and the re-numbering of Clauses.

This Standard covers water closet pans of all types suitable for reduced-flush matched performance sets (for example 6/3 L) and other nominated combinations intended for use with flushing cisterns complying with AS 1172.2.

This Standard meets the recommended policy of the Australian Water Resources Council (AWRC) for dual-flush and reduced-flush volumes and its definition for proven equivalent and does not preclude the development of alternative technologies and discharge volumes, which may be acceptable to the Water Authorities.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	4
1.2 REFERENCED DOCUMENTS	4
1.3 DEFINITIONS	4
SECTION 2 DESIGN	
2.1 WATER SEAL	6
2.2 FIXING AND SUPPORT	6
SECTION 3 PERFORMANCE REQUIREMENTS	
3.1 FULL-FLUSH—PAPER DISCHARGE TEST	8
3.2 REDUCED-FLUSH—PAPER DISCHARGE TEST	8
3.3 SOLIDS DISCHARGE TEST	8
3.4 LEAKAGE AND CAPACITY TEST	8
3.5 SPLASH TEST	8
3.6 WETTING TEST	8
3.7 LOAD SAFETY TEST	8
3.8 REDUCED-FLUSH LIQUID CONTAMINANT TEST	8
SECTION 4 MARKING AND LABELS	
4.1 MARKING	9
4.2 LABELS	9
4.3 INSTALLATION INSTRUCTIONS	9
SECTION 5 MATERIALS	
5.1 GENERAL	10
5.2 VITREOUS CHINA	10
5.3 STAINLESS STEEL	10
5.4 OTHER MATERIALS	10
APPENDICES	
A PAPER DISCHARGE TEST—FULL-FLUSH	11
B PAPER DISCHARGE TEST—REDUCED-FLUSH	18
C SOLID DISCHARGE TEST	19
D LEAKAGE AND CAPACITY TEST	26
E SPLASH TEST	28
F WETTING TEST	29
G LOAD SAFETY TEST	30
H REDUCED FLUSH LIQUID CONTAMINANT TEST—REDUCED-FLUSH MATCHED PERFORMANCE DUAL-FLUSH PAN	32

STANDARDS AUSTRALIA

**Australian Standard
Water closets (WC)****Part 1: Pans**

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard specifies the requirements for pans intended for use with flushing cisterns complying with AS 1172.2 and other flushing devices.

1.2 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

AS	
1172	Water closets of 6/3 L capacity or proven equivalent
1172.2	Part 2: Cisterns
1976	Vitreous china used in sanitary appliances
AS/NZS	
3500	Plumbing and drainage
3500.0	Part 0: Glossary of terms
ASME	
A112.19.14	Six Liter Water Closets Equipped with Dual Flushing Device
ASTM	
A240M	Standard specification for chromium and chromium-nickel stainless steel plate, sheet and strip for pressure vessels and for general applications

1.3 DEFINITIONS

For the purpose of this Standard, the definitions given in AS/NZS 3500.0 and those below apply:

1.3.1 Trailing water volume

The remaining full flush volume of water discharged from the pan after the last of four test pieces is expelled satisfactorily from the outlet spigot of the pan to ensure solids transportation within the sewer lines.

1.3.2 Component

That part of, or a subassembly of parts, which contribute to the construction of a total assembly by choice or design which will offer variations of fitment for the application of the major element of the product, whether produced by that same manufacturer or not. The component shall be deemed a vital part of the total assembly and shall not inhibit the product from complying with the relevant Australian Standard, or the appropriate specification, when submitted for type testing.