

Australian/New Zealand Standard™

Buried corrugated metal structures

Part 6: Bolted plate structures



AS/NZS 2041.6:2010

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee CE-025, Corrugated Metal Drainage Pipes and Arches. It was approved on behalf of the Council of Standards Australia on 9 September 2010 and on behalf of the Council of Standards New Zealand on 24 September 2010. This Standard was published on 17 November 2010.

The following are represented on Committee CE-025:

AUSTROADS

Australasian Railway Association
Australian Chamber of Commerce and Industry
Australian Industry Group
Galvanizers Association of Australia
Main Roads Department, Queensland
New Zealand Heavy Engineering Research Association
University of Queensland

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 10018.

Australian/New Zealand Standard™

Buried corrugated metal structures

Part 6: Bolted plate structures

Originated in Australia as AS A128—1962.
Previous editions AS 2041—1984 and AS 2042—1984.
AS 2041—1984 and AS 2042—1984 jointly revised, amalgamated and designated AS/NZS 2041:1998.
AS/NZS 2041:1998 jointly revised and designated, in part as AS/NZS 2041.6:2010.

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140

PREFACE

This Standard was prepared by the joint Standards Australia/Standards New Zealand Committee CE-025, Corrugated Metal Drainage Pipes and Arches, to supersede, in part, AS/NZS 2041:1998, *Buried corrugated metal structures*.

The objective of this Standard is to provide designers, manufacturers and installers of buried bolted plate structures with requirements for manufacture of such structures for use in earthworks primarily as culverts or access ways.

This Standard is Part 6 of the AS/NZS 2041 series, *Buried corrugated metal structures*, which comprises the following parts:

AS/NZS

- 2041 Buried corrugated metal structures
- 2041.1 Part 1: Design methods
- 2041.2 Part 2: Installation
- 2041.4 Part 4: Helically formed sinusoidal pipes
- 2041.6 Part 6: Bolted plate structures

Other parts of the series currently being drafted include the following:

- Part 3: Assessment of existing structures
- Part 5: Helically formed ribbed pipes
- Part 7: Bolted plate structures with transverse stiffeners
- Part 8: Metal box structures

This Edition includes the following changes:

- (a) Design requirements have been moved to AS/NZS 2041.1, which includes new limit states design methods.
- (b) Installation requirements are referred to AS/NZS 2041.2.
- (c) Notation has been based on ISO 3898.
- (d) Materials and fabrication requirements (remaining in this Standard) have been updated.
- (e) Class 1 and class 2 are now termed B68 and B200 profiles.
- (f) New profile sizes, B152, B230 and B381, included.
- (g) Reference tables for cover limits have been taken out.

In this document, the words 'this Standard' indicate AS/NZS 2041.6, which is regarded as Part 6 of the AS/NZS 2041 series of Standards.

The term 'informative' has been used in this Standard to define the application of the appendix to which it applies. An 'informative' appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	5
1.2 DESIGN AND INSTALLATION.....	6
1.3 NORMATIVE REFERENCES.....	6
1.4 DEFINITIONS	7
1.5 NOTATIONS	8
SECTION 2 SPECIFICATION	
2.1 GENERAL	11
2.2 MARKING OF STRUCTURES	11
SECTION 3 MATERIALS AND FABRICATION FOR B68 STRUCTURES	
3.1 SCOPE OF SECTION	12
3.2 MATERIALS	12
3.3 FABRICATION	17
3.4 REPAIR OF DEFECTS AND COATINGS	19
SECTION 4 MATERIALS AND FABRICATION FOR B152 STRUCTURES	
4.1 MATERIALS	22
4.2 FABRICATION	24
4.3 REPAIR OF DEFECTS AND COATINGS	27
SECTION 5 MATERIALS AND FABRICATION FOR B200 STRUCTURES	
5.1 MATERIALS	30
5.2 FABRICATION	32
5.3 REPAIR OF DEFECTS AND COATINGS	34
SECTION 6 MATERIALS AND FABRICATION FOR B230 STRUCTURES	
6.1 MATERIALS	37
6.2 FABRICATION	38
6.3 REPAIR OF DEFECTS.....	40
SECTION 7 MATERIALS AND FABRICATION FOR B381 STRUCTURES	
7.1 MATERIALS	42
7.2 FABRICATION	44
7.3 REPAIR OF DEFECTS AND COATINGS	46
SECTION 8 SECTION PROPERTIES FOR DESIGN	
8.1 SCOPE OF SECTION	48
8.2 DIMENSIONS AND TOLERANCES	48
8.3 MATERIAL AND SECTION PROPERTIES.....	48
SECTION 9 SHAPE LIMITATIONS	57

APPENDICES

A	GUIDELINES FOR DESIGN INFORMATION FOR SUPPLY AND INSTALLATION	58
B	MEANS FOR DEMONSTRATING COMPLIANCE WITH THIS STANDARD	62
BIBLIOGRAPHY		64

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard
Buried corrugated metal structures

Part 6: Bolted plate structures

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard specifies minimum requirements for the materials and manufacture of buried corrugated metal structures formed by bolting together plates with sinusoidal profile.

Sinusoidal profiles covered include the following:

- (a) B68 (pitch 68 mm)..... manufactured with either lapped joints or flanged joints.
- (b) B152 (pitch 152 mm)..... lapped joints only.
- (c) B200 (pitch 200 mm)..... lapped joints only.
- (d) B230 (pitch 229 mm)..... lapped joints only.
- (e) B381 (pitch 381 mm)..... lapped joints only.

The structure shapes are as follows (see Figure 1.1):

- (i) Pipe.
- (ii) Pipe-arch or underpass.
- (iii) Horseshoe arch or elliptical arch.
- (iv) Arch (one, two or three radius).
- (v) Vertical ellipse.
- (vi) Horizontal ellipse.
- (vii) Metal box.

These structures are intended for use in stormwater drainage and as access tunnels to support roadway and railway and other loadings.

Bolted plate structures are constructed of corrugated section shapes buried in an embankment or in a trench, with correct installation in a soil envelope being essential to the performance of the structure.

This Standard does not consider the additional design requirements for internally pressurized applications.

NOTES:

- 1 Guidelines on requirements that may need to be specified at the time of calling for tenders or quotations, and information to be supplied by the manufacturer, are detailed in Appendix A.
- 2 Information on means of demonstrating compliance with this Standard is given in Appendix B.
- 3 When intended for use in internally pressurized applications, specialist advice should be obtained.