

Australian Standard™

Powered industrial trucks

**Part 13: Brake performance and
component strength**

This Australian Standard was prepared by Committee ME-026, Industrial Trucks. It was approved on behalf of the Council of Standards Australia on 25 February 2005. This Standard was published on 17 March 2005.

The following are represented on Committee ME-026:

Australian Chamber of Commerce and Industry
Australian Council of Trade Unions
Australian Electrical and Electronic Manufacturers Association
Australian Industrial Truck Association
Australian Industry Group
Australian Retailers Association
Construction and Mining Equipment Association of Australia
Department of Consumer & Employment Protection, WorkSafe Division, W.A.
Department of Defence (Australia)
Maritime Union of Australia
Sydney Airports Corporation Ltd
Victorian WorkCover Authority
WorkCover New South Wales

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia, GPO Box 5420, Sydney, NSW 2001.

This Standard was issued in draft form for comment as DR 01049.

Australian Standard™

Powered industrial trucks

**Part 13: Brake performance and
component strength**

First published as AS 2359.13—2005.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 6539 4

PREFACE

This Standard was prepared by the Standards Australia Committee ME-026, Industrial Trucks.

This Standard is identical with and has been reproduced from ISO 6292:1996, *Powered industrial trucks and tractors—Brake performance and component strength*. Safety considerations for users of industrial trucks when applying the brakes are not addressed in the ISO 6292, therefore, additional guidance for Australia is given in Appendix ZA.

The objective of this Standard is to provide designers, manufacturers and operators of powered industrial trucks with methods for assessing and testing the performance and components of brakes fitted to industrial trucks with rated capacities up to and including 50 000 kg (100 000 lb) and industrial tractors with rated capacities up to and including 20 000 N (4 500 lbf).

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number appears on the cover and title page while the International Standard number appears only on the cover.
- (b) In the source text, ‘this International Standard’ should read ‘this Australian Standard’.
- (c) A full point substitute for a comma when referring to a decimal marker.

CONTENTS

	<i>Page</i>
1 Scope.....	1
2 Definition	1
3 Service brakes.....	2
4 Parking brakes	3
5 Brake control forces	3
6 Brake component strengths	4
7 Brake operating systems	4
APPENDIX ZA.....	7

AUSTRALIAN STANDARD

Powered industrial trucks

Part 13:

Brake performance and component strength

1 Scope

This International Standard specifies performance, test methods, controls, control forces and component strengths for brakes fitted to powered industrial trucks with rated capacities up to and including 50 000 kg (110 000 lb) and industrial tractors with rated capacities up to and including 20 000 N (4 500 lbf).

It is applicable to the following types of industrial trucks:

- a) high-lift, low-lift and non-lifting powered industrial trucks with electric or internal combustion engine power and controlled by a seated or standing rider or a pedestrian;
- b) stacking lift trucks with elevating operating platform;
- c) lateral-stacking trucks.

NOTE — Remote-controlled trucks will be included at a later date.

2 Definition

For the purposes of this International Standard, the following definition applies.

2.1 braking capacity, C_b : Ratio, expressed as a percentage, of either

- a) the fully developed braking deceleration, a , in metres per second squared, of the industrial truck under test to the acceleration of free fall, g , in metres per second squared, i.e.

$$C_b = \frac{a}{g} \times 100$$

or

- b) the braking force, F_b , in newtons, developed by the industrial truck under test to the gravitational force on the mass of the industrial truck under test, where m , in kilograms, equals the gross mass of the industrial truck including the rated capacity load, where applicable, i.e.

$$C_b = \frac{F_b}{m \times g} \times 100$$