

Australian Standard™

**Adjustable speed electrical power drive
systems**

**Part 2: General requirements—Rating
specifications for low voltage adjustable
frequency a.c. power drive systems**

This Australian Standard was prepared by Committee EL-027, Power Electronics. It was approved on behalf of the Council of Standards Australia on 6 August 2004. This Standard was published on 6 September 2004.

The following are represented on Committee EL-027:

Australian Communications Authority
Australian Electrical and Electronic Manufacturers Association
Bureau of Steel Manufacturers of Australia
Energy Supply Association of Australia
Monash University
University of Wollongong

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

Australian Standard™

Adjustable speed electrical power drive systems

Part 2: General requirements—Rating specifications for low voltage adjustable frequency a.c. power drive systems

First published as AS 61800.2—2004.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 6245 X

PREFACE

This Standard was prepared by the Standards Australia Committee EL-027, Power Electronics.

The objective of this Standard is to provide designers, manufacturers, specifiers, purchasers and users of variable speed drive systems with a set of characteristics to define variable speed drives with a supply voltage of up to 1 kV a.c.

This Standard is identical with, and has been reproduced from, IEC 61800-2, Ed. 1.0 (1998), *Adjustable speed electrical power drive systems, Part 2: General requirements—Rating specifications for low voltage adjustable frequency a.c. power drive systems*.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text ‘this international standard’ should read ‘this Australian Standard’.
- (c) A full point should be substituted for a comma when referring to a decimal marker.
- (d) Any French text on figures should be ignored.

The terms ‘normative’ and ‘informative’ are used to define the application of the annex to which they apply. A normative annex is an integral part of a standard, whereas an informative annex is only for information and guidance.

CONTENTS

	<i>Page</i>
1 General.....	1
1.1 Scope and object.....	1
1.2 Normative references.....	1
1.3 Symbols.....	3
2 Definitions.....	4
2.1 System.....	4
2.2 Converters.....	7
2.3 Drive system operating characteristics.....	9
2.4 CDM, BDM and converter input parameters.....	11
2.5 CDM, BDM and converter output parameters.....	13
2.6 Converter circuitry and circuit elements.....	15
2.7 Induction motor parameters.....	16
2.8 Control systems.....	17
3 Functional features.....	17
3.1 Operational.....	17
3.2 Fault supervision.....	18
3.3 Minimum status indication required.....	18
3.4 I/O devices.....	18
4 Service conditions.....	18
4.1 Installation and operation.....	18
4.1.1 Electrical service conditions.....	18
4.1.2 Environmental service conditions.....	21
4.1.3 Unusual environmental service conditions.....	22
4.1.4 Installation, commissioning and operation.....	23
4.2 Storage of equipment.....	23
4.2.1 Climatic conditions.....	23
4.2.2 Specific storage hazards.....	23
4.3 Transportation.....	24
4.3.1 Climatic conditions.....	24
4.3.2 Unusual climatic conditions.....	24
4.3.3 Mechanical conditions.....	24
5 Ratings.....	24
5.1 BDM input ratings.....	24
5.1.1 Input voltages.....	24
5.1.2 Input currents.....	25
5.2 BDM output ratings.....	25
5.2.1 Continuous output ratings.....	25
5.2.2 Overload capability.....	25
5.2.3 Operating frequency range.....	26
5.3 Efficiency and losses.....	26
5.4 Transformers and reactors.....	26
6 Performance requirements.....	27
6.1 Steady state performance.....	27
6.1.1 Deviation band (see figure 7).....	27

6.1.2	Selection of deviation bands (steady state)	27
6.1.3	Service deviation band – limits	28
6.1.4	Operating deviation band – limits	28
6.1.5	Resolution	28
6.2	Dynamic performance	29
6.3	Dynamic braking and dynamic slowdown	29
6.3.1	Dynamic braking	29
6.3.2	Dynamic slowdown	29
6.3.3	DC braking	29
6.4	Other performance requirements	29
6.4.1	Use of the drive in the application	30
6.4.2	Use of the drive in its connection to supply	30
6.4.3	Ratings	30
6.4.4	Protective devices	30
7	Tests	30
7.1	Classification of tests	30
7.2	Performance of tests	31
7.2.1	General conditions	31
7.2.2	Earthing conditions	31
7.3	Items of separate device tests	32
7.3.1	Standard tests for PDS	32
7.3.2	Standard tests for CDM/BDM	32
7.3.3	Checking the properties of the control equipment of CDM/BDM	33
7.4	Items of power drive system tests	33
7.4.1	Test set-up	34
7.4.2	Definitions of rating tests	34
7.4.3	Definitions of dynamic tests	37
7.5	Instrumentation for performance testing	38
8	Product information	38
8.1	Marking	38
8.2	Information to be supplied with the PDS or CDM/BDM	39
8.2.1	The following information shall be supplied with the furnished equipment:	39
8.2.2	The following information shall be supplied or made available:	39
8.2.3	Speed information shall be supplied with the drive system, including:	39
9	Safety and warning labels	39
9.1	Warning labels	39
9.2	Safety and nature of a PDS	40
	Annex A (informative) Motor considerations	41
	Annex B (informative) Line-side considerations	48
	Annex C (informative) Auxiliary equipment	63
	Annex D (informative) Control strategies	66
	Annex E (informative) Protection	80
	Annex F (informative) Topologies	84
	Annex G (informative) Monitoring features	85

STANDARDS AUSTRALIA

Australian Standard**Adjustable speed electrical power drive systems
Part 2: General requirements—Rating specifications for low voltage
adjustable frequency a.c. power drive systems**

1 General**1.1 Scope and object**

This part of IEC 61800 applies to general purpose adjustable speed a.c. drive systems which include power conversion, control equipment, and also an a.c. motor or motors. Excluded are traction and electrical vehicle drives.

It applies to systems connected to line voltages up to 1 kV a.c., 50 Hz or 60 Hz, and load side frequency up to 600 Hz.

EMC aspects are covered in IEC 61800-3.

This part of IEC 61800 gives the characteristics of the converters and their relationship with the complete a.c. drive system. It also states their performance requirements with respect to ratings, normal operating conditions, overload conditions, surge withstand capabilities, stability, protection, a.c. line earthing, and testing. Furthermore, it deals with application guidelines, such as control strategies, diagnostics, and topologies.

This part of IEC 61800 is intended to define a complete a.c. PDS in terms of its performance and not in terms of individual subsystem functional units.

1.2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 61800. At the time of publication, the editions indicated were valid. All normative documents are subject to revision, and parties to agreements based on this part of IEC 61800 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

References to international standards that are struck through in this clause are replaced by references to Australian or Australian/New Zealand Standards that are listed immediately thereafter and identified by shading. Any Australian or Australian/New Zealand Standard that is identical to the International Standard it replaces is identified as such.

~~IEC 60034-1:1996, Rotating electrical machines – Part 1: Rating and performance~~

AS 1359.101, *Rotating electrical machines – General requirements, Part 101: Rating and performance* (identical to IEC 60034-1)

~~IEC 60034-2:1972, Rotating electrical machines – Part 2: Methods for determining losses and efficiency of rotating electrical machinery from tests (excluding machines for traction vehicles)~~

AS 1359.102.1, *Rotating electrical machines – General requirements, Part 102.1: Methods for determining losses and efficiency – General*