

AS/NZS 60335.1:2011
(IEC TEXT)
(Incorporating Amendment Nos 1, 2, 3, 4 and 5)

Australian/New Zealand Standard™

**Household and similar electrical
appliances—Safety**

**Part 1: General requirements
(IEC 60335-1 Ed 5.2, MOD)**



AS/NZS 60335.1:2011

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-002, Safety of Household and Similar Electrical Appliances and Small Power Transformers. It was approved on behalf of the Council of Standards Australia on 4 April 2011 and by the Council of Standards New Zealand on 21 April 2011.

This Standard was published on 29 April 2011.

The following are represented on Committee EL-002:

Association of Accredited Certification Bodies
Australian Industry Group
National Retailers Association (Australia)
Business New Zealand
Consumer Electronic Suppliers Association, Australia
Consumers' Federation of Australia
Electrical Regulatory Authorities, Australia
Electrical consultants
Engineers Australia
JAS-ANZ
Testing Interests New Zealand
WorkSafe, New Zealand
New Zealand Electric Fence Energizer Manufacturers' Standards Group

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Site at www.standards.org.au or Standards New Zealand web site at www.standards.govt.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of Standards Australia or the New Zealand Standards Executive at the address shown on the back cover.

AS/NZS 60335.1:2011
(Incorporating Amendment Nos 1, 2, 3, 4 and 5)

Australian/New Zealand Standard™

Household and similar electrical appliances—Safety

Part 1: General requirements (IEC 60335-1 Ed 5.2, MOD)

Originated in Australia and New Zealand as AS/NZS 60335.1:2002.
Jointly revised and redesignated AS/NZS 60335.1:2011.
Reissued incorporating Amendment No. 1 (June 2012).
Reissued incorporating Amendment No. 2 (November 2014).
Reissued incorporating Amendment No. 3 (November 2015).
Reissued incorporating Amendment No. 4 (June 2017).
Reissued incorporating Amendment No. 5 (June 2019).

COPYRIGHT

© Standards Australia Limited

© The Crown in right of New Zealand, administered by the New Zealand Standards Executive

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

ISBN 978 0 7337 9837 5

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	8
1 Scope	9
2 Normative references	9
3 Terms and definitions	13
4 General requirement.....	21
5 General conditions for the tests	21
6 Classification.....	25
7 Marking and instructions	25
8 Protection against access to live parts	33
9 Starting of motor-operated appliances.....	35
10 Power input and current.....	35
11 Heating	36
12 Void	41
13 Leakage current and electric strength at operating temperature.....	41
14 Transient overvoltages	44
15 Moisture resistance	45
16 Leakage current and electric strength	48
17 Overload protection of transformers and associated circuits	49
18 Endurance.....	50
19 Abnormal operation	50
20 Stability and mechanical hazards.....	59
21 Mechanical strength	60
22 Construction.....	61
23 Internal wiring.....	72
24 Components.....	74
25 Supply connection and external flexible cords	79
26 Terminals for external conductors	87
27 Provision for earthing.....	90
28 Screws and connections	92
29 Clearances, creepage distances and solid insulation	94
30 Resistance to heat and fire	103
31 Resistance to rusting	108
32 Radiation, toxicity and similar hazards	108
Annex A (informative) Routine tests	123
Annex B (normative) Appliances powered by rechargeable batteries that are recharged in the appliance	125
Annex C (normative) Ageing test on motors.....	130
Annex D (normative) Thermal motor protectors.....	131
Annex E (normative) Needle-flame test	132
Annex F (normative) Capacitors	133

Annex G (normative) Safety isolating transformers	135
Annex H (normative) Switches	136
Annex I (normative) Motors having basic insulation that is inadequate for the rated voltage of the appliance	138
Annex J (normative) Coated printed circuit boards	140
Annex K (normative) Overvoltage categories	141
Annex L (informative) Guidance for the measurement of clearances and creepage distances	142
Annex M (normative) Pollution degree	146
Annex N (normative) Proof tracking test	147
Annex O (informative) Selection and sequence of the tests of Clause 30	148
Annex P (informative) Guidance for the application of this standard to appliances used in warm damp equable tropical climates	154
Annex Q (informative) Sequence of tests for the evaluation of electronic circuits	156
Annex R (normative) Software evaluation	158
Annex S (normative) Battery-operated appliances powered by batteries that are non-rechargeable or not recharged in the appliance	172
Annex T (normative) UV-C radiation effect on non-metallic materials	175
Bibliography	178
Index of defined words	180
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction	109
Figure 2 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of appliances, other than those of class II appliances or parts of class II construction	110
Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase connection of with neutral class II appliances and for parts of class II construction	111
Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase connection of with neutral appliances other than those of class II or parts of class II construction	113
Figure 5 – Small part	114
Figure 6 – Example of an electronic circuit with low-power points	115
Figure 7 – Test finger nail	116
Figure 8 – Flexing test apparatus	117
Figure 9 – Constructions of cord anchorages	118
Figure 10 – An example of parts of an earthing terminal	119
Figure 11 – Examples of clearances	120
Figure 12 – Example of the placement of the cylinder	121
Figure 13 – Small parts cylinder	122
Figure B.1 – Examples of forms of constructions for appliances covered by Annex B	128
Figure I.1 – Simulation of faults	139
Figure L.1 – Sequence for the determination of clearances	143
Figure L.2 – Sequence for the determination of creepage distances	145
Figure O.1 – Tests for resistance to heat	148

Figure O.2 – Selection and sequence of tests for resistance to fire in hand-held appliances	149
Figure O.3 – Selection and sequence of tests for resistance to fire in attended appliances	150
Figure O.4 – Selection and sequence of tests for resistance to fire in unattended appliances	151
Figure O.5 – Some applications of the term "within a distance of 3 mm"	153
Figure S.1 – Examples of battery marking representing three batteries	174
Table 1 – Power input deviation	35
Table 2 – Current deviation	36
Table 3 – Maximum normal temperature rises	39
Table 4 – Voltage for electric strength test	44
Table 5 – Characteristics of high-voltage sources	44
Table 6 – Impulse test voltage	45
Table 7 – Test voltages	49
Table 8 – Maximum winding temperature	52
Table 9 – Maximum abnormal temperature rise	58
Table 10 – Dimensions of cables and conduits	80
Table 11 – Minimum cross-sectional area of conductors	82
Table 12 – Pull force and torque	84
Table 13 – Nominal cross-sectional area of conductors	89
Table 14 – Torque for testing screws and nuts	93
Table 15 – Rated impulse voltage	95
Table 16 – Minimum clearances	96
Table 17 – Minimum creepage distances for basic insulation	100
Table 18 – Minimum creepage distances for functional insulation	101
Table 19 – Minimum thickness for accessible parts of reinforced insulation consisting of a single layer	103
Table A.1 – Test voltages	124
Table C.1 – Test conditions	130
Table R.1 – General fault/error conditions	160
Table R.2 – Specific fault/error conditions	163
Table R.3 – Semi-formal methods	169
Table R.4 – Software architecture specification	169
Table R.5 – Module design specification	170
Table R.6 – Design and coding standards	170
Table R.7 – Software safety validation	171
Table S.101 – Battery source impedance	173
Table T.1 – Minimum property retention limits after UV-C exposure	176
Table T.2 – Minimum electric strength for internal wiring after UV-C exposure	177

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –**

Part 1: General requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC 60335-1 bears the edition number 5.2. It consists of the fifth edition (2010-05) [documents 61/3974/FDIS and 61/4014/RVD], its corrigenda 1 (2010-07) and 2 (2011-04), its amendment 1 (2013-12) [documents 61/4639/FDIS and 61/4675/RVD] and its corrigendum 1 (2014-01), and its amendment 2 (2016-05) [documents 61/5116A/FDIS and 61/5166/RVD] and its corrigendum 1 (2016-09). The technical content is identical to the base edition and its amendments.

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 60335-1 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

The principal changes in this edition as compared with the fourth edition of IEC 60335-1 are as follows (minor changes are not listed):

- updated the text of the standard to align with the most recent editions of the dated normative references;
- modified the functional safety requirements using programmable electronic circuits including software validation requirements;
- updated Clause 29 to cover insulation requirements subjected to high frequency voltages as in switch mode power supply circuits;
- updated Subclause 30.2 to further align the pre-selection option with the end-product test option;
- deleted some notes and converted many other notes to normative text;
- clarified requirements for class III appliances and class III constructions.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part is to be used in conjunction with the appropriate part 2 of IEC 60335. The parts 2 contain clauses to supplement or modify the corresponding clauses in this part to provide the relevant requirements for each type of appliance.

NOTE 1 The following annexes contain provisions suitably modified from other IEC standards:

- | | | |
|-----------|-------------------------------|-------------------------------|
| – Annex E | Needle-flame test | IEC 60695-11-5 |
| – Annex F | Capacitors | IEC 60384-14 |
| – Annex G | Safety isolating transformers | IEC 61558-1 and IEC 61558-2-6 |
| – Annex H | Switches | IEC 61058-1 |
| – Annex J | Coated printed circuit boards | IEC 60664-3 |
| – Annex N | Proof tracking test | IEC 60112 |
| – Annex R | Software evaluation | IEC 60730-1 |

NOTE 2 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and associated noun are also in bold.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 3 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below.

- Introduction: The Part 1 standard (UL60335-1) is only used in combination with a part 2 (UL60335-2-x). National differences are specified in these standards (USA).
- 5.7: The ambient temperature is 25 °C ± 10 °C (Japan).
- 5.7: The ambient temperature is 27 °C ± 5 °C (India).
- 6.1: Class 0 appliances and class 0I appliances are not allowed (Australia, Austria, Belgium, Czech Republic, Finland, France, Germany, Greece, Hungary, India, Israel, Ireland, Italy, Netherlands, New Zealand, Norway, Poland, Singapore, Slovakia, Sweden, Switzerland, United Kingdom).
- 7.12.2: The requirements for full disconnection do not apply (Japan).
- 7.12.8: The maximum inlet water pressure shall be at least 1,0 MPa (Denmark, Norway, Sweden).
- 13.2: The test circuit and some leakage current limits are different (India).
- 22.2: The second paragraph of this subclause dealing with single-phase class I appliances with heating elements cannot be complied with because of the supply system (France and Norway).
- 22.2: Double-pole switches or protective devices are required (Norway).
- 22.35 Accessible metal parts separated from live parts by earthed metal parts are not regarded as likely to become live in the event of an insulation fault (USA).
- 24.1: IEC component standard requirements are replaced by the relevant requirements of component standards specified in UL60335-1 and parts 2 (UL60335-2-x) (USA).
- 25.3: A set of supply leads is not permitted (Norway, Denmark, Finland, Netherlands).
- 25.8: 0,5 mm² supply cords are not allowed for class I appliances (Australia and New Zealand).
- 26.6: Conductor cross-sectional areas are different (USA).
- 29.1: Different rated impulse voltages are used between 50 V and 150 V (Japan).

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If the functions of an appliance are covered by different parts 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

NOTE 1 Throughout this publication, when "Part 2" is mentioned, it refers to the relevant part of IEC 60335.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 2 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 3 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

Individual countries may wish to consider the application of the standard, as far as is reasonable, to appliances not mentioned in a part 2, and to appliances designed on new principles. In this case consideration should be given to defining normal operation, specifying the classification of the appliance according to Clause 6 and specifying whether the appliance is operated attended or unattended. Consideration should also be given to particular categories of likely users and to related specific risks such as access to live parts, hot surfaces or hazardous moving parts.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

NOTE 4 Standards dealing with non-safety aspects of household appliances are

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1, IEC 61000-3-2 and IEC 61000-3-3 concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 1: General requirements

1 Scope

This International Standard deals with the safety of electrical appliances for household and similar purposes, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

NOTE 1 Battery-operated appliances and other d.c. supplied appliances are within the scope of this standard. Dual supply appliances, either mains-supplied or battery-operated, are regarded as **battery-operated appliances** when operated in the battery mode.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

NOTE 2 Examples of such appliances are catering equipment, cleaning appliances for commercial use, and appliances for hairdressers.

~~As far as is practicable,~~ This standard deals with the ~~common~~ reasonably foreseeable hazards presented by appliances that are encountered by all persons ~~in and around the home~~. However, in general, it does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities; or
 - lack of experience and knowledgeprevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance.

NOTE 3 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

NOTE 4 This standard does not apply to

- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- audio, video and similar electronic apparatus (IEC 60065);
- appliances for medical purposes (IEC 60601);
- hand-held motor-operated electric tools (IEC 60745);
- personal computers and similar equipment (IEC 60950-1);
- transportable motor-operated electric tools (IEC 61029).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.