

Australian Standard[®]

PRINTED BOARDS

Part 0—TERMS AND DEFINITIONS

This Australian Standard was prepared by Committee TE/6, Printed Circuits. It was approved on behalf of the Council of the Standards Association of Australia on 30 September 1987 and published on 1 December 1987.

The following interests are represented on Committee TE/6:

Australian Tin Information Centre
Confederation of Australian Industry
Department of Transport and Communications
Department of Defence
Department of Industry, Technology and Commerce
Institute of Radio and Electronics Engineers Australia
Telecom Australia

Review of Australian Standards. *To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.*

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 73002.

Australian Standard[®]

PRINTED BOARDS

Part 0—TERMS AND DEFINITIONS

First published 1987

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 4771 5

PREFACE

This Standard was prepared by the Association's Committee on Printed Circuits. It is based on and is compatible with IEC 194, Terms and Definitions of Printed Boards.

This Standard provides terms and definitions which are widely used in industry with respect to printed boards and printed board assemblies. It is not a complete dictionary of terms relating to the subject but is intended to facilitate the exchange of information both nationally and internationally, by promoting better communication and more precise understanding between manufacturers and users of printed boards.

The Standard differs from IEC 194:1975 through the removal of certain terms not widely used in Australia and the inclusion of a number of terms which are used. In particular, attention was given to U.S. MIL-STD-429B and ANSI/IPC-T-50B, and to IEC drafts on the subject. Acknowledgement is made of the assistance received from these sources.

The format for the glossary is as follows:

- (a) *Preferred terms.* Preferred terms are printed in bold type when accompanied by definitions, e.g.

conductor—Single conductive path in a conductive pattern.

When there is more than one definition for a term, the definitions are numbered 1, 2, etc.

Preferred terms relating to a common subject are grouped under an appropriate headword and indented (see (b) below).

Preferred terms listed under headwords are also listed individually, the individual listing being cross-referenced to the headword. For example, 'access hole' is cross-referenced to 'HOLE' under which 'access hole' is listed and defined.

When a preferred term is associated with another preferred term, a cross-reference is made. For example, the definition for 'pit' is followed by 'See also indentation'. Likewise, the definition for 'indentation' is followed by 'See also pit'.

- (b) *Headwords.* Headwords are printed in capital letters. Where a headword is itself a preferred term it is in bold type.

Non-preferred terms. Non-preferred terms are printed in light type and are cross-referenced to the relevant preferred term, e.g.

marking *See legend.*

- (c) Non-preferred terms are printed under the preferred term and indented, e.g. **legend**

marking

When a non-preferred term is cross-referenced to a preferred term that is under a headword, the reference is as follows, e.g.

notch *See HOLE, location hole.*

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

STANDARDS ASSOCIATION OF AUSTRALIA

Australian Standard**PRINTED BOARDS****PART 0: TERMS AND DEFINITIONS**

Term	Definition
acceptance test board test coupon	<i>See</i> BOARD.
access hole	<i>See</i> HOLE.
additive process	Process for obtaining conductive patterns by the selective deposition of conductive material on (unclad) base material.
annular ring	Conductive patterns completely surrounding a hole in a printed board.
artwork master master drawing	Accurately scaled configuration used to produce the original production master; the scale is chosen as required to provide the necessary accuracy. (See Figure 1.)
base material	Insulating material upon which the pattern may be formed.
base material thickness	The thickness of the base material excluding metal foil or metallic deposition. (See Figures 2 and 3.)
basic grid	<i>See</i> grid.
blank	The base material cut to size for subsequent processing.
BLISTER	Localized swelling and separation between any of the layers of the base material, between base material and conductive foil or any surface layer and the uncoated board.
blister, foil	A localized separation between the base material and the conductive material.
blister, interlaminar	A void produced under the surface of a laminated base material, a form of delamination.
blind via	A via hole extending to the surface layer on one side only of a multilayer board.
blowhole	<i>See</i> HOLE.
BOARD	Base material clad with metal on one or both faces.
acceptance test board test coupon	A printed board or a portion of it that is suitable for determining acceptability of a board, or a batch of boards, and that was produced by the same process so as to be representative of the production board.
daughter board	A printed board assembly which connects to a mother board.
double-sided board	A printed board with conductive patterns on both sides.
mother board	A printed board on which one or more printed board assemblies are assembled and connected. <i>See</i> daughter board.
multilayer board	A printed board consisting of alternate layers of conductive patterns and insulating materials with conductive patterns in more than two layers and with the conductive patterns interconnected as required.
printed board	Base material cut to size containing all holes and bearing at least one conductive pattern. It includes single and double sided, multilayer, flexible, and flexible multilayer boards.