

AS 3600 Supplement 1—1994

Concrete structures—Commentary
(Supplement to AS 3600—1994)

This Australian Standard was prepared by Committee BD/2, Concrete Structures. It was approved on behalf of the Council of Standards Australia on 27 July 1994 and published on 10 October 1994.

The following interests are represented on Committee BD/2:

Association of Consulting Engineers, Australia
Australian Construction Services
Australian Federation of Construction Contractors
Australian Precast Concrete Manufacturers Association
AUSTROADS
Bureau of Steel Manufacturers of Australia
Cement and Concrete Association of Australia
CSIRO, Division of Building, Construction and Engineering
Department of Public Works, N.S.W.
Hydro-electric Commission, Tas.
Institution of Engineers, Australia
Master Builders Construction and Housing Association, Australia
National Ash Association of Australasia
National Ready Mixed Concrete Association
Steel Reinforcement Institute of Australia
South Australian Department of Housing and Construction
University of Adelaide
University of New South Wales
University of Sydney
University of Technology, Sydney
Water Board—Sydney, Illawarra and Blue Mountains

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

AS 3600 Supplement 1—1994

Concrete structures—Commentary (Supplement to AS 3600—1994)

AS 3600 Supplement 1 first published in part as
SAA MP28.C4 — 1975.
SAA MP28.C6 first published 1977.
SAA MP28.C9 first published 1975.
SAA MP28.C10 first published 1975.
SAA MP28.C11 first published 1977.
SAA MP28.C12 to C15 first published 1977.
SAA MP28.C19 first published 1978.
SAA MP28.C21 first published 1978.
SAA MP28.C22 first published 1978.
SAA MP28.C23 first published 1978.
SAA MP28.C25 first published 1978.
SAA MP28.C26 first published 1975.
These Standards revised, amalgamated and redesignated
AS 3600 Supplement 1—1990.
Second edition 1994.
Incorporating:
Amdt 1 — 1996

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 9195 1

PREFACE

This Commentary (AS 3600—Supplement 1) was prepared by Standards Australia Committee on Concrete Structures and first published in 1990 to replace MP 28, *Commentary on AS 1480—Concrete Structures Code*, which was withdrawn in January 1991. While it is intended that it be read in conjunction with AS 3600, *Concrete structures*, it does not form an integral part of that Standard.

Objective The objective of this Commentary is—

- (a) to provide background reference material to the Clauses in the Standard;
- (b) to indicate the origin of particular requirements;
- (c) to indicate departures from previous practice; and
- (d) to explain the application of certain Clauses.

The clause numbers and titles used in the Commentary are the same as those in AS 3600 except that they are prefixed by the letter C. To avoid possible confusion between Commentary and Standard clauses cross-referenced within the text, Commentary clauses are referred to as 'Paragraph C ...' in accordance with Standards Australia policy.

Gaps in the numerical sequence of Commentary Paragraphs indicate that either the technical requirements of the corresponding clauses in the Standard are essentially the same as those previously given in AS 1480, *Concrete Structures Code* or AS 1481, *Prestressed Concrete Code*, or the committee considered that commentary on these clauses was not needed.

Where appropriate, each Section of the Commentary concludes with a list of references which are cross-referenced numerically in the text, e.g. (Ref. 6) or (Refs 6, 7 and 8). In some Sections additional references for further reading, or as a lead to specialist literature, have also been listed.

As noted in the Preface to AS 3600, the Standard represents a comprehensive revision and amalgamation of AS 1480 and AS 1481. To put things in perspective, AS 1480 and AS 1481 largely dated back to 1973 and essentially represented the technology of the 1960s. Since then there have been considerable advances in materials and construction technology. Also, due to the increased application of computers to modelling and analytical techniques, an improved understanding of both material and member behaviour in complete structures has been realized. More sophisticated analysis and design procedures are now readily available to design-office staff via desktop computers, while complex formulas can be quickly evaluated using electronic calculators.

While the Standard inevitably reflects the abovementioned changes, a considerable amount of material and concepts have been retained from AS 1480 and AS 1481, particularly in those areas where the benefits of technical change seemed doubtful to the committee. However, in all such instances the opportunity was taken to edit retained requirements, in order to remove ambiguities which in the past have led to conflicting interpretations.

Background to second edition

The background to the second edition of this Commentary is essentially the same as that given in the Preface of the second edition of AS 3600, with respect to new and revised reference Standards. Furthermore, in agreeing to a second edition of the Standard rather than the usual 'green-slip' amendments, the Committee also agreed that the same philosophy should in addition apply to the Commentary so that consistency would be maintained between corresponding editions of the two documents.

As the Commentary had not been amended since its publication, the opportunity was taken to include improvements suggested in the interim by users, as well as the appropriate changes necessitated by the 1990 and 1994 amendments to AS 3600. All such changes are indicated by a single bar in the left-hand margin for the extent of the affected text or figure.

Objective of second edition

The objective of the second edition is to provide a clean, updated version of the Commentary that is consistent with the second edition of AS 3600.

Like the Standard itself, this Commentary is neither an immutable nor a perfect document. Suggestions for improvement to the Commentary, in either the content or extent of that provided, are therefore welcomed by Standards Australia.

ACKNOWLEDGMENTS

Standards Australia wishes to acknowledge and thank the following members of BD/2 and its subcommittees who have contributed significantly to this Commentary.

Assoc. Prof. R Q Bridge
Mr B J Corcoran
Prof. K A Faulkes
Mr B J Ferguson
Dr I Gilbert
Dr D Gunasekera
Mr H P Isaacs
Dr F S Pitman
Mr R J Potter
Prof. B V Rangan
Mr W J Semple
Mr D J Smee
Mr G C Verge
Dr P F Walsh
Prof. R T Warner
Mr A C Whitting
Mr P J Wyche

CONTENTS

	<i>Page</i>
SECTION C1 SCOPE AND GENERAL	
C1.1 SCOPE AND APPLICATION	8
C1.2 REFERENCED DOCUMENTS	8
C1.3 INTERPRETATIONS AND USE OF ALTERNATIVE MATERIALS OR METHODS	8
C1.4 DESIGN	9
C1.5 CONSTRUCTION	9
C1.6 DEFINITIONS	9
C1.7 NOTATION	10
SECTION C2 DESIGN REQUIREMENTS AND PROCEDURES	
C2.1 DESIGN REQUIREMENTS	19
C2.3 DESIGN FOR STRENGTH	19
C2.4 DESIGN FOR SERVICEABILITY	20
C2.6 DESIGN FOR DURABILITY	21
C2.7 DESIGN FOR FIRE RESISTANCE	21
C2.8 OTHER DESIGN REQUIREMENTS	22
SECTION C3 LOADS AND LOAD COMBINATIONS FOR STABILITY, STRENGTH AND SERVICEABILITY	
C3.1 LOADS AND OTHER ACTIONS	24
C3.2 LOAD COMBINATION FOR STABILITY DESIGN	24
C3.3 LOAD COMBINATIONS FOR STRENGTH DESIGN	24
SECTION C4 DESIGN FOR DURABILITY	
C4.1 APPLICATION OF SECTION	26
C4.2 DESIGN FOR DURABILITY	27
C4.3 EXPOSURE CLASSIFICATION	28
C4.4 REQUIREMENTS FOR CONCRETE FOR EXPOSURE CLASSIFICATIONS A1 AND A2	30
C4.5 REQUIREMENTS FOR CONCRETE FOR EXPOSURE CLASSIFICATIONS B1, B2 AND C	30
C4.6 REQUIREMENTS FOR CONCRETE FOR EXPOSURE CLASSIFICATION U	31
C4.7 ADDITIONAL REQUIREMENTS FOR ABRASION	31
C4.8 ADDITIONAL REQUIREMENTS FOR FREEZING AND THAWING	31
C4.9 RESTRICTION ON CHEMICAL CONTENT IN CONCRETE	32
C4.10 REQUIREMENTS FOR COVER TO REINFORCING STEEL AND TENDONS	32
SECTION C5 DESIGN FOR FIRE RESISTANCE	
C5.1 SCOPE OF SECTION	35
C5.2 DEFINITIONS	37
C5.3 DESIGN REQUIREMENTS	37
C5.4 FIRE-RESISTANCE PERIODS FOR BEAMS	38
C5.5 FIRE-RESISTANCE PERIODS FOR SLABS	40
C5.6 FIRE-RESISTANCE PERIODS FOR COLUMNS	40

	<i>Page</i>
C5.7 FIRE-RESISTANCE PERIODS FOR WALLS	40
C5.8 FIRE-RESISTANCE PERIODS FROM FIRE TESTS	41
C5.9 CALCULATION OF FIRE TEST PERFORMANCE	41
C5.10 INCREASE OF FIRE-RESISTANCE PERIODS BY USE OF INSULATING MATERIALS	41
 SECTION C6 DESIGN PROPERTIES OF MATERIALS	
C6.1 PROPERTIES OF CONCRETE	45
C6.2 PROPERTIES OF REINFORCEMENT	51
C6.3 PROPERTIES OF TENDONS	52
C6.4 LOSS OF PRESTRESS	54
 SECTION C7 METHODS OF STRUCTURAL ANALYSIS	
C7.1 METHODS OF ANALYSIS	59
C7.2 SIMPLIFIED METHOD FOR REINFORCED CONTINUOUS BEAMS AND ONE-WAY SLABS	60
C7.3 SIMPLIFIED METHOD FOR REINFORCED TWO-WAY SLABS SUPPORTED ON FOUR SIDES	60
C7.4 AND C7.5 TWO-WAY SLAB SYSTEMS	60
C7.4 SIMPLIFIED METHOD FOR REINFORCED TWO-WAY SLAB SYSTEMS HAVING MULTIPLE SPANS	61
C7.5 IDEALIZED FRAME METHOD FOR STRUCTURES INCORPORATING TWO-WAY SLAB SYSTEMS	61
C7.6 LINEAR ELASTIC ANALYSIS	62
C7.7 ELASTIC ANALYSIS OF FRAMES INCORPORATING SECONDARY BENDING MOMENTS	64
C7.8 RIGOROUS STRUCTURAL ANALYSIS	65
C7.9 PLASTIC METHODS OF ANALYSIS FOR SLABS	65
 SECTION C8 DESIGN OF BEAMS FOR STRENGTH AND SERVICEABILITY	
C8.1 STRENGTH OF BEAMS IN BENDING	67
C8.2 STRENGTH OF BEAMS IN SHEAR	73
C8.3 STRENGTH OF BEAMS IN TORSION	79
C8.4 LONGITUDINAL SHEAR IN BEAMS	80
C8.5 DEFLECTION OF BEAMS	82
C8.6 CRACK CONTROL OF BEAMS	86
C8.7 VIBRATION OF BEAMS	88
C8.8 T-BEAMS AND L-BEAMS	88
C8.9 SLENDERNESS LIMITS FOR BEAMS	88
 SECTION C9 DESIGN OF SLABS FOR STRENGTH AND SERVICEABILITY	
C9.1 STRENGTH OF SLABS IN BENDING	92
C9.2 STRENGTH OF SLABS IN SHEAR	93
C9.3 DEFLECTION OF SLABS	95
C9.4 CRACK CONTROL OF SLABS	96
C9.5 VIBRATION OF SLABS	97
C9.6 MOMENT RESISTING WIDTH FOR ONE-WAY SLABS SUPPORTING POINT LOADS	97

SECTION C10 DESIGN OF COLUMNS FOR STRENGTH AND SERVICEABILITY	
C10.1	GENERAL 99
C10.2	DESIGN PROCEDURES 100
C10.3	DESIGN OF SHORT COLUMNS 103
C10.4	DESIGN OF SLENDER COLUMNS 103
C10.5	SLENDERNESS 107
C10.6	STRENGTH OF COLUMNS IN COMBINED BENDING AND COMPRESSION 109
C10.7	REINFORCEMENT REQUIREMENTS FOR COLUMNS 112
C10.8	TRANSMISSION OF AXIAL FORCE THROUGH FLOOR SYSTEMS . . . 113
SECTION C11 DESIGN OF WALLS	
C11.1	APPLICATION 116
C11.2	DESIGN PROCEDURES 116
C11.3	BRACING OF WALLS 116
C11.4	SIMPLIFIED DESIGN METHOD FOR BRACED WALLS SUBJECTED TO VERTICAL FORCES ONLY 116
C11.5	DESIGN OF WALLS FOR IN-PLANE HORIZONTAL FORCES 116
C11.6	REINFORCEMENT REQUIREMENTS FOR WALLS 118
SECTION 12 DESIGN OF NON-FLEXURAL MEMBERS, END ZONES AND BEARING SURFACES	
C12.1	DESIGN OF NON-FLEXURAL MEMBERS 119
C12.2	ANCHORAGE ZONES FOR PRESTRESSING ANCHORAGES 122
C12.3	BEARING SURFACES 126
SECTION C13 STRESS DEVELOPMENT AND SPLICING OF REINFORCEMENT AND TENDONS	
C13.1	STRESS DEVELOPMENT IN REINFORCEMENT 128
C13.2	SPLICING OF REINFORCEMENT 132
C13.3	STRESS DEVELOPMENT IN TENDONS 133
C13.4	COUPLING OF TENDONS 133
SECTION C14 JOINTS, EMBEDDED ITEMS, FIXINGS AND CONNECTIONS	
C14.1	DESIGNS OF JOINTS 134
C14.2	EMBEDDED ITEMS AND HOLES IN CONCRETE 134
C14.3	REQUIREMENTS FOR FIXINGS 134
SECTION C15 PLAIN CONCRETE MEMBERS	
C15.1	APPLICATION 135
C15.2	DESIGN 135
C15.3	STRENGTH IN BENDING 135
C15.4	STRENGTH IN SHEAR 135
C15.5	STRENGTH IN AXIAL COMPRESSION 135

	<i>Page</i>
SECTION C16 CONCRETE PAVEMENTS, FLOORS AND RESIDENTIAL FOOTINGS	
C16.1 APPLICATION	136
C16.2 ADDITIONAL DESIGN CONSIDERATIONS FOR PAVEMENTS AND INDUSTRIAL AND COMMERCIAL FLOORS	136
C16.3 RESIDENTIAL FLOORS AND FOOTINGS	136
SECTION C17 LIQUID RETAINING STRUCTURES	
C17.1 GENERAL	137
SECTION C18 MARINE STRUCTURES	
C18.1 APPLICATION	138
C18.2 ADDITIONAL LOADS AND ACTIONS	138
C18.3 ADDITIONAL DURABILITY AND DESIGN REQUIREMENTS	138
SECTION C19 MATERIAL AND CONSTRUCTION REQUIREMENTS	
C19.1 MATERIAL AND CONSTRUCTION REQUIREMENTS FOR CONCRETE AND GROUT	141
C19.2 MATERIALS AND CONSTRUCTION REQUIREMENTS FOR REINFORCING STEEL	144
C19.3 MATERIAL AND CONSTRUCTION REQUIREMENTS FOR PRESTRESSING DUCTS, ANCHORAGES AND TENDONS	145
C19.4 CONSTRUCTION REQUIREMENTS FOR JOINTS AND EMBEDDED ITEMS	147
C19.5 TOLERANCES FOR STRUCTURES AND MEMBERS	147
C19.6 FORMWORK	148
SECTION C20 TESTING AND ASSESSMENT FOR COMPLIANCE OF CONCRETE SPECIFIED BY COMPRESSIVE STRENGTH	
C20.1 GENERAL	155
C20.2 MANUFACTURE OF CONCRETE	155
C20.3 PROJECT ASSESSMENT	155
C20.4 PRINCIPLES FOR ASSESSMENT OF CONCRETE SPECIFIED BY GRADE	156
C20.5 ALTERNATIVE ASSESSMENT METHODS	156
C20.6 DEEMED TO COMPLY PROVISIONS	156
SECTION C21 TESTING OF MEMBERS AND STRUCTURES	
C21.1 PROOF TESTING OF BEAMS AND SLABS	157
C21.2 PROTOTYPE TESTING	157
C21.3 QUALITY CONTROL TESTING OF MANUFACTURED UNITS	158
C21.4 TESTING FOR STRENGTH OF HARDENED CONCRETE IN PLACE	158
APPENDIX CA ADDITIONAL REQUIREMENTS FOR STRUCTURES SUBJECT TO SEISMIC ACTIONS	160

STANDARDS AUSTRALIA

Australian Standard

AS 3600 Supp 1

Concrete structures—Commentary (Supplement to AS 3600—1994)

SECTION C1 SCOPE AND GENERAL

C1.1 SCOPE AND APPLICATION

C1.1.1 Scope The Standard sets out the minimum requirements for the design and construction of safe, serviceable and durable concrete structures. There may be other requirements, not covered by the Standard, which also have to be considered.

C1.1.2 Application A lower concrete strength limit of 20 MPa has been imposed, as strength grades less than this are not considered suitable for structures.

An upper concrete strength limit of 50 MPa has been adopted, because much of the research on which the Standard is based involved concrete strengths at or below this value. Nevertheless, higher strength concretes are being used in Australia and overseas (Refs. 1 and 2). The Standard may possibly be applied without change to concretes with 28-day compressive strengths up to 65 MPa. However, beyond 50 MPa, concrete becomes increasingly brittle in its structural behaviour and, as indicated in Note 2, current detailing requirements may be inadequate for ensuring the necessary elastic and ductile behaviour assumed in the various design Sections.

Concretes made from naturally occurring Australian coarse aggregates have surface-dry densities falling in the range 2100 kg/m³ to 2800 kg/m³. Lightweight structural concretes in Australia generally use naturally occurring sands combined with manufactured lightweight aggregates, for which the surface-dry density is seldom less than 1800 kg/m³. Density limits for structural concretes have been set accordingly.

Design of road and pedestrian bridges is covered by the 'Austroads Bridge Design Code'.

In the preparation of a Standard such as this, a certain level of knowledge and competence of the majority of users must be assumed. As indicated by the Note, it was assumed that the predominant users of this Standard would be professionally qualified civil or structural engineers experienced in the design of concrete structures, or equally qualified but less experienced persons working under their guidance. It is therefore intended that the Standard be applied and interpreted primarily by such persons.

C1.2 REFERENCED DOCUMENTS The Standards listed in Appendix B are subject to revision from time to time. A check should be made with Standards Australia as to the currency of any Standard referenced in the text.

C1.3 INTERPRETATIONS AND USE OF ALTERNATIVE MATERIALS OR METHODS It is intended that where Committee Interpretations or Opinions are given, which may relate initially to particular projects but have general application, they will be collated and published in a separate document as 'Rulings', which will be updated on a regular basis. The Rulings will then form the basis for future amendments or revisions of the Standard or its Commentary and will be in line with similar 'Rulings' applying to other Australian Standards.