

AS/NZS 1170.3 Supplement 1:2003

Structural design actions—Snow and ice actions—Commentary (Supplement to AS/NZS 1170.3:2003)

AS/NZS 1170.3 Supp 1:2003

This Joint Australian/New Zealand Standard supplement was prepared by Joint Technical Committee BD-006, General Design Requirements and Loading on Structures. It was approved on behalf of the Council of Standards Australia on 28 March 2003 and on behalf of the Council of Standards New Zealand on 24 June 2003. It was published on 4 July 2003.

The following are represented on Committee BD-006:

Association of Consulting Engineers Australia
Australian Building Codes Board
Australian Steel Institute
Building Research Association of New Zealand
Cement and Concrete Association of Australia
Concrete Masonry Association of Australia
CSIRO, Building, Construction and Engineering
Cyclone Testing Station—James Cook University
Electricity Supply Association of Australia
Housing Industry Association
Institution of Engineers Australia
Institution of Professional Engineers New Zealand
Master Builders Australia
New Zealand Heavy Engineering Research Association
Steel Reinforcement Institute of Australia
University of Newcastle
University of Canterbury, New Zealand
University of Melbourne

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Australia web site at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

AS/NZS 1170.3 Supplement 1:2003

Structural design actions—Snow and ice actions—Commentary (Supplement to AS/NZS 1170.3:2003)

Originated in Australia as AS 1170.3 Supp 1—1990.
Originated in New Zealand as part of NZS 4203:1992.
AS 1170.3 Supp 1—1990 and NZS 4203:1992 jointly revised,
amalgamated and redesignated in part as AS/NZS 1170.3 Supp 1:2003.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 5181 4

PREFACE

This Commentary was prepared by the Joint Standards Australia/Standards New Zealand Committee BD-006, General Design Requirements and Loading on Structures, as a Supplement to AS/NZS 1170.3:2003 *Structural design actions*, Part 3: *Snow and ice actions*. This Commentary supersedes AS 1170.3—1990, *Minimum design loads on structures—Snow loads—Commentary* (Supplement to AS 1170.3—1990) and, in part, NZS 4203:1992, *Code of practice for general structural design and design loadings for buildings* (Vol. 2).

The Commentary provides background material and guidance to the requirements of the Standard.

The clause numbers of this Commentary are prefixed by the letter ‘C’ to distinguish them from references to the Standard clauses to which they directly relate. Where a Commentary to a certain Clause is non-existent, it is because no explanation of the Clause is necessary.

It also provides advice and guidance on certain types of snow loads that cannot at this stage be covered by the Standard requirements (see Appendix CB on avoidance of common problems).

Worked examples that illustrate the application of some of the requirements of the Standard are given in Appendix CD.

ACKNOWLEDGEMENT

Standards Australia wishes to acknowledge and thank the following member who has contributed significantly to this Commentary:

Professor Peter Moss.

The photographs reproduced in Appendix CB of this Commentary were originally published in HB106: *Guidelines for Design of Structures in Snow Areas*, produced by the Institution of Engineers Australia. They are included here courtesy of the Institution of Engineers Australia and the Kosciusko National Parks and Wildlife Service.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
C1.1 SCOPE.....	5
C1.2 APPLICATION	5
C1.3 REFERENCED DOCUMENTS.....	5
C1.4 DETERMINATION OF DESIGN ACTIONS.....	6
C1.5 DEFINITIONS.....	6
C1.6 UNITS	6
C1.7 NOTATION.....	7
SECTION 2 SNOW REGIONS	
C2.1 GENERAL.....	8
C2.2 AUSTRALIA.....	8
C2.3 NEW ZEALAND.....	8
SECTION 3 ICE ACTION	
C3.1 GENERAL.....	9
C3.2 DETERMINATION OF FORCES	10
C3.3 ICE DENSITY	10
C3.4 ICE THICKNESS	10
SECTION 4 SNOW ACTION	
C4.1 GENERAL.....	16
C4.2 DESIGN SNOW LOADS	16
SECTION 5 GROUND SNOW LOAD	
C5.1 GENERAL.....	18
C5.2 PROBABILITY FACTOR.....	18
C5.3 GROUND SNOW LOADS FOR ALPINE REGIONS.....	18
C5.4 GROUND SNOW LOADS FOR SUB-ALPINE REGIONS	19
SECTION 6 SHAPE COEFFICIENTS FOR ALPINE REGIONS	
C6.1 GENERAL.....	21
C6.2 BALANCED SNOW LOAD.....	22
C6.3 MONO-PITCHED ROOFS.....	22
C6.4 DUO PITCHED ROOFS	22
C6.5 MULTI-PITCHED ROOFS	22
C6.6 DRIFTING CAUSED BY OBSTRUCTIONS HIGHER THAN THE ROOF	22
C6.7 DRIFTING AT PROJECTIONS AND OBSTRUCTIONS	24
C6.8 CYLINDRICAL ROOFS.....	24
SECTION 7 SHAPE COEFFICIENTS FOR SUB-ALPINE REGIONS	
C7.1 GENERAL.....	25
C7.2 SHAPE COEFFICIENTS AS FOR ALPINE REGIONS	25
C7.3 OBSTRUCTED ROOFS.....	25
C7.4 DRIFTING ON LOWER ROOFS.....	25
C7.5 CURVED ROOFS	25

APPENDICES

CA	INFORMATION FROM ISO 4355.....	26
CB	COMMON PROBLEMS AND THEIR AVOIDANCE.....	28
CC	AUSTRALIAN ALPINE REGIONS—TERRAIN CLASSIFICATION (k_t)	52
CD	WORKED EXAMPLES	55

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard
Structural design actions—Snow and ice actions—Commentary
(Supplement to AS/NZS 1170.3:2003)

SECTION 1 SCOPE AND GENERAL

C1.1 SCOPE

This Commentary is intended to be read in conjunction with AS/NZS 1170.3:2003 (Ref. 1). The Commentary includes explanations of the provisions of AS/NZS 1170.3 and, in some cases, suggests approaches that may satisfy the intent of the Standard. Commentary Clauses are not mandatory.

Appendices contain additional information on design and worked examples as follows (see also HB 106 (Ref. 3)):

- (a) Appendix CA—background to the loading equations and format of the Standard, including extracts from ISO 4355 (Ref. 2).
- (b) Appendix CB—common problems and their avoidance.
- (c) Appendix CC—methods for determining terrain classification.
- (d) Appendix CD—worked examples.

For assessment of snow action, the Standard considers the uniform snow that accumulates under calm air conditions, the shape of the roof and the snow pattern on the roof caused by windy conditions. For vertical loads on roofs, these influences are described in terms of shape coefficients (μ_i).

Methods are given for use in alpine areas where snow may accumulate for 3 or 4 months and for sub-alpine areas where it only lasts for a few days. Sub-alpine areas are where wind speeds are high and weather conditions are such that all the snow normally melts and clears between individual weather systems.

A load case corresponding to severe imbalances resulting from snow removal, redistribution, sliding, melting, etc. (e.g., zero snow load on specific parts of the roof) should always be considered. Such considerations are important for structures that are sensitive to the form of the load distribution (e.g., curved roofs, arches, domes or other structures).

C1.2 APPLICATION**C1.3 REFERENCED DOCUMENTS**

Documents referred to in this Supplement are as follows:

- 1 AS/NZS 1170.3, *Structural design actions*, Part 3: *Snow and ice actions*, Standards Australia.
- 2 ISO 4355, *Bases for design of structures—Determination of snow loads on roofs*, International Organization for Standardization.
- 3 HB 106, *Guidelines for design of structures in snow areas*, Standards Australia.