

AS/NZS 1170.2 Supplement 1:2002

Structural design actions—Wind actions—Commentary (Supplement to AS/NZS 1170.2:2002)

AS/NZS 1170.2 Supp 1:2002

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee BD-006, General Design Requirements and Loading on Structures. It was approved on behalf of the Council of Standards Australia on 29 March 2002 and on behalf of the Council of Standards New Zealand on 28 March 2002. It was published on 4 June 2002.

The following are represented on Committee BD-006:

Association of Consulting Engineers Australia
Australian Building Codes Board
Australian Institute of Steel Construction
Building Research Association of New Zealand
Cement and Concrete Association of Australia
CSIRO Building, Construction and Engineering
Cyclone Testing Station—James Cook University
Electricity Supply Association of Australia
Housing Industry Association
Institution of Engineers Australia
Institution of Professional Engineers New Zealand
Master Builders Australia
New Zealand Heavy Engineering Research Association
Steel Reinforcement Institute of Australia
University of Canterbury New Zealand
University of Melbourne
University of Newcastle

Additional interests participating in the preparation of this Standard:

Bureau of Meteorology
Curtin University of Technology
Monash University
National Institute of Water and Atmospheric Research, NZ
University of Queensland

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Australia web site at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

AS/NZS 1170.2 Supplement 1:2002

Structural design actions—Wind actions—Commentary (Supplement to AS/NZS 1170.2:2002)

Originated in Australia as part of AS 1170.2—1989.
Originated in New Zealand as part of NZS 4203:1976.
Previous New Zealand edition NZS 4203:1992.
AS 1170.2—1989 and NZS 4203:1992 jointly revised, amalgamated and
redesignated in part as AS/NZS 1170.2 Supplement 1:2002.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 4474 5

PREFACE

This Commentary was prepared by the Joint Standards Australia/Standards New Zealand Committee BD-006, General Design Requirements and Loading on Structures, as a Supplement to AS/NZS 1170.2, *Structural design actions*, Part 2: *Wind actions*. This Commentary supersedes, in part, AS 1170.2—1989, *Minimum design loads on structures*, Part 2: *Wind loads* and, in part, NZS 4203:1992, *Code of practice for general structural design and design loadings for buildings (Vol. 2)*.

The Commentary provides background material and guidance to the requirements of the Standard.

The clause numbers of this Commentary are prefixed by the letter ‘C’ to distinguish them from references to the Standard clauses to which they directly relate. Where a Commentary to a certain Clause is non-existent, it is because no explanation of the Clause is necessary.

Appendix CA includes a list of additional definitions used in this Commentary, and Appendix CB includes a list of additional symbols used in this Commentary.

Notwithstanding the general copyright provisions applicable to all Australian Standards as detailed in the Standard, the Standard contains intellectual material provided by other parties and permission to reproduce that material may be conditional on an appropriate royalty payment to Standards Australia, or the other party, or both.

ACKNOWLEDGEMENT

Standards Australia wishes to acknowledge and thank the following members who have contributed significantly to this Commentary:

John Holmes

Bill Melbourne

Chris Letchford

Andrew King

Steve Reid

CONTENTS

	<i>Page</i>
SECTION C1 SCOPE AND APPLICATION	
C1.1 SCOPE	5
C1.2 APPLICATION	5
C1.3 REFERENCED DOCUMENTS	5
C1.4 DETERMINATION OF WIND ACTIONS	5
C1.5 UNITS	7
C1.6 DEFINITIONS	7
C1.7 NOTATION	7
SECTION C2 CALCULATION OF WIND ACTIONS	
C2.1 GENERAL	8
C2.2 SITE WIND SPEED	8
C2.3 DESIGN WIND SPEED	8
C2.4 DESIGN WIND PRESSURE AND DISTRIBUTED FORCES	11
C2.5 WIND ACTIONS	12
SECTION C3 REGIONAL WIND SPEEDS	
C3.1 GENERAL	14
C3.2 REGIONAL WIND SPEEDS (V_R)	14
C3.3 WIND DIRECTION MULTIPLIER (M_d)	14
C3.4 FACTORS FOR REGIONS C AND D (F_C, F_D)	15
SECTION C4 SITE EXPOSURE MULTIPLIERS	
C4.1 GENERAL	16
C4.2 TERRAIN/HEIGHT MULTIPLIER ($M_{z,cat}$)	16
C4.3 SHIELDING MULTIPLIER (M_s)	24
C4.4 TOPOGRAPHIC MULTIPLIER (M_t)	25
SECTION C5 AERODYNAMIC SHAPE FACTOR	
C5.1 GENERAL	28
C5.2 EVALUATION OF AERODYNAMIC SHAPE FACTOR	28
C5.3 INTERNAL PRESSURE FOR ENCLOSED RECTANGULAR BUILDINGS	28
C5.4 EXTERNAL PRESSURES FOR ENCLOSED RECTANGULAR BUILDINGS	29
C5.5 FRICTIONAL DRAG FORCES FOR ENCLOSED BUILDINGS	30
SECTION C6 DYNAMIC RESPONSE FACTOR	
C6.1 EVALUATION OF DYNAMIC RESPONSE FACTOR	32
C6.2 ALONG-WIND RESPONSE FOR TALL BUILDINGS AND TOWERS	34
C6.3 CROSSWIND RESPONSE	35
C6.4 COMBINATION OF ALONG-WIND AND CROSSWIND RESPONSE	38

APPENDICES

CA	DEFINITIONS	41
CB	NOTATION	42
CC	ADDITIONAL PRESSURE COEFFICIENTS FOR ENCLOSED BUILDINGS	44
CD	FREESTANDING WALLS, HOARDINGS AND CANOPIES	46
CE	AERODYNAMIC SHAPE FACTORS FOR EXPOSED STRUCTURAL MEMBERS, FRAMES AND LATTICE TOWERS	49
CF	FLAGS AND CIRCULAR SHAPES	53
CG	ACCELERATIONS FOR WIND SENSITIVE STRUCTURES.....	54

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard
Structural design actions—Wind actions—Commentary
(Supplement to AS/NZS 1170.2:2002)

SECTION C1 SCOPE AND APPLICATION

C1.1 SCOPE

This Commentary is intended to be read in conjunction with AS/NZS 1170.2:2002. The Commentary includes explanations of the provisions and in some cases suggests approaches that may satisfy the intent of the Standard. Commentary Clauses are not mandatory. Lists of references are also given at the end of each Section for further reading.

The principles for determining wind actions given in the Standard are generally applicable to wind loads on any structure.

The specific data given for the cases outlined (e.g., aerodynamic shape factors) are based on research involving wind tunnel testing, measurements in the field and calculation using established principles of fluid mechanics. They are generally relevant for simplified situations; however, the values derived are applied to real design cases using methods that account for such uncertainties (see also Clause C1.4).

The Standard does not attempt to predict the effects of possible future climatic changes, as the evidence for changes in wind speeds is inconclusive.

For the effects of tornadoes, wind speeds can be significantly higher than those given in the Standard. The effect of debris is also significant. Such wind events are not covered due to their small nature and low occurrence in populated areas of Australia and New Zealand. Structures that extend over considerable distances, such as powerlines or pipelines, may be affected by tornadoes if the usual path of such events is across the structure.

The methods given in the Standard are not sufficient for some structures such as electricity transmission structures, bridges, lattice towers, cranes and similar, as specific details necessary to perform calculations are not given. In these cases, the Standard may be used to determine site wind speeds or design wind speeds, but other Standards should be referenced for detailed factors.

C1.2 APPLICATION

C1.3 REFERENCED DOCUMENTS

Documents referred to in this Commentary are listed at the end of each Section.

C1.4 DETERMINATION OF WIND ACTIONS

This Clause includes the performance statement for wind forces and states that the remainder of the Standard is a solution that is deemed to comply with this statement within the context of the Standard.

A general background to the wind loading of structures is given by Holmes (Ref. 1).