

Australian/New Zealand Standard™

Spare Parts Provisioning



AS/NZS IEC 62550:2019

This Joint Australian/New Zealand Standard™ was prepared by Joint Technical Committee QR-005, Dependability. It was approved on behalf of the Council of Standards Australia on 5 April 2019 and by the New Zealand Standards Approval Board on 7 May 2019.

This Standard was published on 24 May 2019.

The following are represented on Committee QR-005:

- Asset Management Council
- Australian Industry Group
- Department of Defence (Australian Government)
- Engineering New Zealand
- Engineers Australia
- Independent Transport Safety & Reliability Regulator (NSW)
- Institution of Occupational Safety and Health
- National Road Carriers Association (NZ)
- New Zealand Institute of Safety Management
- Professionals Australia
- Risk Engineering Society
- Risk Management Institute of Australasia
- RiskNZ
- University of New South Wales
- University of Western Australia
- University of Wollongong

This Standard was issued in draft form for comment as DR AS/NZS IEC 62550:2019.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.standards.govt.nz

ISBN 978 1 76072 473 3

Australian/New Zealand Standard™

Spare Parts Provisioning

First published as AS/NZS IEC 62550:2019.

COPYRIGHT

© IEC 2019 — All rights reserved

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2019

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

Preface

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee QR-005, Dependability.

The objective of this Standard is to describe requirements for spare parts provisioning as a part of supportability activities that affect dependability performance so that continuity of operation of products, equipment and systems for their intended application can be sustained. This document is intended for use by a wide range of suppliers, maintenance support organizations and users and can be applied to all items.

This Standard is identical with, and has been reproduced from, IEC 62550:2017, *Spare parts provisioning*.

As this document has been reproduced from an International Standard, a full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms, definitions and abbreviated terms	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms.....	11
4 Overview	12
4.1 Participants and major steps in the spare parts provisioning process	12
4.2 Types of spare parts	14
4.3 Identification of spare parts as integral part of the level of repair analysis (LORA)	14
4.4 Overall spare parts provisioning process.....	16
5 Demand forecast	17
5.1 General.....	17
5.2 Forecast based on consumption data.....	18
5.2.1 General	18
5.2.2 Procedures for forecast	18
5.3 Initial determination of demand	19
5.3.1 General	19
5.3.2 Prediction of failure rates and failure intensities.....	19
5.3.3 Calculation of demand rates	20
6 Spare parts quantification.....	20
6.1 General.....	20
6.1.1 Process overview	20
6.1.2 Probability distributions for spare parts quantification	22
6.1.3 Measures of effectiveness (MoE).....	23
6.1.4 ABC-analysis (Pareto analysis).....	24
6.1.5 Quantification of repairable items	26
6.1.6 Quantification of non-repairable items	26
6.2 Strategic (critical, insurance) spare parts	28
6.3 Inventory systems.....	28
6.4 Inventory optimization.....	30
7 Spare parts documentation.....	32
7.1 Principles and objectives	32
7.2 Illustrated parts catalogue (IPC).....	32
7.3 Parts catalogue.....	35
8 Supply management.....	35
8.1 General.....	35
8.1.1 Activities.....	35
8.1.2 Economic provisioning.....	36
8.2 Sources for spare parts.....	36
8.3 Supply policies.....	37
8.3.1 Insourcing.....	37
8.3.2 Outsourcing.....	37
8.3.3 Single sourcing.....	37

8.3.4	Global sourcing	38
8.3.5	Concurrent sourcing	38
8.3.6	Obsolescence management.....	39
8.4	Planning and control of the flow of repairable spare parts	39
Annex A (informative)	Prognosis of demand.....	40
A.1	General.....	40
A.2	Synthetic determining of demand	40
A.3	Prognosis based on consumption data	41
A.3.1	Overview	41
A.3.2	Forecast on the basis of the moving average	41
A.3.3	Forecast on the basis of the weighted moving average	42
A.3.4	Forecast on the basis of exponential smoothing.....	42
A.3.5	Forecast on the basis of regression analysis	43
Annex B (informative)	Measures of effectiveness	44
B.1	General.....	44
B.2	Stock-related measures of effectiveness	44
B.2.1	Fill rate (FR) and risk of shortage (ROS).....	44
B.2.2	Expected backorders (EBO).....	46
B.2.3	Mean waiting time (MWT)	47
B.3	System-related measures of effectiveness	48
B.3.1	Operational system availability (A_{Op})	48
B.3.2	Number of systems not operationally ready (NOR).....	49
Annex C (informative)	Example: Quantification of spare parts and optimization of inventory stocks	50
C.1	General.....	50
C.2	Product breakdown structure	50
C.3	Calculation of spare parts quantities and costs	52
Bibliography	54
Figure 1	– Participants and major steps in the spare parts provisioning process	13
Figure 2	– Identification of spare parts	16
Figure 3	– Spare parts provisioning process during design and development.....	17
Figure 4	– Spare parts provisioning process during utilization	21
Figure 5	– Principle of an ABC-analysis	25
Figure 6	– Inventory control policies	27
Figure 7	– Hierarchically structured inventory system	28
Figure 8	– Single-product-single-inventory models	30
Figure 9	– Idealized inventory model for non-repairable items.....	31
Figure 10	– Supply management activities	36
Figure A.1	– Procedures of demand forecast	40
Figure B.1	– Diagram for the determination of the fill rate (FR) with a Poisson demand	45
Figure B.2	– Diagram for the determination of the factor K for the required fill rate	46
Figure B.3	– Inventory system with a backorder case.....	46
Figure B.4	– Diagram for the determination of the mean waiting time (MWT) with a Poisson demand	48
Figure C.1	– Structure of the DCN	50

Figure C.2 – Inventory system for the DCN	53
Table 1 – Responsibilities, targets, and measurements for suppliers, maintainers, operator and users.....	13
Table C.1 – First indenture level – Data communication network.....	51
Table C.2 – Second indenture level – Communication system.....	51
Table C.3 – Third indenture level – Power supply system	51
Table C.4 – Third indenture level – Main processor	51
Table C.5 – Third indenture level – Fan system	52
Table C.6 – Investments in spare repairable items	52

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SPARE PARTS PROVISIONING

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62550 has been prepared by IEC technical committee 56: Dependability.

The text of this standard is based on the following documents:

FDIS	Report on voting
56/1711/FDIS	56/1719/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

Spare parts provisioning is the process for planning necessary spare parts under consideration of a customer's needs and requirements.

Proper planning and control of spare parts is a critical component of effective supportability. If the right parts are not available when needed for routine maintenance or repairs, downtime is prolonged. If too many spare parts are available, the enterprise absorbs excessive costs and the overhead of carrying inventory.

Spare part planning and supply to achieve business objectives are based on four goals:

- the right spare part;
- in the right quantity;
- at the right time;
- at the right place.

Spare parts provisioning is a prerequisite for all types of maintenance tasks, such as replacements and repairs. Spare parts for corrective maintenance tasks should be supplied at random intervals for steady state availability. It may take three to four repairs before steady state availability is reached. In this period repairs may be clustered, and the need can vary significantly over time. For preventive and on-condition maintenance, fixed intervals or approximately fixed intervals for replacement items may occur. Coordination of demand for spare parts with supply of spare parts at the required time is an important factor. Unavailable materials are one of the most cited reasons for delays in the completion of maintenance tasks.

The availability of spare parts is one of the factors that impacts system downtime. Methodologies such as integrated logistic support (ILS) and its subsidiary logistic support analysis (LSA) provide necessary information for spare parts provisioning. This information includes system breakdown, maintenance concept, and supply concept. Spare part optimization will cover issues typically giving answers to questions such as:

- which spare parts should be stored within the maintenance organization or by a supplier?
- how many spare parts of each type should be stocked?

Spare part optimization is based on operations research methods and selected reliability methods and may be analytical or use Monte Carlo simulations. The optimization process aims at balancing the cost of holding spare parts against the probability and cost of spare part shortage.

Before spare parts can be ordered, procedures for procurement, administration and storage of required material should be specified. Additionally, a general supply concept should be compiled and specified.

Correct material supply procedures will guarantee that spare parts are ordered in time and delivered when requested. The procedures also include control of the repair of replacement parts as well as the monitoring of repair turn-around times. All organizations involved, from production to purchasing and storage, via maintenance, should have complete transparency about material availability and possible completion of the task. The planned material costs in the task should be compared with its consumption. These are then documented and form the basis of usage-controlled materials planning. With this process, inventory of spare parts can be optimized to meet availability requirements with minimum inventory levels.

This document is applicable to all industries where supportability has a major impact on the dependability of the item through its life cycle.

SPARE PARTS PROVISIONING

1 Scope

This document describes requirements for spare parts provisioning as a part of supportability activities that affect dependability performance so that continuity of operation of products, equipment and systems for their intended application can be sustained.

This document is intended for use by a wide range of suppliers, maintenance support organizations and users and can be applied to all items.

2 Normative references

There are no normative references in this document.

3 Terms, definitions and abbreviated terms

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

NOTE Some terms listed in IEC 60050-192 are also included here for the convenience of the reader.

3.1 Terms and definitions

3.1.1

consumables

any item which is expendable, may be regularly replaced and generally is not product specific

EXAMPLE Oil, grease, nuts, bolts and screws, gaskets, etc.

Note 1 to entry: Generally consumable items are relatively low cost.

3.1.2

corrective maintenance

maintenance carried out after fault detection to effect restoration

Note 1 to entry: Corrective maintenance of software invariably involves some modification.

[SOURCE: IEC 60050-192:2015, 192-06-06]

3.1.3

failure

<of an item> loss of ability to perform as required

Note 1 to entry: A failure of an item is an event that results in a fault state of that item: see fault [IEC 60050-192:2015, 192-04-01].

Note 2 to entry: Qualifiers, such as catastrophic, critical, major, minor, marginal and insignificant, may be used to categorize failures according to the severity of consequences, the choice and definitions of severity criteria depending upon the field of application.