

ANSI/ASSP Z359.3-2019

Safety Requirements for Lanyards
and Positioning Lanyards

Part of the Fall Protection Code



AMERICAN SOCIETY OF
SAFETY PROFESSIONALS



The information and materials contained in this publication have been developed from sources believed to be reliable. However, the American Society of Safety Professionals (ASSP) as secretariat of the ANSI accredited Z359 Committee or individual committee members accept no legal responsibility for the correctness or completeness of this material or its application to specific factual situations. By publication of this standard, ASSP or the Z359 Committee does not ensure that adherence to these recommendations will protect the safety or health of any persons or preserve property.

ANSI®
ANSI/ASSP Z359.3 – 2019

American National Standard

**Safety Requirements for
Lanyards and Positioning Lanyards**

Secretariat

American Society of Safety Professionals
520 N. Northwest Highway
Park Ridge, IL 60068

Approved June 28, 2019

Effective September 1, 2020

American National Standards Institute

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus and other criteria for approval have been met by the standards developer. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution. The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he/she has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. The American National Standards Institute does not develop standards and will in no circumstance give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretation should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

Caution Notice: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published August 2019 by

American Society of Safety Professionals
520 N. Northwest Highway
Park Ridge, IL 60068
(847) 699-2929 • www.assp.org

Copyright ©2019 by American Society of Safety Professionals
All Rights Reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

Foreword

(This Foreword is not a part of American National Standard Z359.3 - 2019.)

This standard, national in scope, was developed by an Accredited Standards Committee functioning under the procedures of the American National Standards Institute, with the American Society of Safety Professionals (ASSP) as secretariat.

It is intended that every employer whose operations use fall protection equipment within the scope and purpose of this standard, will utilize equipment meeting the requirements of this standard.

The need for this standards activity grew out of the continuing development of a series of fall protection-related standards. The focus is to tie the elements of those standards together and provide the tools with which employers may develop the programs that incorporate those elements. The Z359 Fall Protection Code brings together the administrative requirements of those fall protection standards. It should be noted, as in all Z359-series standards, that this standard applies to occupational activities. It is not intended to apply to sports activities such as mountaineering.

Neither the standards committee, nor the secretariat, states that this standard is perfect or in its ultimate form. It is recognized that new developments are to be expected, and that revisions of the standard will be necessary as the state-of-the-art progresses and further experience is gained. It is felt, however, that uniform guidelines for fall protection programs are very much needed and that the standard in its present form provides for the minimum criteria necessary to develop and provide products for the workplace.

The Z359 Committee acknowledges the critical role of design in influencing the use of proper fall protection equipment. Designs which eliminate fall hazards through the proper application of the hierarchy of safety controls are the preferred method for fall protection. Design deficiencies often increase the risk for employees who may be exposed to fall hazards, examples are: (1) lack of rail systems to prevent falls from machines, equipment and structures; (2) failure to provide engineered anchorages where use of personal fall arrest systems are anticipated; (3) no provision for safe access to elevated work areas; (4) installation of machines or equipment at heights, rather than floor/ground level to preclude access to elevated areas; (5) failure to plan for the use of travel restriction or work positioning devices. To that end, this standard is part of a series of standards that also provides guidance for design considerations for new buildings and facilities.

History

This standard was originally released in 2007. Since that time, the Z359 series of standards has expanded and broadened, requiring updates to this standard that were released in 2017. Since the release of the last standard, some improvements to clarity were required. This revision makes those improvements and updates this document to incorporate general document improvements.

Standard Perspective

This standard is written from an equipment design perspective, with the intention that it will primarily be used by equipment manufacturers and test labs in the design and testing of lanyards and positioning lanyards.

Normative Requirements

This standard uses the single-column format. The normative requirements appear aligned to the left margin. To meet the requirements of this standard, users must conform to these normative requirements. These requirements typically use the verb “shall”.

NOTE: The informative or explanatory note in this standard appears indented, in italics, in a reduced font, in an effort to provide a visual signal to the reader that this is an informative note, not normative text, and is not to be considered part of the requirements of this standard; this text is advisory in nature only. The suppliers and users are not required to conform to the informative note. The informative note is presented in this manner in an attempt to enhance readability and to provide explanation or guidance to the sections they follow.

Figures

Figures provided in the standard are used to show basic concepts of testing, types of products, examples of labels or other information from the standard. These figures are not to scale. They are for educational and informational purposes to explain content within a standard.

Suggestions for Improvements

Suggestions for improvements to this standard are welcome. They should be sent to American Society of Safety Professionals (ASSP), 520 N. Northwest Highway, Park Ridge, IL 60068 Attention: Z359 Secretariat.

Revisions

The Z359 Committee welcomes proposals for revisions to this standard. Revisions are made to the standard periodically (usually five years from the date of the standard) to incorporate changes that appear necessary or desirable, as demonstrated by experience gained from the application of the standard. Proposals should be as specific as possible, citing the relevant section number(s), the proposed wording and the reason for the proposal. Pertinent documentation would enable the Z359 Committee to process the changes in a timely manner.

Interpretations

Upon a request in writing to the Secretariat, the Z359 Committee will render an interpretation of any requirement of the standard. The request for interpretation should be clear, citing the relevant section number(s) and phrased as a request for a clarification of a specific requirement. Oral interpretations are not provided.

No one but the Z359 Committee (through the Z359 Secretariat) is authorized to provide any interpretation of this standard.

Approval

Neither the Z359 Committee nor the American National Standards Institute (ANSI) approves, certifies, rates or endorses any item, construction, proprietary device or activity.

Committee Meetings

Persons wishing to attend a meeting or join the committee should contact the Secretariat for information.

Standard Approval

This standard was processed and approved for submittal to ANSI by the Z359 Secretariat. Approval of the standard does not necessarily imply (nor is it required) that all committee members voted for its approval. At the time this standard was approved, the Z359 Committee had the following members:

Thomas Kramer, P.E., CSP, Chair
Dan Henn, Vice Chair
Ovidiu Munteanu, Secretary
Timothy Fisher, CSP, CHMM, CPEA, CAE, ARM, STS, Assistant Secretary
Jennie Dalesandro, Administrative Technical Support

Organization Represented	Name of Representative
3M	Raymond Mann
American Society of Safety Professionals	Jubal Hamernik, Ph.D., P.E. John Frost, CSP
Bashlin Industries, Inc.	Bradley McGill Caleb Williams
Bayer AG	Adam Chapin Chad McDanel
Boeing	Joey Junio, P.E. Segis Wright
Buckingham Manufacturing Company	James Rullo DeForest Canfield
Certified Access	Dave Pasco
ClimbTech	Karl Guthrie Daniel Aleksovski
Elevated Insight & Engineering Ltd.	Greg Small, P.Eng., M.Eng.
Elk River, Inc.	Mark Conover Delisa Calhoun
Ellis Fall Safety Solutions, LLC	J. Nigel Ellis, Ph.D., P.E., CSP, CPE John Whitty, P.E.
ExxonMobil	Freddie Johnson Zachary Shanklin
FallTech	Zack Winters Mike Tavis
Flexible Lifeline Systems	Michael Bailey, P.E. John Seto, P.E.
General Motors Company	Graham Parr Ken Mahnick
GME Supply Company	Daniel Pobst Chris Heitkamp
Gorbel Inc.	Allen Baughman Kevin Duhamel
Gravitec Systems, Inc.	Kevin Denis David Lough
High Engineering Corporation	William Parsons, P.Eng.
Honeywell	Bradley Rohlf Steven McPherson
Indianapolis Power and Light Company	Nick Hutchinson Michael Wright

INSPEC International Ltd.	Paul Clarke, CEng, MIMechE
International Safety Equipment Association	Andrew Diamond, MInstP, BSc (Hons)
Jelco	Cristine Fargo
Kee Safety, Inc.	Justin Patton
KMI Construction	Philip Clemmons
Lawrence Berkeley National Laboratory	Graham Willmott
Lawrence Livermore National Security, LLC	John Ingram
Liberty Mutual	Jim Kinateder
Lighthouse Safety, LLC	Kevin Goodwin, MS, CSP, SMS
LJB Inc.	Louis Renner, CSP
Malta Dynamics, LLC	Glenn Sparks
Martin/Martin Consulting Engineers	Matthew Zaffini
MSA	John Corriveau
Murdock Webbing Company, Inc.	Mark Benes
National Association of Tower Erectors	Thomas Kramer, P.E., CSP
National Institute for Occupational Safety & Health	Rupert Noton, CEng, MIStructE
Pensafe Inc.	David Ivey
Petzl	Chris Holland
Pigeon Mountain Industries	Andrew Emmons, P.E.
Pure Safety Group	Al Jording, P.E.
REK Associates, LLC	Rob Willis
Reliance Industries	Tim Bissett
Rigid Lifelines	Rick Toll
Rooftop Anchor, Inc.	Stephan Gelinias
Safety Equipment Institute, Inc.	John Jones
Schreiber Foods	Justin Miller
Shell Oil Company	Hongwei Hsiao, Ph.D.
SKYLOTEC North America LP	Keith Smith
Southern Weaving Company	Jeremiah Wangsgard
Sparkling Clean Window Company	Keith Luscinski
SPRAT	Jeff Bowles
STE	Loui McCurley
	Warren Faber
	Andre Pelland
	Jake Williams
	John Blake
	Dan Henn
	W. Joe Shaw
	Arnie Galpin, P.E.
	Kynan Wynne
	Joshua Adam, P.E.
	Stephen Sanders
	Mark Winchester
	George Jerome
	Ed Grosse
	Gregory Byers
	Douglas Mercier
	Michael Masterson, Jr.
	Andrew Broadway
	Curtiss Burdette
	Samuel Terry
	Art Schneider
	Charley Rankin, M.S.
	Cedric Smith
	Michael Wright, P.E., CPE, CSP
	Mark Williams

Sturges Manufacturing, Inc.
SureWerx/PeakWorks

Travelers
Trinity Industries, Inc.
Tritech Fall Protection Systems, Inc.

U.S. Air Force

U.S. Bureau of Reclamation

U.S. Department of Interior - BSEE

U.S. Navy

UAW
UL

Vertical Access LLC
Walt Disney Parks & Resorts
Werner Co.

Western Area Power Administration

WJE

Zachry Group

Tyler Griffith
Tim Accursi
Juan Rangel
Scott Richert, CSP, ARM, ALCM
Robin Wagstaff
Craig Siciliani
Meridith Conser
Robert Baker
Robert Foster
Shawn Smith, CSP
Corey Dickson
John Cushing, Jr.
David Nedorostek
Basil Tominna, P.E.
Ronald Silva, P.E.
Matthew Uptmor, OHST
Beverly Stutts
Andrew White
Kelly Streeter, P.E.
Ian Bevan
Michael Cameron
Cody Rappoport
William Schnyer
John Woodard, CIH, CSP
Daniel Gach
Jason Kamman, CSP, CHST
Adam Rubin

Subgroup Z359.3 had the following members:

Cody Rappoport, Chair
Bradley McGill, Vice Chair
Tim Accursi
Jason Bird
Paul Clarke, CEng, MIMechE
Philip Clemmons
John Corriveau
Jeremy Deason, P.E.
Kevin Denis
J. Nigel Ellis, Ph.D., P.E., CSP, CPE
Nathan Hall
Marc Harkins
Thomas Kramer, P.E., CSP
Loui McCurley
Lawrence McManamon
William Parsons, P.Eng.
David Pate, CUSA
Bryan Robinson
James Rullo
Basil Tominna, P.E.
Rob Willis
Michael Wright, P.E., CPE, CSP

Contents

- 1. Scope, Purpose and Application, Exceptions and Interpretations..... 10
 - 1.1 Scope..... 10
 - 1.2 Purpose and Application 10
 - 1.3 Exceptions 10
 - 1.4 Interpretations 10
- 2. Definitions 10
- 3. Design Requirements..... 11
 - 3.1 General 11
 - 3.2 Component and Element Requirements..... 12
 - 3.3 Lanyard and Positioning Lanyard Design Requirements 12
 - 3.4 Lanyard and Adjustable Lanyard Performance Requirements 16
 - 3.5 Positioning Lanyard and Adjustable Positioning Lanyard Performance Requirements 16
- 4. Performance Requirements (Qualification Testing) 16
 - 4.1 Test Equipment and Test Specimens 16
 - 4.2 Lanyards and Positioning Lanyards Qualification Testing 17
- 5. Marking and Instructions 24
 - 5.1 General Marking Requirements..... 24
 - 5.2 Specific Marking Requirements 24
 - 5.3 Instruction Requirements..... 24
- 6. Inspection, Maintenance and Storage 25
 - 6.1 General Requirements 25
- 7. References 25

AMERICAN NATIONAL STANDARD Z359.3 SAFETY REQUIREMENTS FOR LANYARDS AND POSITIONING LANYARDS

1. Scope, Purpose and Application, Exceptions and Interpretations

1.1 Scope

This standard establishes requirements for the design, performance, qualification testing, test methods, marking, instruction, training, maintenance and removal from service of lanyards and positioning lanyards for users within the capacity range of 130 to 310 pounds (59 to 140 kg).

NOTE: Although appearing similar to each other, positioning lanyards and lanyards have different functions. Positioning lanyards serve a support function, usually connecting hip to hip and holding a user in a working position, always under load when used. Lanyards serve a tethering function and are not routinely under load.

1.2 Purpose and Application

The purpose of this standard is to establish minimum requirements for the design, testing and marking of lanyards and positioning lanyards, and is intended for use by manufacturers, distributors, purchasers, regulators, users and certifying bodies of lanyards and positioning lanyards.

1.2.1 Before any lanyards and positioning lanyards shall bear the marking ANSI/ASSP Z359.3-2019 or be represented in any way as being in compliance with this standard, all applicable requirements of this standard shall be met. Such compliance shall be established in accordance with the requirements specified in ANSI/ASSP Z359.7, *Qualification and Verification Testing of Fall Protection Products*.

1.2.2 Users of active fall protection systems require proper training and instruction, including detailed procedures for the safe use of such equipment in their work application. Refer to ANSI/ASSP Z359.2, *Minimum Requirements for a Comprehensive Managed Fall Protection Program*, for training requirements.

1.2.3 This standard incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed in section 7. For dated references, subsequent amendments to or revisions of any of these publications apply to this American National Standard only when incorporated in it by amendment or revision. For undated references, the latest edition of the publication referred to applies.

1.3 Exceptions

1.3.1 This standard does not apply to sport and recreational related equipment and personal climbing equipment under the scope of ASTM F887, *Standard Specifications for Personal Climbing Equipment*.

1.4 Interpretations

Requests for interpretations of this standard shall be in writing and addressed to the Secretariat of this standard.

2. Definitions

Definitions applicable to this standard are listed below in alphabetical order. Definitions from other Z359 standards that are used in this document, but not defined herein, can be found in