

Australian/New Zealand Standard™

## Explosive atmospheres

**Part 13: Equipment protection by  
pressurized room 'p' and artificially  
ventilated room 'v'  
(IEC 60079-13:2017 (ED 2.0), MOD)**



## **AS/NZS 60079.13:2019**

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-014, Equipment for Explosive Atmospheres. It was approved on behalf of the Council of Standards Australia on 23 July 2019 and by the New Zealand Standards Approval Board on 3 July 2019.  
This Standard was published on 15 August 2019.

---

The following are represented on Committee EL-014:

Auckland Regional Chamber of Commerce  
Australian Chamber of Commerce and Industry  
Australian Industry Group  
Australian Institute of Petroleum  
Australian Petroleum Production and Exploration Association  
Australian Pipelines and Gas Association  
Aviation and Marine Engineers Association  
Bureau of Steel Manufacturers of Australia  
Business New Zealand  
Communications, Electrical and Plumbing Union — Electrical Division  
Department of Natural Resources, Mines and Energy (QLD)  
Electrical Compliance Testing Association of Australia  
Electrical Contractors Association of New Zealand  
Electrical Regulatory Authorities Council  
Electrical Safety New Zealand  
Engineering New Zealand  
Engineers Australia  
Institute of Electrical Inspectors (Australia)  
Institute of Instrumentation, Control and Automation Australia  
Mining Electrical and Mining Mechanical Engineering Society  
NSW Department of Planning and Environment  
SafeWork NSW  
University of Newcastle  
WorkSafe New Zealand

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Site at [www.standards.org.au](http://www.standards.org.au) or Standards New Zealand web site at [www.standards.govt.nz](http://www.standards.govt.nz) and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of Standards Australia or the New Zealand Standards Executive at the address shown on the back cover.

---

*This Standard was issued in draft form for comment as DR AS/NZS 60079.13:2019.*

---

# Australian/New Zealand Standard™

## Explosive atmospheres

### Part 13: Equipment protection by pressurized room 'p' and artificially ventilated room 'v' (IEC 60079-13:2017 (ED 2.0), MOD)

Originated as AS 1482—1973.  
Second edition 1985.  
Jointly revised and redesignated as AS/NZS 60079.13:2019.

#### **COPYRIGHT**

© Standards Australia Limited

© The Crown in right of New Zealand, administered by the New Zealand Standards Executive

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

ISBN 978 1 76072 543 3

## PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-014, Equipment for Explosive Atmospheres, to supersede AS 1482—1985, *Electrical equipment for explosive atmospheres—Protection by ventilation—Type of protection v*.

The objective of this Standard is to provide requirements for the design, construction, assessment, verification and marking of rooms used to protect internal equipment by pressurization or artificial ventilation (or both as applicable) when located in an explosive gas atmosphere or combustible dust atmosphere hazardous area. Such rooms may be with or without an internal source of flammable gas or vapour and may provide a means of protection for installations associated with explosive atmospheres.

This Standard also includes requirements related to safety devices and controls necessary to ensure that artificial ventilation, purging and pressurization is established and maintained.

This Standard does not specify the methods that may be required to ensure adequate air quality for personnel with regard to toxicity and temperature within the room. National or other regulations and requirements may exist to ensure the safety of personnel in this regard.

Protection of rooms by using an inert gas or a flammable gas is outside of the scope of this Standard. It is recognized that such applications are special cases, which in part may be addressed using the principles from AS/NZS 60079.2, but in all probability will also be the subject of additional, stringent engineering standards, procedures and practices. Pressurized enclosures for equipment that are not intended to facilitate the entry of personnel are addressed in AS/NZS 60079.2, and are not in the scope of this Standard.

This Standard is an adoption with national modifications, and has been reproduced from, IEC 60079-13:2017 (ED. 2.0), *Explosive atmospheres — Part 13: Equipment protection by pressurized room 'p' and artificially ventilated room 'v'*. The modifications are additional requirements and are set out in Appendix ZZ which has been added at the end of the source text.

Appendix ZZ lists the variations to IEC 60079-13:2017 (ED. 2.0) for the application of this Standard in Australia and New Zealand.

As this document has been reproduced from an International Standard, the following applies:

- (a) In the source text 'this part of IEC 60079' should read 'this Australian/New Zealand Standard'.
- (b) A full point substitutes for a comma when referring to a decimal marker.

It is intended that both AS 1482 and AS 2380.4 will be withdrawn 3 years from the date of publication of AS/NZS 60079.13. AS 1482 and AS 2380.4 may be used, as relevant to the application, until they are withdrawn.

It is also intended that AS 1482 Appendix A will be transferred to form part of a supplement, proposed to accompany the next edition of AS/NZS 60079.10.1.

It is considered that the requirements for protection of rooms in Zone 2 only by ventilation in IEC 60079-13 are not sufficiently developed. On this basis, the AS/NZS adoption has removed this as an approach as part of the adoption of IEC 60079-13.

In such cases, the use of other Standards such as NFPA 496 and EN 50381 could be followed and may be accepted.

It is also noted that the application of protection by ventilation requires careful administration and understanding of other Standards, including AS/NZS 60079.10.1 and AS/NZS 60079.14.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms 'normative' and 'informative' are used in Standards to define the application of the appendices or annexes to which they apply. A 'normative' appendix or annex is an integral part of a Standard, whereas an 'informative' appendix or annex is only for information and guidance.

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	10
3 Terms and definitions .....	11
4 Requirements for all rooms.....	13
4.1 General.....	13
4.2 Type and level of protection .....	13
4.2.1 Pressurization "p" .....	13
4.2.2 Artificial ventilation "v" .....	14
4.3 Construction .....	14
4.4 Mechanical strength.....	14
4.5 Penetrations and seals .....	14
4.6 Personnel access doors .....	14
4.7 Inlets and outlets .....	15
4.8 Ducts .....	15
4.9 Purging and cleaning .....	15
4.9.1 General .....	15
4.9.2 Gases – Purging.....	15
4.9.3 Enclosures within the room.....	16
4.10 Ignition prevention under system failure .....	16
5 Clean air supply.....	16
5.1 General.....	16
5.2 Source of clean air.....	16
5.3 Environmental and air temperature conditions.....	17
5.4 Heating, ventilation and air conditioning services .....	17
6 Requirements for pressurized rooms .....	17
6.1 General.....	17
6.1.1 Design .....	17
6.1.2 Source of clean air .....	17
6.1.3 Flow .....	17
6.1.4 Pressurization system.....	17
6.1.5 Preventing the explosive atmosphere from entering through an open door.....	18
6.1.6 Airlock .....	18
6.1.7 Outward air velocity through a door .....	18
6.1.8 Air consuming device.....	19
6.1.9 Action when pressurization system fails.....	19
6.1.10 Re-energizing the room .....	19
6.2 Purging of rooms .....	19
6.2.1 General .....	19
6.2.2 Sequence of operations of the purging safety devices .....	20
6.2.3 Dusts – Cleaning .....	20
6.3 Minimum safety provisions, safety devices and electrical disconnects.....	20
6.3.1 Safety devices .....	20
6.3.2 Safety devices based upon level of protection .....	21

6.3.3	Gas detectors .....	21
6.4	Verification for pressurized rooms .....	21
6.4.1	General .....	21
6.4.2	Tests .....	21
6.4.3	Overpressure test .....	22
6.4.4	Purging test .....	22
6.4.5	Minimum pressure differential test .....	22
6.4.6	Confirmation of the ratings of the safety devices .....	22
6.4.7	Verification of sequence of operation of the safety devices .....	22
7	Requirements for artificially ventilated rooms .....	22
7.1	General .....	22
7.1.1	Design .....	22
7.1.2	Source of clean air .....	22
7.1.3	Minimum flow rate .....	23
7.1.4	Ventilation system .....	23
7.1.5	Air consuming device .....	24
7.1.6	Safety actions when ventilation system fails .....	24
7.1.7	Energizing the artificially ventilated area .....	24
7.2	Purging of artificially ventilated rooms .....	25
7.2.1	General .....	25
7.2.2	Sequence of operations of the purging safety devices .....	25
7.3	Minimum safety provisions, safety devices and electrical disconnects .....	25
7.3.1	Safety devices .....	25
7.3.2	Safety devices based upon equipment protection level .....	25
7.3.3	Artificial ventilation protection .....	26
7.3.4	Gas detectors .....	26
7.4	Loss of artificial ventilation .....	26
7.5	Verification for artificially ventilated rooms .....	27
7.5.1	General .....	27
7.5.2	Tests .....	27
7.5.3	Purging test .....	27
7.5.4	Minimum ventilation flow rate test .....	27
7.5.5	Confirmation of the ratings of the safety devices .....	27
7.5.6	Verification of sequence of operation of the safety devices .....	27
7.5.7	Testing of ventilation system .....	28
8	Marking .....	28
8.1	General .....	28
8.2	Marking of pressurized rooms .....	28
8.3	Marking for artificially ventilated rooms .....	29
9	Instructions .....	30
9.1	General .....	30
9.2	Technical documentation for pressurized rooms .....	30
9.3	Technical documentation for artificially ventilated rooms .....	30
9.4	Technical documentation for rooms protected by pressurization and artificial ventilation combined .....	31
9.5	Modifications .....	31
Annex A (informative)	Maintenance .....	32
A.1	Periodic verification .....	32
A.2	Modifications .....	32

Annex B (informative) Guidelines when pressurization or artificial ventilation is not immediately restored.....	33
Annex C (informative) Examples of applications and associated guidelines .....	34
C.1 Examples of applications .....	34
C.2 Guidelines for gas turbine enclosure/package .....	34
Bibliography.....	35
Table 1 – Exclusion of specific clauses or subclauses of IEC 60079-0 .....	9
Table 2 – Safety devices for pressurized rooms .....	21
Table 3 – Safety actions for artificial ventilation failure.....	24
Table 4 – Required safety devices for artificial ventilation .....	26

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-13 has been prepared by IEC technical committee 31: Equipment for explosive atmospheres

This second edition cancels and replaces the first edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) modification of the title of this document to include artificially ventilated room "v" in addition to pressurized room "p";
- b) addition of types of protection "pb", "pc", and "vc" and removal of types of protection "px", "py", "pz" and "pv";
- c) definition of the differences between pressurization and artificial ventilation types of protection;

- d) removal of protection of rooms with an inert gas or a flammable gas from the scope of this document;
- e) addition of an informative annex to include examples of applications where types of protection pressurization or artificial ventilation or pressurization and artificial ventilation can be used and associated guidelines.

The text of this document is based on the following documents:

FDIS	Report on voting
31/1309/FDIS	31/1317/RVD

Full information on the voting for the approval of this document can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This document is to be used in conjunction with the principles of hazardous area classification from IEC 60079-10-1 and artificial ventilation for the protection of analyser(s) houses from IEC 60079-16.

A list of all parts in the IEC 60079 series, published under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

## INTRODUCTION

This part of IEC 60079 gives requirements for the design, construction, assessment, verification and marking of rooms used to protect internal equipment by pressurization or artificial ventilation or both as applicable when located in an explosive gas atmosphere or combustible dust atmosphere hazardous area with or without an internal source of a flammable gas or vapour. It also includes a room located in a non-hazardous area that has an internal source of release of a flammable gas or vapour.

This document deals with rooms that are partially constructed in a manufacturer's facility and intended to have the final installation completed on-site, as well as rooms that are constructed completely on-site. Rooms partially constructed in a manufacturer's facility may include third-party verification. For rooms built on-site, this document can be used by plant operators as a guide for assessment of those facilities.

This document represents a major technical revision of the requirements for equipment protection by pressurized room "p" and artificially ventilated room "v" and should be considered as introducing all new requirements.

## AUSTRALIAN/NEW ZEALAND STANDARD

**Explosive atmospheres**

## Part 13:

## Equipment protection by pressurized room 'p' and artificially ventilated room 'v' (IEC 60079-13:2017 (ED 2.0), MOD)

**1 Scope**

This part of IEC 60079 gives requirements for the design, construction, assessment, verification and marking of rooms used to protect internal equipment:

- located in a Zone 1 or Zone 2 or Zone 21 or Zone 22 explosive atmosphere (an area normally requiring an equipment protection level (EPL) Gb, Gc, Db or Dc) without an internal source of gas/vapour release and protected by pressurization;
- located in a Zone 2 explosive atmosphere (an area normally requiring EPL Gc) with or without an internal source of gas/vapour release and protected by artificial ventilation;
- located in a non-hazardous area, containing an internal source of gas/vapour release and protected by artificial ventilation;
- located in a Zone 1 or Zone 2 or Zone 21 or Zone 22 explosive atmosphere (an area normally requiring EPL Gb, Gc, Db or Dc), containing an internal source of gas/vapour release and protected by both pressurization and artificial ventilation.

The term "room" used in this document includes single rooms, multiple rooms, a complete building or a room contained within a building. A room is intended to facilitate the entry of personnel and includes inlet and outlet ducts. An acoustic hood and other like enclosures designed to permit the entry of personnel can be considered as a room.

This document also includes requirements related safety devices and controls necessary to ensure that artificial ventilation, purging and pressurization is established and maintained.

A room assembled or constructed on site, can be either on land or off-shore. The room is primarily intended for installation by an end-user but could be constructed and assessed at a manufacturer's facility, where the final construction such as ducting can be completed on site.

Rooms can be located in an explosive gas atmosphere requiring EPL Gb or Gc, or a combustible dust atmosphere requiring EPL Db, or Dc.

This document does not specify the methods that may be required to ensure adequate air quality for personnel with regard to toxicity and temperature within the room. National or other regulations and requirements may exist to ensure the safety of personnel in this regard.

Protection of rooms by using an inert gas or a flammable gas is outside of the scope of this document. It is recognized that such applications are special cases, which in part may be addressed using the principles from IEC 60079-2, but in all probability will also be the subject of additional, stringent engineering standards, procedures and practices. Pressurized enclosures for equipment that are not intended to facilitate the entry of personnel are addressed in IEC 60079-2, and are not in the scope of this document.

NOTE Maintenance recommendations are contained in Annex A until they can be included in IEC 60079-17.

This document supplements and modifies the general requirements of IEC 60079-0, except exclusions as indicated in Table 1. Where a requirement of this document conflicts with a requirement of IEC 60079-0, the requirement of this document takes precedence.