

Australian/New Zealand Standard™

Timber structures

Part 4: Fire resistance of timber elements



AS/NZS 1720.4:2019

This Joint Australian/New Zealand Standard™ was prepared by Joint Technical Committee TM-010, Timber Structures and Framing. It was approved on behalf of the Council of Standards Australia on 9 December 2019 and by the New Zealand Standards Approval Board on 4 December 2019.

This Standard was published on 20 December 2019.

The following are represented on Committee TM-010:

- Australian Building Codes Board
- Australian Forest Products Association
- Australian Institute of Building Surveyors
- Building Research Association of New Zealand
- Engineered Wood Products Association of Australasia
- Engineers Australia
- Forest and Wood Products Australia
- Forest Industries Federation, WA
- Frame & Truss Manufacturers Association of Australia
- Glued Laminated Timber Association of Australia
- Housing Industry Association
- Housing SA
- Institution of Fire Engineers
- James Cook University, Qld
- Master Builders Australia
- Ministry of Business, Innovation and Employment, New Zealand
- New Zealand Timber Industry Federation
- Timber Development Association, NSW
- Timber Queensland
- University of Technology Sydney
- Wood Processors & Manufacturers Association of New Zealand

This Standard was issued in draft form for comment as DR AS/NZS 1720.4:2018.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.standards.govt.nz

ISBN 978 1 76072 689 8

Australian/New Zealand Standard™

Timber structures

Part 4: Fire resistance of timber elements

Originated as AS 1720.4—1990.
Previous edition 2006.
Jointly revised and redesignated as AS/NZS 1720.4:2019.

COPYRIGHT

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2019

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

Preface

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee TM-010, Timber Structures and Framing, to supersede AS 1720.4—2006, *Timber structures, Part 4: Fire resistance for structural adequacy of timber members*.

The objective of this Standard is to provide a method for determining the fire resistance for structural adequacy and insulation of sawn timber, timber in pole form, plywood, laminated veneer lumber (LVL), and glued-laminated structural timber elements as an alternative to the test method specified in AS 1530.4.

This Standard forms part of the AS 1720 series, as follows:

AS 1720.1, *Timber structures, Part 1: Design methods*

AS 1720.2, *Timber structures, Part 2: Timber properties*

AS 1720.3, *Timber structures, Part 3: Design criteria for timber-framed residential buildings*

AS 1720.4, *Timber structures, Part 4: Fire resistance for structural adequacy of timber elements* (this Standard)

AS 1720.5, *Timber structures, Part 5: Nailplated timber roof trusses*

The terms “normative” and “informative” are used in Standards to define the application of the appendices to which they apply. A “normative” appendix is an integral part of a Standard, whereas an “informative” appendix is only for information and guidance.

Contents

Preface	ii
Section 1 Scope and general	1
1.1 Scope	1
1.2 Normative references	1
1.3 Terms and definitions	2
1.4 Materials	3
1.4.1 Timber materials	3
1.4.2 Structural adhesive	3
1.4.3 Non-structural adhesives	4
1.4.4 Non-fire-retardant treated timber	4
Section 2 Design method	5
2.1 General	5
2.2 Structural adequacy	5
2.3 Integrity	5
2.4 Insulation	5
2.5 Calculation of notional charring rate	6
2.5.1 Notional charring rate	6
2.5.2 Calculation of notional charring rate	6
2.5.3 Notional charring rate determined by test	6
2.6 Calculation of effective depth of charring	7
2.6.1 Charring of fire-exposed surfaces	7
2.6.2 Charring behind fire-resistant protective insulation	7
2.7 Determining the effective residual section	8
2.8 Barrier junctions	8
Section 3 Assessment of joints with metal connectors	10
3.1 Unprotected connectors	10
3.2 Protected metal connectors	10
3.2.1 General	10
3.2.2 Embedding	10
3.2.3 Fire-resistant protective insulation covering	10
3.2.4 Fire resistance testing	11
Appendix A (normative) Determination of notional charring rate by test	12
Appendix B (informative) Advanced calculation methods	13
Bibliography	14

NOTES

Australian/New Zealand Standard

Timber structures

Part 4: Fire resistance of timber elements

Section 1 Scope and general

1.1 Scope

This Standard provides a method for determining the fire resistance for structural adequacy and insulation of solid sawn timber, timber in pole form, plywood, laminated veneer lumber (LVL), and glued-laminated structural timber elements as an alternative to a standard fire test specified in AS 1530.4 for Australia and New Zealand; and the NZS/BS 476 series and EN 1365 series for New Zealand only.

This Standard also provides methods for protecting metal connectors from the effects of fire.

NOTE 1 This Standard is not relevant to the determination of the early fire hazard properties of materials for which a method of assessment is given in AS/NZS 1530.3.

NOTE 2 The advanced calculation method in [Appendix B](#) provides guidance for an additional method of determining fire resistance.

1.2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document.

NOTE Documents for informative purposes are listed in the Bibliography.

AS 1530.4, *Methods for fire tests on building materials, components and structures, Part 4: Fire-resistance test for elements of construction*

AS 1720.1, *Timber structures, Part 1: Design methods*

AS 2082, *Timber — Hardwood — Visually stress-graded for structural purposes*

AS 2858, *Timber — Softwood — Visually stress-graded for structural purposes*

AS 3519, *Timber — Machine proof grading*

AS 3818.3, *Timber — Heavy structural products — Visually graded, Part 3: Piles*

AS 3818.11, *Timber — Heavy structural products — Visually graded, Part 11: Utility poles*

AS/NZS 1170.0, *Structural design actions, Part 0: General principles*

AS/NZS 1328.1, *Glued laminated structural timber, Part 1: Performance requirements and minimum production requirements*

AS/NZS 1748.1, *Timber — Solid — Stress-graded for structural purposes, Part 1: General requirements*

AS/NZS 2269.0, *Plywood — Structural, Part 0: Specifications*

AS/NZS 4063, *Characterization of structural timber (series)*

AS/NZS 4357.0, *Structural laminated veneer lumber, Part 0: Specifications*

NZS 3603, *Timber Structures*

NZS 3631, *New Zealand timber grading rules*