

FINAL VERSION

VERSION FINALE



**Optical fibre cables –
Part 1-21: Generic specification – Basic optical cable test procedures –
Mechanical test methods**

**Câbles à fibres optiques –
Partie 1-21: Spécification générique – Procédures fondamentales d'essais
des câbles optiques – Méthodes d'essai mécanique**

CONTENTS

FOREWORD	9
INTRODUCTION to Amendment	11
1 Scope and object	12
2 Normative references	12
3 Method E1: Tensile performance	13
3.1 Object	13
3.2 Sample length	13
3.3 Apparatus	13
3.4 Procedure	13
3.4.1 General requirements	13
3.4.2 Procedure	14
3.5 Requirements	14
3.6 Details to be specified	14
3.7 Details to be reported	15
4 Method E2: Abrasion	16
4.1 Object	16
4.2 Sample	16
4.3 Method E2A: Abrasion resistance of optical fibre cable sheaths	16
4.3.1 Apparatus	16
4.3.2 Procedure	17
4.3.3 Requirements	17
4.3.4 Details to be specified	17
4.4 Method E2B: Abrasion resistance of optical fibre cable markings	17
4.4.1 Apparatus	17
4.4.2 Procedure	18
4.4.3 Requirements	18
4.4.4 Details to be specified	18
5 Method E3: Crush	19
5.1 Object	19
5.2 Sample	19
5.3 Method E3A: Plate/plate	19
5.3.1 Apparatus	19
5.3.2 Procedure	19
5.4 Method E3B: Mandrel/plate	20
5.4.1 Apparatus	20
5.4.2 Procedure	20
5.5 Requirements	20
5.6 Details to be specified	20
6 Method E4: Impact	22
6.1 Object	22
6.2 Sample	22
6.2.1 Sample length	22
6.2.2 Termination	22
6.3 Apparatus	22
6.4 Procedure	23
6.5 Requirements	23

6.6	Details to be specified.....	23
9	Method E5C: Strippability of buffered optical fibres.....	25
9.1	Object.....	25
9.2	Sample	25
9.3	Apparatus	25
9.4	Procedure	25
9.5	Requirements	26
9.6	Details to be specified.....	26
10	Method E6: Repeated bending.....	26
10.1	Object.....	26
10.2	Sample	26
10.2.1	Sample length	26
10.2.2	Termination	26
10.3	Apparatus	26
10.4	Procedure	27
10.5	Requirements	27
10.6	Details to be specified.....	27
11	Method E7: Torsion	28
11.1	Object.....	28
11.2	Sample	28
11.3	Apparatus	28
11.4	Procedure	29
11.5	Requirements	30
11.6	Details to be specified.....	30
11.7	Details to be reported	30
12	Method E8: Flexing.....	32
12.1	Object.....	32
12.2	Sample	32
12.3	Apparatus	32
12.4	Procedure	32
12.5	Requirements	32
12.6	Details to be specified.....	32
13	Method E9: Snatch (deleted)	33
14	Method E10: Kink	33
14.1	Object.....	33
14.2	Sample	33
14.3	Apparatus	33
14.4	Procedure	34
14.5	Requirements	34
14.6	Details to be specified.....	34
15	Method E11: Bend	35
15.1	Object.....	35
15.2	Sample	35
15.3	Apparatus	35
15.4	Procedure	35
15.4.1	Procedure 1 – Test method E11A (standard test procedure).....	35
15.4.2	Procedure 2 – Test method E11B (alternative test procedure)	35
15.5	Requirements	36

15.6	Details to be specified.....	36
16	Method E12: Cut-through resistance (deleted).....	37
17	Method E13: Shotgun damage.....	37
17.1	Object.....	37
17.2	General.....	37
17.3	Method E13A: Shotgun test.....	37
17.3.1	Sample.....	37
17.3.2	Apparatus.....	37
17.3.3	Procedure.....	37
17.3.4	Requirements.....	38
17.3.5	Details to be specified.....	38
17.4	Method E13B: Shotgun simulation.....	38
17.4.1	Sample.....	38
17.4.2	Apparatus.....	38
17.4.3	Procedure.....	39
17.4.4	Requirements.....	39
17.4.5	Details to be specified.....	39
17.4.6	Calculation of drop weight and height.....	39
20	Method E16: [Title unknown] (deleted).....	43
21	Method E17: Bending stiffness.....	43
21.1	Object.....	43
21.2	General.....	43
21.3	Method E17A: Three-point bend.....	43
21.3.1	Sample.....	43
21.3.2	Apparatus.....	43
21.3.3	Procedure.....	43
21.3.4	Requirements.....	44
21.3.5	Details to be specified.....	44
21.4	Method E17B: cantilever bend.....	44
21.4.1	Sample.....	44
21.4.2	Apparatus.....	44
21.4.3	Procedure.....	45
21.4.4	Requirements.....	45
21.4.5	Details to be specified.....	45
21.5	Method E17C: Buckling bend.....	45
21.5.1	Sample.....	45
21.5.2	Apparatus.....	45
21.5.3	Procedure.....	45
21.5.4	Requirements.....	46
21.5.5	Details to be specified.....	46
22	Method E18A: Bending under tension.....	47
22.1	Object.....	47
22.2	Sample.....	48
22.3	Apparatus.....	48
22.4	Procedure.....	48
22.5	Requirements.....	49
22.6	Details to be specified.....	49
23	Method E18B: Sheave test (primarily for OPGW and OPAC).....	51

23.1	Object.....	51
23.2	Sample	51
23.3	Apparatus	51
23.4	Procedure.....	51
23.5	Requirements	53
23.6	Details to be specified.....	53
24	Method E19: Aeolian vibration	54
24.1	Object.....	54
24.2	Sample	54
24.3	Apparatus	54
24.4	Procedure	55
24.5	Requirements	56
24.6	Details to be specified.....	56
25	Method E20: Cable coiling performance	57
25.1	Object.....	57
25.2	Sample	57
25.3	Apparatus	57
25.4	Procedure	57
25.5	Requirements	58
25.6	Details to be specified.....	58
26	Method E21: Sheath pull-off force for optical fibre cable for use in patch cords.....	58
26.1	Object.....	58
26.2	General.....	58
26.3	Sample	58
26.4	Apparatus	58
26.4.1	General	58
26.4.2	Tensile test rig.....	58
26.4.3	Recording equipment.....	59
26.4.4	Stripping tools	59
26.4.5	Pulling	59
26.4.6	Cable anchor	59
26.5	Procedure	59
26.6	Requirements	59
26.7	Details to be specified.....	59
27	Method E22: Buffered fibre movement under compression in optical fibre cables for use in patch cords	61
27.1	Object.....	61
27.2	Sample	61
27.3	Apparatus	61
27.4	Procedure	62
27.5	Requirements	62
27.6	Details to be specified.....	62
28	Method E23: Microduct route verification test	63
28.1	Object.....	63
28.2	General.....	63
28.3	Sample	63
28.4	Apparatus	63
28.5	Procedure	64

28.6	Requirements	64
28.7	Details to be reported	64
29	Method E24: Installation test for microduct cabling	64
29.1	Object	64
29.2	General.....	64
29.3	Sample	64
29.4	Apparatus	64
29.5	Procedure	65
29.6	Requirements	65
29.7	Details to be specified.....	65
29.8	Details to be reported	66
30	Method E25: Rip cord functional test	66
30.1	Object	66
30.2	Sample	67
30.3	Apparatus	67
30.4	Procedure	67
30.5	Requirements	67
30.6	Details to be specified.....	67
30.7	Details to be reported	68
31	Method E26: Galloping	68
31.1	Object.....	68
31.2	Sample	68
31.3	Apparatus	68
31.4	Procedure	69
31.5	Requirements	69
31.6	Details to be specified.....	69
32	Method E27: Indoor simulated installation test.....	70
32.1	Object.....	70
32.2	Sample	70
32.3	Apparatus	70
32.4	Procedure	72
32.5	Requirements	72
32.6	Details to be specified.....	73
33	Method E28: Cable and fibre mechanical reliability test	73
33.1	Object	73
33.2	Sample	73
33.3	Apparatus	73
33.4	Procedure	73
33.5	Requirements	74
33.6	Detail to be specified	74
34	Method E29: Straight midspan access to optical elements	74
34.1	Object.....	74
34.2	Apparatus	75
34.3	Sample	75
34.4	Procedure	75
34.4.1	General	75
34.4.2	Procedure 1.....	75
34.4.3	Procedure 2.....	77

34.4.4	Overview	77
34.5	Requirements	77
34.6	Details to be specified.....	77
35	Method E30: Coefficient of friction between cables	78
35.1	Object.....	78
35.2	Sample	78
35.3	Apparatus	78
35.4	Procedure	79
35.5	Requirement	80
35.6	Details to be specified.....	80
36	Method E31: Microduct inner clearance test: under consideration.....	80
37	Method E32: Creep behaviour tension test (for ADSS).....	80
37.1	Object.....	80
37.2	Sample	80
37.3	Apparatus	81
37.4	Procedure	81
37.4.1	General procedure requirements	81
37.4.2	Procedure steps	82
37.5	Calculations	83
37.6	Details to be specified.....	84
37.7	Details to be reported	84
37.8	Additional information	84
38	Method E33: Multiple cable coiling and uncoiling performance.....	85
38.1	Object.....	85
38.2	Sample	85
38.3	Apparatus	85
38.4	Procedure	85
38.5	Requirements	86
38.6	Details to be specified.....	86
39	Method E34: Coefficient of dynamic friction between cables	86
39.1	Object.....	86
39.2	Sample	86
39.3	Apparatus	87
39.4	Procedure	87
39.5	Details to be specified.....	87
	Bibliography.....	88
	Figure 1 – Tensile performance measuring apparatus	15
	Figure 2 – Example of tensile performance measuring apparatus using transfer devices and chuck drums	16
	Figure 3 – Typical test set-up for tests E2A and E2B method 1	18
	Figure 4 – Typical test set-up for test E2B, apparatus 2	19
	Figure 5 – Apparatus for crush test, Method E3A, details of plate/plate option	21
	Figure 6 – Apparatus for crush test, Method E3B, details of plate/mandrel option	22
	Figure 7 – Impact test	25
	Figure 8 – Repeated bending test for cable/connector assembly	28
	Figure 9 – Cable torsion apparatus	31

Figure 10 – Cable torsion apparatus with tension applied	31
Figure 11 – Alternative cable torsion apparatus with tension applied.....	31
Figure 12 – Flexing apparatus.....	33
Figure 13 – Kink test.....	34
Figure 14 – Bend test apparatus	36
Figure 15 – Method E13B test set-up	41
Figure 16 – Drop weight incorporating shot support pin.....	42
Figure 17 – Alternative drop weight and shot support pin	42
Figure 19 – Method E17A – Test set-up	46
Figure 20 – Example of results of applied force and displacement	47
Figure 21 – Method E17B – Test set-up	47
Figure 22 – Method E17C – Test set-up.....	47
Figure 23 – Single-bend.....	50
Figure 24 – S-bend	51
Figure 25 – Partial-bend	54
Figure 26 – Partial-bend, multiple pulley	54
Figure 27 – Aeolian vibration test.....	57
Figure 28 – Schematic of test arrangement.....	60
Figure 29 – Example of pulling jig	60
Figure 30 – Cable sample preparation	61
Figure 31 – Test set-up for fibre movement under compression	63
Figure 32 – Schematic representation of test route, with leg-length L	66
Figure 33 – Cable galloping test	70
Figure 34 – Indoor installation simulation apparatus	71
Figure 35 – Mechanical reliability test apparatus.....	74
Figure 36 – Stapling and bending test fixture	72
Figure 37 – Concept of straight midspan access	75
Figure 38 – Straight midspan access – Procedure 1	76
Figure 39 – Straight midspan access – Procedure 2	77
Figure 40 – Coefficient of friction test apparatus (drum test)	79
Figure 41 – Tensile cycling test apparatus	81
Figure 42 – Control cable length arrangement.....	82
Figure 43 – Delimiting zero strain baseline for high load level and low load level	83
Figure 44 – Load applied on cable sample	83
Figure 45 – Strain of ADSS cable at high load as function of load cycles	84
Figure 46 – Coefficient of friction test apparatus (flat plate test).....	86
Table 2 – Typical test gauge length	29
Table 3 – Test values for cable galloping test schematic.....	70

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRE CABLES –

Part 1-21: Generic specification – Basic optical cable test procedures – Mechanical test methods

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights. International Standard IEC 60794-1-21 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC 60794-1-21 bears the edition number 1.1. It consists of the first edition (2015-03) [documents 86A/1638/FDIS and 86A/1655/RVD] and its amendment 1 (2020-03) [documents 86A/1975/FDIS and 86A/1990/RVD]. The technical content is identical to the base edition and its amendment.

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 60794-1-21 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This first edition constitutes a technical revision.

It has been decided to split the second edition of IEC 60794-1-2 into six new documents:

- IEC 60794-1-2, *Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures*
- IEC 60794-1-20, *Optical fibre cables – Part 1-20: Generic specification – Basic optical cable test procedures – General and definitions*
- IEC 60794-1-21, *Optical fibre cables – Part 1-21: Generic specification – Basic optical cable test procedures – Mechanical tests methods*
- IEC 60794-1-22, *Optical fibre cables – Part 1-22: Generic specification – Basic optical cable test procedures – Environmental tests methods*
- IEC 60794-1-23, *Optical fibre cables – Part 1-23: Generic specification – Basic optical cable test procedures – Cable elements tests methods*
- IEC 60794-1-24, *Optical fibre cables – Part 1-24: Generic specification – Basic optical cable test procedures – Electrical tests methods*

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard is intended to be used in conjunction with IEC 60794-1-1.

A list of all parts in the IEC 60794 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION to Amendment

This Amendment adds new test methods and revises existing ones in a timely fashion until the next full revision of IEC 60794-1-21:2015.

Both the E-series numbering of the test methods, clause numbers, figures and equations of the technical section are aligned with IEC 60794-1-21:2015.

As part of the ongoing rationalization of the test methods specification set, several tests of IEC 60794-1-21 were determined to be more properly aligned with others of the set and have been moved. To that end, the proposed text to affect these moves has been inserted in this document.

Clause 7 has been redesignated as a cable element test method. It has been moved to IEC 60794-1-23 Ed2 and given the test method number G10A.

Clause 8 has been redesignated as a cable element test method. It has been moved to IEC 60794-1-23 Ed2 and given the test method number G10B.

Clause 18 has been redesignated as an environmental test method. It has been moved to IEC 60794-1-22 Ed2 and given the test method number F16.

Clause 19 has been redesignated as a cable element test method. It has been moved to IEC 60794-1-23 Ed2 and given the test method number G9.

OPTICAL FIBRE CABLES –

Part 1-21: Generic specification – Basic optical cable test procedures – Mechanical test methods

1 Scope and object

This part of IEC 60794 applies to optical fibre cables for use with telecommunication equipment and devices employing similar techniques, and to cables having a combination of both optical fibres and electrical conductors.

The object of this standard is to define test procedures to be used in establishing uniform requirements for mechanical requirement performance.

Throughout this standard the wording “optical cable” may also include optical fibre units, microduct fibre units, etc.

See IEC 60794-1-2 for general requirements and definitions and for a complete reference guide to test methods of all types.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60227-2, *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 2: Test methods*

IEC 60793-1-22:2001, *Optical fibres – Part 1-22: Measurement methods and test procedures – Length measurement*

IEC 60793-1-32:2010, *Optical fibres – Part 1-32: Measurement methods and test procedures – Coating strippability*

IEC 60793-1-40, *Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation*

IEC 60793-1-46:2001, *Optical fibres – Part 1-46: Measurement methods and test procedures – Monitoring of changes in optical transmittance*

IEC 60794-1-1, *Optical fibres – Part 1-1: Generic specification – General*

IEC 60794-1-2:2013, *Optical fibre cables – Part 1-2: Generic specification – Cross reference table for optical cable test procedures*

IEC 60794-1-20:2014, *Optical fibre cables – Part 1-20: Generic specification – Basic optical cable test procedures – General and definitions*