

Australian/New Zealand Standard™

**Live working — Electrical
insulating mats**



AS/NZS IEC 61111:2020

This Joint Australian/New Zealand Standard™ was prepared by Joint Technical Committee EL-004, Electrical Accessories. It was approved on behalf of the Council of Standards Australia on 1 April 2020 and by the New Zealand Standards Approval Board on 4 March 2020.

This Standard was published on 17 April 2020.

The following are represented on Committee EL-004:

- Australian Chamber of Commerce and Industry
- Australian Industry Group
- Consumer Electronics Suppliers Association
- Consumers' Federation of Australia
- Electrical Compliance Testing Association of Australia
- Electrical Regulatory Authorities Council (Australia)
- Engineers Australia
- International Accreditation New Zealand
- Joint Accreditation System of Australia and New Zealand
- New Zealand Manufacturers and Exporters Association
- NSW Fair Trading
- Plastics Industry Pipe Association of Australia
- WorkSafe New Zealand

This Standard was issued in draft form for comment as DR AS/NZS IEC 61111:2019.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.standards.govt.nz

ISBN 978 1 76072 814 4

Australian/New Zealand Standard™

Live working — Electrical insulating mats

Originated in Australia as AS 2978—1987.
Jointly revised and redesignated as AS/NZS 2978:1995.
Revised and redesignated as AS/NZS IEC 61111:2020.

COPYRIGHT

© IEC 2020 — All rights reserved

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2020

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

Preface

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-004, Electrical Accessories, to supersede AS/NZS 2978:1995, *Insulating mats for electrical purposes*.

The objective of this Standard is to specify requirements for electrical insulating matting made of elastomer for use as a floor covering for the electrical protection of workers on electrical installations.

This Standard identical with, and has been reproduced from, IEC 61111:2009, *Live working — Electrical insulating matting*.

As this document has been reproduced from an International Standard, the following applies:

- (a) In the source text “this International Standard” should read “this Australian/New Zealand Standard”.
- (b) A full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

NOTES

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions.....	8
4 Requirements.....	9
4.1 General.....	9
4.2 Classification.....	9
4.3 Physical requirements.....	9
4.3.1 Composition.....	9
4.3.2 Shape.....	9
4.3.3 Dimensions and tolerances.....	9
4.3.4 Workmanship and finish.....	10
4.4 Mechanical, climatic and environmental requirements.....	10
4.5 Dielectric requirements.....	11
4.6 Marking.....	11
4.7 Packaging.....	11
4.8 Instructions for use.....	11
5 Tests.....	12
5.1 General.....	12
5.2 Visual inspection and measurements.....	12
5.2.1 General.....	12
5.2.2 Classification.....	12
5.2.3 Composition.....	12
5.2.4 Dimensions, workmanship and finish.....	12
5.2.5 Thickness.....	13
5.3 Marking.....	13
5.3.1 Visual inspection and measurement.....	13
5.3.2 Durability of marking.....	13
5.4 Packaging and instructions for use.....	13
5.5 Mechanical tests.....	14
5.5.1 General.....	14
5.5.2 Mechanical puncture resistance.....	14
5.5.3 Test for slip resistance.....	14
5.6 Dielectric tests.....	15
5.6.1 General.....	15
5.6.2 Electrodes.....	16
5.6.3 Test equipment.....	19
5.6.4 Electrical test procedure.....	19
5.7 Ageing tests.....	20
5.8 Thermal tests.....	21
5.8.1 Flame retardance test.....	21
5.8.2 Low temperature folding test (except for matting of category C).....	21
5.8.3 Extremely low temperature folding test for matting of category C only.....	22
5.9 Acid resistance.....	23
5.10 Oil resistance.....	23

6	Conformity assessment of electrical insulating matting having completed the production phase	23
7	Modifications	23
	Annex A (informative) Guidelines for the selection of the class of electrical insulating matting in relation to nominal voltage of a system	24
	Annex B (informative) In-service care and testing	25
	Annex C (normative) Suitable for live working; double triangle (IEC 60417–5216 (2002-10)).....	27
	Annex D (normative) General type test procedure.....	28
	Annex E (normative) Oil for tests for oil resistance.....	30
	Annex F (normative) Classification of defects and tests to be allocated	31
	Bibliography.....	32
	Figure 1 – Test plates and needle for resistance to mechanical puncture.....	15
	Figure 2 – Test set-up for voltage proof test of electrical insulating matting with standard type of electrodes.....	16
	Figure 3 – Test set-up for voltage proof test of electrical insulating matting with alternative type of electrodes	18
	Figure 4 – Test set-up for voltage withstand test.....	19
	Figure 5 – Test set-up for low and extremely low temperature folding tests.....	22
	Table 1 – Common lengths and widths for electrical insulating matting	10
	Table 2 – Maximum thickness for electrical insulating matting.....	10
	Table 3 – Maximum electrode clearance for proof tests	17
	Table 4 – Test voltages.....	20
	Table A.1 – Designation maximum use voltage	24
	Table D.1 – List and chronological order of type tests.....	28
	Table E.1 – Characteristics of oil no. 1.....	30
	Table F.1 – Classification of defects and associated requirements and tests	31

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LIVE WORKING – ELECTRICAL INSULATING MATTING

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61111 has been prepared by IEC technical committee 78: Live Working.

This second edition cancels and replaces the first edition, published in 1992, and its Amendment 1 (2002). This edition constitutes a technical revision.

It includes the following significant technical changes with regard to the previous edition:

- general review of the requirements and test provisions;
- modification of the test procedure for slip resistance;
- specification of standard and alternative types of electrodes for the proof test;
- increase of the conditioning time for low temperature folding test to 4 hours;
- modification of the test procedures for low and extremely low temperature by replacing the dielectric proof test by a withstand test in the sanction;
- modification of the test procedures for acid and oil resistance by specifying the use of test pieces and by replacing the dielectric proof test by a withstand test in the sanction;

- specification of liquid 102 for the oil resistance test and harmonisation of the mechanical test sanction with the acid resistance test;
- preparation of the elements of evaluation of defects, and general application of IEC 61318 Ed.3;
- revision of existing annexes;
- deletion of Annexes D and F, not applicable according to IEC 61318 Ed.3;
- introduction of a new normative Annex F on classification of defects.

The text of this standard is based on the following documents:

FDIS	Report on voting
78/784/FDIS	78/798/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This International Standard has been prepared according to the requirements of IEC 61477 where applicable.

The product covered by this standard may have an impact on the environment during some or all stages of its life cycle. These impacts can range from slight to significant, be of short-term or long-term, and occur at the global, regional or local level.

Except for a disposal statement in the instructions for use, this standard does not include requirements and test provisions for the manufacturers of the product, or recommendations to the users of the product for environmental improvement. However, all parties intervening in its design, manufacture, packaging, distribution, use, maintenance, repair, reuse, recovery and disposal are invited to take account of environmental considerations.

LIVE WORKING – ELECTRICAL INSULATING MATTING

1 Scope

This International Standard is applicable to electrical insulating matting made of elastomer for use as a floor covering for the electrical protection of workers on electrical installations.

NOTE 1 For a.c. electrical classification, as well as d.c. use, see 4.2.

NOTE 2 This document gives a.c. test provisions. There is limited history for use in d.c. applications.

NOTE 3 See Annex A for suggested maximum voltage use.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60060-1, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60060-2, *High-voltage test techniques – Part 2: Measuring systems*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60212:1971, *Standard conditions for use prior to and during the testing of solid electrical insulating materials*

IEC 60417, *Graphical symbols for use on equipment*

IEC 61318, *Live working – Conformity assessment applicable to tools, devices and equipment*

IEC 61477, *Live working – Minimum requirements for the utilization of tools, devices and equipment*

ISO 2592, *Determination of flash and fire points – Cleveland open cup method*

ISO 2977, *Petroleum products and hydrocarbon solvents – Determination of aniline point and mixed aniline point*

ISO 3104, *Petroleum products – Transparent and opaque liquids – Determination of kinematic viscosity and calculation of dynamic viscosity*

ISO 5904:1981, *Gymnastic equipment – Landing mats and surfaces for floor exercises – Determination of resistance to slipping*

ASTM D 3767:2003 (reapproved 2008), *Standard practice for rubber – Measurement of dimensions*