

ASCE STANDARD

ASCE/SEI

**48-19**

# Design of Steel Transmission Pole Structures

ASCE STANDARD

ASCE/SEI

**48-19**

# **Design of Steel Transmission Pole Structures**



PUBLISHED BY THE AMERICAN SOCIETY OF CIVIL ENGINEERS

## Library of Congress Cataloging-in-Publication Data

Names: American Society of Civil Engineers, author.

Title: Design of transmission pole structures, ASCE 48-19 / American Society of Civil Engineers.

Description: Reston, Virginia : American Society of Civil Engineers, [2020] | Includes bibliographical references and index. | Summary: "This standard provides a uniform basis for the design, detailing, fabrication, testing, assembly, and erection of steel tubular structures for electrical transmission poles. These guidelines apply to cold-formed single- and multipole tubular steel structures that support overhead transmission lines" – Provided by publisher.

Identifiers: LCCN 2020001997 | ISBN 9780784415078 (paperback) | ISBN 9780784482254 (pdf)

Subjects: LCSH: Electric lines--Poles and towers--Design and construction--Standards.

Classification: LCC TK3242 .A515 2020 | DDC 621.319/22--dc23

LC record available at <https://lccn.loc.gov/2020001997a>

Published by American Society of Civil Engineers

1801 Alexander Bell Drive

Reston, Virginia 20191

[www.asce.org/pubs](http://www.asce.org/pubs)

This standard was developed by a consensus standards development process which has been accredited by the American National Standards Institute (ANSI). Accreditation by ANSI, a voluntary accreditation body representing public and private sector standards development organizations in the United States and abroad, signifies that the standards development process used by ASCE has met the ANSI requirements for openness, balance, consensus, and due process.

While ASCE's process is designed to promote standards that reflect a fair and reasoned consensus among all interested participants, while preserving the public health, safety, and welfare that is paramount to its mission, it has not made an independent assessment of and does not warrant the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed herein. ASCE does not intend, nor should anyone interpret, ASCE's standards to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the contents of this standard.

ASCE has no authority to enforce compliance with its standards and does not undertake to certify products for compliance or to render any professional services to any person or entity.

ASCE disclaims any and all liability for any personal injury, property damage, financial loss, or other damages of any nature whatsoever, including without limitation any direct, indirect, special, exemplary, or consequential damages, resulting from any person's use of, or reliance on, this standard. Any individual who relies on this standard assumes full responsibility for such use.

ASCE and American Society of Civil Engineers—Registered in US Patent and Trademark Office.

*Photocopies and permissions.* Permission to photocopy or reproduce material from ASCE publications can be requested by sending an email to [permissions@asce.org](mailto:permissions@asce.org) or by locating a title in ASCE's Civil Engineering Database (<http://cedb.asce.org>) or ASCE Library (<http://ascelibrary.org>) and using the "Permissions" link.

**Errata: Errata, if any, can be found at <https://doi.org/10.1061/9780784415078>.**

Copyright © 2020 by the American Society of Civil Engineers.

All Rights Reserved.

ISBN 978-0-7844-1507-8 (print)

ISBN 978-0-7844-8225-4 (PDF)

Manufactured in the United States of America.

25 24 23 22 21 20 1 2 3 4 5

## ASCE STANDARDS

In 2014, the Board of Direction approved revisions to the ASCE Rules for Standards Committees to govern the writing and maintenance of standards developed by ASCE. All such standards are developed by a consensus standards process managed by the ASCE Codes and Standards Committee (CSC). The consensus process includes balloting by a balanced standards committee and reviewing during a public comment period. All standards are updated or reaffirmed by the same process every five to ten years. Requests for formal interpretations shall be processed in accordance with Section 7 of ASCE Rules for Standards Committees, which are available at [www.asce.org](http://www.asce.org). Errata, addenda, supplements, and interpretations, if any, for this standard can also be found at [www.asce.org](http://www.asce.org).

The provisions of this document are written in permissive language and, as such, offer the user a series of options or instructions but do not prescribe a specific course of action. Significant judgment is left to the user of this document.

This standard has been prepared in accordance with recognized engineering principles and should not be used without the user's competent knowledge for a given application. The publication of this standard by ASCE is not intended to warrant that the information contained therein is suitable for any general or specific use, and ASCE takes no position respecting the validity of patent rights. The user is advised that the determination of patent rights or risk of infringement is entirely their own responsibility.

A complete list of currently available standards is available in the ASCE Library (<https://ascelibrary.org/page/books/s-standards>).



# CONTENTS

<b>PREFACE</b> . . . . .	xiii
<b>ACKNOWLEDGMENTS</b> . . . . .	xv
<b>1 SCOPE</b> . . . . .	1
<b>2 APPLICABLE DOCUMENTS</b> . . . . .	3
<b>3 DEFINITIONS</b> . . . . .	5
<b>4 LOADING, GEOMETRY, AND ANALYSIS</b> . . . . .	7
4.1 Introduction. . . . .	7
4.2 Loading. . . . .	7
4.2.1 Factored Design Loads. . . . .	7
4.2.2 Loading Considerations . . . . .	7
4.2.3 Load Expression . . . . .	7
4.3 Geometric Configurations . . . . .	7
4.3.1 Configuration Considerations . . . . .	7
4.3.2 Structure Types. . . . .	7
4.4 Methods of Analysis . . . . .	7
4.4.1 Structural Analysis Methods. . . . .	7
4.4.2 Analysis of Connections . . . . .	7
4.5 Additional Considerations . . . . .	7
4.5.1 Structural Support . . . . .	7
4.5.2 Design Restrictions. . . . .	7
4.5.3 Climbing and Maintenance Provisions . . . . .	7
4.5.4 Pre-Engineered Steel Poles (Wood Pole Equivalents) . . . . .	7
<b>5 DESIGN OF MEMBERS</b> . . . . .	9
5.1 Introduction. . . . .	9
5.2 Members . . . . .	9
5.2.1 Material. . . . .	9
5.2.1.1 Specifications. . . . .	9
5.2.1.2 Material Properties . . . . .	9
5.2.1.3 Energy-Impact Properties . . . . .	9
5.2.2 Tension. . . . .	9
5.2.3 Compression . . . . .	9
5.2.3.1 Truss Members. . . . .	9
5.2.3.2 Beam Members. . . . .	10
5.2.4 Shear . . . . .	11
5.2.5 Bending. . . . .	11
5.2.6 Combined Stresses . . . . .	11
5.3 Guys . . . . .	11
5.3.1 Material Properties . . . . .	11
5.3.2 Tension. . . . .	11
5.4 Test Verification . . . . .	11
<b>6 DESIGN OF CONNECTIONS</b> . . . . .	13
6.1 Introduction. . . . .	13
6.2 Bolted and Pinned Connections . . . . .	13
6.2.1 Material. . . . .	13

6.2.2	Shear Stress in Bearing Connections . . . . .	13
6.2.3	Bolts Subject to Tension. . . . .	13
6.2.4	Bolts Subject to Combined Shear and Tension . . . . .	13
6.2.5	Bearing Stress in Bolted Connections. . . . .	13
6.2.6	Minimum Edge Distances and Bolt Spacing for Bolted Connections . . . . .	14
6.2.7	Bearing Stress in Pinned Connections. . . . .	14
6.2.8	Minimum Edge Distances for Pinned Connections. . . . .	14
6.2.9	Connection Elements and Members . . . . .	14
6.3	Welded Connections . . . . .	14
6.3.1	Material Properties . . . . .	14
6.3.2	Effective Area . . . . .	14
6.3.3	Design Stresses. . . . .	14
6.3.3.1	Through-Thickness Stress . . . . .	15
6.3.4	Circumferential Welded Splices . . . . .	15
6.3.5	Flange and Base Plate to Pole Shaft Welds. . . . .	16
6.3.6	T-Joints. . . . .	16
6.4	Field Connections of Members . . . . .	16
6.4.1	Slip Joints . . . . .	16
6.4.2	Base and Flange Plate Connections . . . . .	16
6.5	Test Verification . . . . .	16
7	DETAILING AND FABRICATION . . . . .	17
7.1	Detailing . . . . .	17
7.1.1	Drawings . . . . .	17
7.1.2	Drawing Review . . . . .	17
7.1.3	Erection Drawings . . . . .	17
7.1.4	Shop Detail Drawings . . . . .	17
7.1.4.1	Material. . . . .	17
7.1.4.2	Dimensions and Tolerances . . . . .	17
7.1.4.3	Welding . . . . .	17
7.1.4.4	Corrosion and Finish Considerations . . . . .	17
7.1.4.5	Other Requirements . . . . .	17
7.2	Fabrication . . . . .	17
7.2.1	Material. . . . .	17
7.2.2	Material Preparation . . . . .	17
7.2.2.1	Cutting . . . . .	17
7.2.2.2	Forming . . . . .	17
7.2.2.3	Holes . . . . .	17
7.2.2.4	Identification . . . . .	17
7.2.3	Welding . . . . .	18
8	TESTING. . . . .	19
8.1	Introduction. . . . .	19
8.2	Foundations. . . . .	19
8.3	Material. . . . .	19
8.4	Fabrication . . . . .	19
8.5	Strain Measurements . . . . .	19
8.6	Assembly and Erection. . . . .	19
8.7	Test Loads . . . . .	19
8.8	Load Application. . . . .	19
8.9	Loading Procedure . . . . .	19
8.10	Load Measurement. . . . .	19
8.11	Deflections . . . . .	19
8.12	Failures . . . . .	20
8.13	Post-Test Inspection . . . . .	20
8.14	Disposition of Prototype. . . . .	20
8.15	Report . . . . .	20
9	STRUCTURAL MEMBERS AND CONNECTIONS USED IN FOUNDATIONS . . . . .	21
9.1	Introduction. . . . .	21
9.2	General Considerations. . . . .	21
9.3	Anchor Bolts . . . . .	21

9.3.1	Bolts Subject to Tension . . . . .	21
9.3.2	Shear Stress . . . . .	21
9.3.3	Combined Shear and Tension . . . . .	21
9.3.4	Development Length . . . . .	21
9.4	Direct-Embedded Poles . . . . .	21
9.5	Embedded Casings . . . . .	22
9.6	Test Verification . . . . .	22
10	QUALITY ASSURANCE/QUALITY CONTROL . . . . .	23
10.1	Introduction . . . . .	23
10.2	Quality Assurance . . . . .	23
10.2.1	Design and Drawings . . . . .	23
10.2.2	Material . . . . .	23
10.2.3	Welding . . . . .	23
10.2.4	Nondestructive Testing . . . . .	23
10.2.5	Tolerances . . . . .	23
10.2.6	Surface Coatings . . . . .	23
10.2.7	Shipping . . . . .	23
10.3	Quality Control . . . . .	23
10.3.1	Material . . . . .	23
10.3.2	Visual Inspection . . . . .	23
10.3.3	Dimensional Inspection . . . . .	23
10.3.4	Surface Coating Inspection . . . . .	23
10.3.5	Weld Inspection . . . . .	23
10.3.6	Shipment and Storage . . . . .	24
11	ASSEMBLY AND ERECTION . . . . .	25
11.1	Introduction . . . . .	25
11.2	Handling . . . . .	25
11.3	Single-Pole Structures . . . . .	25
11.3.1	Slip Joints . . . . .	25
11.3.2	Bolted Flange Joints . . . . .	25
11.3.3	Attachments to Pole Sections . . . . .	25
11.3.4	Erection of Assembled Structures . . . . .	25
11.4	Frame-Type Structures . . . . .	25
11.4.1	Slip Joints in Frames . . . . .	25
11.4.2	Erection . . . . .	25
11.4.3	Bolted Frame Connections . . . . .	25
11.5	Installation on Foundation . . . . .	25
11.5.1	Anchor Bolt and Base Plate Installation . . . . .	25
11.5.2	Direct-Embedded Poles . . . . .	26
11.5.3	Embedded Casings . . . . .	26
11.6	Guying . . . . .	26
11.6.1	Guy Anchor Location . . . . .	26
11.6.2	Guy Installation . . . . .	26
11.7	Post-Erection Procedures . . . . .	26
11.7.1	Inspection . . . . .	26
11.7.2	Grounding . . . . .	26
11.7.3	Coating Repair . . . . .	26
11.7.4	Unloaded Arms . . . . .	26
11.7.5	Hardware Installation . . . . .	26
	COMMENTARY . . . . .	27
C4	LOADING, GEOMETRY, AND ANALYSIS . . . . .	29
C4.2	Loading . . . . .	29
C4.2.1	Factored Design Loads . . . . .	29
C4.2.2	Loading Considerations . . . . .	29
C4.2.3	Load Expression . . . . .	29
C4.3	Geometric Configurations . . . . .	30
C4.3.1	Configuration Considerations . . . . .	30

	C4.3.2	Structure Types . . . . .	30
C4.4		Methods of Analysis . . . . .	30
	C4.4.1	Structural Analysis Methods . . . . .	30
C4.5		Additional Considerations . . . . .	31
	C4.5.1	Structural Support . . . . .	31
	C4.5.2	Design Restrictions. . . . .	31
	C4.5.3	Climbing and Maintenance Provisions . . . . .	31
	C4.5.4	Pre-Engineered Steel Poles (Wood Pole Equivalents) . . . . .	31
C5		DESIGN OF MEMBERS . . . . .	33
	C5.1	Introduction. . . . .	33
	C5.2	Members . . . . .	33
		C5.2.1 Material. . . . .	33
		C5.2.1.1 Specifications. . . . .	33
		C5.2.1.2 Material Properties . . . . .	33
		C5.2.1.3 Energy-Impact Properties . . . . .	33
	C5.2.2	Tension. . . . .	33
	C5.2.3	Compression . . . . .	33
		C5.2.3.1 Truss Members. . . . .	33
		C5.2.3.2 Beam Members. . . . .	34
	C5.2.4	Shear . . . . .	35
	C5.2.5	Bending. . . . .	35
	C5.2.6	Combined Stresses . . . . .	35
	C5.3	Guys . . . . .	35
		C5.3.1 Material Properties . . . . .	35
		C5.3.2 Tension. . . . .	35
		References . . . . .	36
C6		DESIGN OF CONNECTIONS . . . . .	39
	C6.1	Introduction. . . . .	39
	C6.2	Bolted and Pinned Connections . . . . .	39
		C6.2.1 Material. . . . .	39
		C6.2.2 Shear Stress in Bearing Connections . . . . .	39
		C6.2.3 Bolts Subject to Tension. . . . .	39
		C6.2.5 Bearing Stress in Bolted Connections . . . . .	39
		C6.2.6 Minimum Edge Distances and Bolt Spacing for Bolted Connections . . . . .	39
		C6.2.7 Bearing Stress in Pinned Connections. . . . .	39
		C6.2.8 Minimum Edge Distances for Pinned Connections. . . . .	40
		C6.2.9 Connection Elements and Members . . . . .	40
	C6.3	Welded Connections . . . . .	40
		C6.3.3 Design Stresses. . . . .	40
		C6.3.3.1 Through-Thickness Stress . . . . .	40
	C6.4	Field Connections of Members . . . . .	40
		C6.4.1 Slip Joints . . . . .	40
		C6.4.2 Base and Flange Plate Connections . . . . .	41
	C6.5	Test Verification . . . . .	41
C7		DETAILING AND FABRICATION . . . . .	43
	C7.1	Detailing . . . . .	43
		C7.1.1 Drawings . . . . .	43
		C7.1.2 Drawing Review . . . . .	43
		C7.1.3 Erection Drawings . . . . .	43
		C7.1.4 Shop Detail Drawings . . . . .	43
		C7.1.4.2 Dimensions and Tolerances . . . . .	43
		C7.1.4.4 Corrosion and Finish Considerations . . . . .	43
		C7.1.4.5 Other Requirements . . . . .	43
	C7.2	Fabrication . . . . .	43
		C7.2.1 Material. . . . .	43
		C7.2.2 Material Preparation . . . . .	43
		C7.2.2.1 Cutting . . . . .	43
		C7.2.2.2 Forming . . . . .	44

		C7.2.2.3	Holes . . . . .	44
		C7.2.2.4	Identification . . . . .	44
	C7.2.3	Welding . . . . .		44
C8	TESTING . . . . .			45
	C8.1	Introduction. . . . .		45
	C8.2	Foundations. . . . .		45
	C8.3	Material. . . . .		45
	C8.4	Fabrication . . . . .		45
	C8.5	Strain Measurements . . . . .		45
	C8.6	Assembly and Erection. . . . .		45
	C8.7	Test Loads . . . . .		46
	C8.8	Load Application. . . . .		46
	C8.9	Loading Procedure . . . . .		46
	C8.10	Load Measurement. . . . .		46
	C8.11	Deflections . . . . .		46
	C8.12	Failures . . . . .		46
	C8.13	Post-Test Inspection . . . . .		46
	C8.14	Disposition of Prototype. . . . .		46
C9	STRUCTURAL MEMBERS AND CONNECTIONS USED IN FOUNDATIONS . . . . .			47
	C9.1	Introduction. . . . .		47
	C9.2	General Considerations. . . . .		47
	C9.3	Anchor Bolts . . . . .		48
		C9.3.3	Combined Shear and Tension . . . . .	49
		C9.3.4	Development Length. . . . .	49
	C9.4	Direct-Embedded Poles . . . . .		49
	C9.5	Embedded Casings . . . . .		49
C10	QUALITY ASSURANCE/QUALITY CONTROL . . . . .			51
	C10.1	Introduction. . . . .		51
	C10.2	Quality Assurance . . . . .		51
		C10.2.1	Design and Drawings . . . . .	51
		C10.2.4	Nondestructive Testing. . . . .	51
		C10.2.5	Tolerances . . . . .	51
		C10.2.6	Surface Coatings . . . . .	51
		C10.2.7	Shipping . . . . .	51
	C10.3	Quality Control. . . . .		51
		C10.3.1	Material. . . . .	51
		C10.3.3	Dimensional Inspection . . . . .	51
		C10.3.4	Surface Coating Inspection . . . . .	51
		C10.3.5	Weld Inspection . . . . .	51
		C10.3.6	Shipment and Storage . . . . .	52
C11	ASSEMBLY AND ERECTION . . . . .			53
	C11.1	Introduction. . . . .		53
	C11.2	Handling . . . . .		53
	C11.3	Single-Pole Structures . . . . .		53
		C11.3.1	Slip Joints . . . . .	53
		C11.3.2	Bolted Flange Joints . . . . .	54
		C11.3.3	Attachments to Pole Sections . . . . .	54
		C11.3.4	Erection of Assembled Structures . . . . .	54
	C11.4	Frame-Type Structures . . . . .		54
		C11.4.1	Slip Joints in Frames. . . . .	54
		C11.4.2	Erection. . . . .	54
		C11.4.3	Bolted Frame Connections. . . . .	55
	C11.5	Installation on Foundation . . . . .		55
		C11.5.1	Anchor Bolt and Base Plate Installation. . . . .	55
		C11.5.2	Direct-Embedded Poles . . . . .	55
		C11.5.3	Embedded Casings . . . . .	56
	C11.6	Guying . . . . .		56

	C11.6.1	Guy Anchor Location . . . . .	56
	C11.6.2	Guy Installation . . . . .	56
C11.7		Post-Erection Procedures. . . . .	56
	C11.7.1	Inspection. . . . .	56
	C11.7.2	Grounding . . . . .	56
	C11.7.3	Coating Repair . . . . .	56
	C11.7.4	Unloaded Arms . . . . .	56
	C11.7.5	Hardware Installation . . . . .	57
APPENDIX A NOTATION . . . . .			59
APPENDIX B PROPERTIES OF VARIOUS TUBULAR SECTIONS. . . . .			61
	Notation. . . . .		62
APPENDIX C RESERVED FOR FUTURE EDITIONS . . . . .			63
APPENDIX D HEADED ANCHOR BOLTS . . . . .			65
	Material Specifications . . . . .		65
	Design Considerations . . . . .		65
	Other Considerations . . . . .		66
APPENDIX E ASSEMBLY AND ERECTION . . . . .			67
	Introduction. . . . .		67
	Structure Assembly. . . . .		67
	Arm Connection Assembly . . . . .		67
	Helicopter Erection. . . . .		67
	Maintenance and Inspection . . . . .		68
	Wind-Induced Vibration . . . . .		68
	Structures and Members . . . . .		68
	Attached Conductors and Static Wires . . . . .		69
APPENDIX F SHAFT-TO-FOUNDATION CONNECTION . . . . .			71
	Base Plates: Analysis Considerations . . . . .		71
	Calculation of Anchor Bolt Load . . . . .		74
APPENDIX G CORROSION PROTECTION AND FINISH CONSIDERATIONS . . . . .			75
	Introduction. . . . .		75
	Corrosion Mechanisms . . . . .		75
	Galvanic Corrosion. . . . .		75
	Corrosion Protection and Finish Options . . . . .		76
	Paint and Coating Systems. . . . .		76
	Above-Grade Protection . . . . .		76
	Below-Grade Protection . . . . .		76
	Surface Preparation. . . . .		76
	Application . . . . .		76
	Inspection. . . . .		76
	Paint or Coating Over Galvanizing . . . . .		76
	Galvanizing. . . . .		76
	Protection Provided. . . . .		76
	Appearance . . . . .		76
	Special Design Considerations. . . . .		77
	Application . . . . .		78
	Repair. . . . .		78
	Weathering Steel . . . . .		79
	Metalizing . . . . .		80
	References . . . . .		80

APPENDIX H ARM-TO-SHAFT CONNECTION ANALYSIS CONSIDERATIONS . . . . .	83
General Load, Dimension, and Material Specifications . . . . .	83
APPENDIX I FLANGE AND BASE PLATE CONNECTIONS . . . . .	85
Introduction . . . . .	85
Description . . . . .	85
Considerations . . . . .	85
Material . . . . .	85
Welding . . . . .	85
Welding Procedure Qualification . . . . .	85
Backing Bars . . . . .	85
UT Inspection . . . . .	85
Toe Cracks . . . . .	86
Base and Flange Plate Thickness . . . . .	86
Center Openings . . . . .	86
Bolt Patterns . . . . .	86
APPENDIX J FORGED/ROLLED RING BASE PLATES AND FLANGE PLATES . . . . .	87
Background . . . . .	87
Manufacturing Process . . . . .	87
Advantages and Disadvantages . . . . .	87
Specifying Forged/Rolled Ring Base Plates . . . . .	89
Summary . . . . .	89
INDEX . . . . .	91



## PREFACE

This standard includes informative commentaries and appendixes that are not a mandatory part of the standard. The commentary is numbered to correspond to the sections of the standard to which they refer. The appendixes provide additional information that is not necessarily related to specific sections of the standard.

Before the initial publication of this standard in 2005, most electric transmission design professionals used ASCE's Engineering Manual and Report on Engineering Practice No. 72, *Design of Steel Transmission Pole Structures*, as their primary reference for providing a uniform basis for designing, fabricating, testing, assembling, and erecting steel transmission pole structures. The second edition of MOP 72 served as the primary

resource document for the development of the original version of Standard ASCE/SEI 48-05. The first revision was Standard ASCE/SEI 48-11. This document is the second revision to this standard and is intended to replace ASCE 48-11 in its entirety.

This standard has been prepared in accordance with recognized engineering principles and should not be used without the user's competent knowledge for a given application. The publication of this standard by ASCE is not intended as a warrant that the information contained herein is suitable for any general or specific use, and ASCE takes no position regarding the validity of patent rights. Users are advised that the determination of patent rights or risk of infringement is entirely their own responsibility.



## ACKNOWLEDGMENTS

ASCE and its Structural Engineering Institute (SEI) gratefully acknowledge the devoted efforts of the Design of Steel Transmission Pole Structures Standards Committee. This committee comprises individuals from many backgrounds. This standard was prepared through ASCE's consensus standardization process in compliance with the ASCE Rules for Standards Committees and the procedures of ASCE's Codes and Standards Committee (CSC). ASCE's standardization process is accredited by the American National Standards Institute (ANSI).

### *Committee Members*

Kenneth L. Sharpless, P.E., F.ASCE, F.SEI, *Chair*  
J. Kelly Bledsoe, P.E., M.ASCE, *Secretary*  
Ronald E. Randle, P.E., M.ASCE, F.SEI, *Past Chair*  
John P. Koprucki, P.E., S.E., M.ASCE, *Secretariat*  
Richard F. Aichinger, P.E., M.ASCE  
Gary E. Bowles, P.E., F.SEI, M.ASCE  
David G. Brinker, P.E., S.E., M.ASCE  
Michael D. Brown, P.E., M.ASCE  
Jerry G. Crawford, P.E., M.ASCE  
Dana R. Crissey, P.E., M.ASCE  
Martin L. de la Rosa, P.E., F.ASCE  
David Endorf, P.E., M.ASCE  
Michael R. Gall, P.E.  
Lewis H. Grant, P.E., P.Eng., M.ASCE  
Nicholas Grossenbach, P.E., M.ASCE  
James A. Hamraie, P.E., M.ASCE

Henry W. Ho, P.E., M.ASCE  
Magdi F. Ishac, Ph.D., P.E., P.Eng., F.SEI, F.ASCE  
Leon Kempner Jr., Ph.D., P.E., M.ASCE, F.SEI  
Massoud Khavari, P.E., M.ASCE  
Paul M. Legrand II, P.E., M.ASCE  
Otto J. Lynch, P.E., F.SEI, F.ASCE  
William L. Magee, P.E., M.ASCE  
William B. Mills, P.E., M.ASCE  
Michael R. Morel, P.E., M.ASCE  
George E. Murray Jr., P.E., M.ASCE  
David Nahlen, P.E., M.ASCE  
Robert E. Nickerson, P.E., M.ASCE, F.SEI  
Majed J. Saleh, M.ASCE  
Richard M. Slocum, P.E., S.E., M.ASCE  
Marlon W. Vogt, P.E., M.ASCE, F.SEI

### *Associate Members*

Majid R. J. Farahani, P.E., M.ASCE  
Jonathan P. Girard, P.E., M.ASCE  
Michael C. Heikens, P.E., M.ASCE  
Robert W. Kruse, P.E.  
Ajay K. Mallik, P.E., M.ASCE  
Wesley J. Oliphant, P.E., F.ASCE, F.SEI  
Michael J. Paharik, P.E.  
William J. Reisdorff Jr., P.E., M.ASCE  
Randall L. Samson, P.E., M.ASCE  
Stacey Sheffield, P.E., M.ASCE



## CHAPTER 1

### SCOPE

*Design of Steel Transmission Pole Structures* specifies requirements for the design, fabrication, testing, assembly, and erection of cold-formed tubular members and connections for steel electrical transmission pole structures. Structure components (members, connections, guys) are selected to resist factored design loads at stresses approaching yielding, buckling, fracture, or any other limiting condition specified in this standard. Communication and railroad electric traction structures are not included within the scope of this standard.

Overhead line structures, including steel transmission poles, are inherently different from buildings and most other structures. Overhead lines are a complex structural system composed of foundations, structures, conductors, and cables. A significant portion of the load on the structure is imposed by the conductors and other cables strung between the structures and is concentrated at specific points on the structure. The conductors and cables are subjected to extremes of temperature, wind, ice, and other phenomena not typical to other structures such as buildings and bridges. The tensions in these conductors and cables change with temperature, wind, and ice loads, and

the temperatures of the conductors can be significantly higher than ambient temperature. Another significant difference between overhead line structures and other types of structures is that they are designed for a different life cycle than buildings, bridges, and other occupied structures. The structure designer shall clearly understand these differences and the unique behavior of overhead lines.

One advantage of this cable system is the combination of its ability to absorb dynamic energy and the very low relative mass of the steel pole structures. As a result, the design of overhead lines, including steel transmission poles, is not normally controlled by seismic loads. In general, large structure deflections are acceptable provided such deflections are accounted for in the analysis of the structures and their effects on the positions of the connected conductors and cables are considered.

Units of measurement herein are expressed first in US customary units followed by the Système International (SI) units in parentheses. Formulas are based on US customary units, and thus, some formulas require a conversion factor to use SI units. The appropriate conversion factor is given after each formula.