

AS/NZS ISO 19136.1:2020  
ISO 19136-1:2020



Australian/New Zealand Standard™

# Geographic information — Geography Markup Language (GML)

Part 1: Fundamentals



AS/NZS ISO 19136.1:2020

This Joint Australian/New Zealand Standard™ was prepared by Joint Technical Committee IT-004, Geographical Information/Geomatics. It was approved on behalf of the Council of Standards Australia on 8 July 2020 and by the New Zealand Standards Approval Board on 5 August 2020.

This Standard was published on 28 August 2020.

The following are represented on Committee IT-004:

- ANZLIC — The Spatial Information Council
- Australian Antarctic Division
- Australian Bureau of Meteorology
- Australian Maritime Safety Authority
- CSIRO
- Curtin University of Technology
- Department of Agriculture, Water and the Environment
- Department of Defence (Australian Government)
- Geoscience Australia
- Science New Zealand
- Services Australia (Australian Government)
- Spatial Industries Business Association
- University of Melbourne

This Standard was issued in draft form for comment as DR AS/NZS ISO 19136.1:2020.

### **Keeping Standards up-to-date**

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

[www.standards.org.au](http://www.standards.org.au)

[www.standards.govt.nz](http://www.standards.govt.nz)

ISBN 978 1 76072 962 2

Australian/New Zealand Standard™

# **Geographic information — Geography Markup Language (GML)**

## **Part 1: Fundamentals**

Originated as AS/NZS ISO 19136:2008.  
Jointly revised and redesignated as AS/NZS ISO 19136.1:2020.

### **COPYRIGHT**

© ISO 2020 — All rights reserved

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2020

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

## Preface

This document was prepared by the Joint Standards Australia/Standards New Zealand Committee IT-004, Geographical Information/Geomatics, to supersede AS/NZS ISO 19136:2008, *Geographic information — Geography Markup Language (GML)*.

The objective of this document is to define the XML Schema syntax, mechanisms and conventions that:

- (a) provide an open, vendor-neutral framework for the description of geospatial application schemas for the transport and storage of geographic information in XML;
- (b) allow profiles that support proper subsets of Geography Markup Language (GML) framework descriptive capabilities;
- (c) support the description of geospatial application schemas for specialized domains and information communities;
- (d) enable the creation and maintenance of linked geographic application schemas and data sets;
- (e) support the storage and transport of application schemas and data sets;
- (f) increase the ability of organizations to share geographic application schemas and the information they describe.

Geography Markup Language is an XML encoding in accordance with AS/NZS ISO 19118 for the transport and storage of geographic information modelled in accordance with the conceptual modelling framework used in the AS/NZS ISO 19100 series and including both the spatial and non-spatial properties of geographic features.

**NOTE** If an AS/NZS ISO 19109 conformant application schema described in UML is used as the basis for the storage and transportation of geographic information, this document provides normative rules for the mapping of such an application schema to a GML application schema in XML Schema and, as such, to an XML encoding for data with a logical structure in accordance with the AS/NZS ISO 19109 conformant application schema.

This document is identical with, and has been reproduced from, ISO 19136-1:2020, *Geographic information — Geography Markup Language (GML) — Part 1: Fundamentals*.

As this document has been reproduced from an International Standard, a full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

# Contents

Preface .....	ii
Foreword .....	x
Introduction .....	xii
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Terms, definitions, symbols and abbreviated terms .....</b>	<b>2</b>
3.1 Terms and definitions .....	2
3.2 Abbreviated terms .....	9
<b>4 Conformance .....</b>	<b>10</b>
4.1 Conformance requirements .....	10
4.2 Conformance classes related to GML application schemas .....	11
4.3 Conformance classes related to GML profiles .....	11
4.4 Conformance classes related to GML documents .....	12
4.5 Conformance classes related to software implementations .....	12
<b>5 Conventions .....</b>	<b>13</b>
5.1 XML namespaces .....	13
5.2 Versioning .....	13
5.3 Deprecated parts of previous versions of GML .....	13
5.4 UML notation .....	14
5.5 XML Schema .....	15
<b>6 Overview of the GML schema .....</b>	<b>15</b>
6.1 GML schema .....	15
6.2 GML application schemas .....	15
6.3 Relationship between the ISO 19100 series of International Standards, the GML schema and GML application schemas .....	16
6.4 Organization of this document .....	17
6.5 Deprecated and experimental schema components .....	18
<b>7 GML schema — General rules and base schema components .....</b>	<b>19</b>
7.1 GML model and syntax .....	19
7.1.1 GML instance documents .....	19
7.1.2 Lexical conventions .....	20
7.1.3 XML Schema definition of GML language .....	20
7.2 gmlBase schema components .....	21
7.2.1 Goals of base schema components .....	21
7.2.2 Base objects .....	21
7.2.3 GML properties .....	22
7.2.4 Standard properties of GML objects .....	27
7.2.5 Collections of GML objects .....	28
7.2.6 Metadata .....	29
<b>8 GML schema — Xlinks and basic types .....</b>	<b>32</b>
8.1 Xlinks — Object associations and remote properties .....	32
8.2 Basic types .....	33
8.2.1 Overview .....	33
8.2.2 Relationship with ISO 19103 .....	34
8.2.3 Simple types .....	34
8.2.4 Lists .....	39
<b>9 GML schema — Features .....</b>	<b>41</b>
9.1 General concepts .....	41
9.2 Relationship with ISO 19109 .....	41
9.3 Features .....	41

9.3.1	AbstractFeatureType	41
9.3.2	AbstractFeature	42
9.4	Standard feature properties	42
9.4.1	boundedBy, BoundingShapeType, EnvelopeWithTimePeriod, EnvelopeWithTimePeriodType	42
9.4.2	locationName, locationReference	43
9.4.3	FeaturePropertyType, FeatureArrayPropertyType	43
9.5	Geometry properties	44
9.6	Topology properties	45
9.7	Temporal properties	46
9.8	Defining application-specific feature types	47
9.9	Feature collections	48
9.9.1	GML feature collections	48
9.9.2	AbstractFeatureMemberType and derived property types	49
9.10	Spatial reference system used in a feature or feature collection	49
<b>10</b>	<b>GML schema — Geometric primitives</b>	<b>50</b>
10.1	General concepts	50
10.1.1	Overview	50
10.1.2	Relationship with ISO 19107	50
10.1.3	Abstract geometry	51
10.1.4	Coordinate geometry, vectors and envelopes	53
10.2	Abstract geometric primitives	55
10.2.1	AbstractGeometricPrimitiveType, AbstractGeometricPrimitive	55
10.2.2	GeometricPrimitivePropertyType	56
10.3	Geometric primitives (0-dimensional)	56
10.3.1	PointType, Point	56
10.3.2	PointPropertyType, pointProperty	56
10.3.3	PointArrayPropertyType, pointArrayProperty	57
10.4	Geometric primitives (1-dimensional)	57
10.4.1	AbstractCurveType, AbstractCurve	57
10.4.2	CurvePropertyType, curveProperty	57
10.4.3	CurveArrayPropertyType, curveArrayProperty	58
10.4.4	LineStringType, LineString	58
10.4.5	CurveType, Curve	58
10.4.6	OrientableCurveType, OrientableCurve, baseCurve	59
10.4.7	Curve segments	59
10.5	Geometric primitives (2-dimensional)	69
10.5.1	AbstractSurfaceType, AbstractSurface	69
10.5.2	SurfacePropertyType, surfaceProperty	69
10.5.3	SurfaceArrayPropertyType, surfaceArrayProperty	69
10.5.4	PolygonType, Polygon	69
10.5.5	exterior, interior	70
10.5.6	AbstractRingType, AbstractRing	70
10.5.7	AbstractRingPropertyType	70
10.5.8	LinearRingType, LinearRing	70
10.5.9	LinearRingPropertyType	71
10.5.10	SurfaceType, Surface	71
10.5.11	OrientableSurfaceType, OrientableSurface, baseSurface	71
10.5.12	Surface patches	74
10.6	Geometric primitives (3-dimensional)	78
10.6.1	AbstractSolidType, AbstractSolid	78
10.6.2	SolidPropertyType, solidProperty	78
10.6.3	SolidArrayPropertyType, solidArrayProperty	78
10.6.4	SolidType, Solid	78
10.6.5	ShellType, Shell	79
10.6.6	ShellPropertyType	79
<b>11</b>	<b>GML schema — Geometric complex, geometric composites and geometric aggregates</b>	<b>80</b>

11.1	Overview.....	80
11.2	Geometric complex and geometric composites.....	80
	11.2.1 Geometric complex.....	80
	11.2.2 Composite geometries.....	81
11.3	Geometric aggregates.....	83
	11.3.1 Aggregates of unspecified dimensionality.....	83
	11.3.2 0-Dimensional aggregates.....	84
	11.3.3 1-Dimensional aggregates.....	85
	11.3.4 2-Dimensional aggregates.....	85
	11.3.5 3-Dimensional aggregates.....	86
<b>12</b>	<b>GML schema — Coordinate reference systems schemas.....</b>	<b>87</b>
12.1	Overview.....	87
	12.1.1 General.....	87
	12.1.2 Relationship with ISO 19111.....	87
	12.1.3 Important XML elements.....	88
12.2	Reference systems.....	89
	12.2.1 Overview.....	89
	12.2.2 IdentifiedObjectType.....	89
	12.2.3 Abstract coordinate reference system.....	90
12.3	Coordinate reference systems.....	91
	12.3.1 Overview.....	91
	12.3.2 Abstract coordinate reference systems.....	91
	12.3.3 Concrete coordinate reference systems.....	92
12.4	Coordinate systems.....	98
	12.4.1 Overview.....	98
	12.4.2 Coordinate system axes.....	98
	12.4.3 Abstract coordinate system.....	99
	12.4.4 Concrete coordinate systems.....	100
12.5	Datums.....	105
	12.5.1 Overview.....	105
	12.5.2 Abstract datum.....	105
	12.5.3 Geodetic datum.....	106
	12.5.4 Other concrete datums.....	108
12.6	Coordinate operations.....	110
	12.6.1 Overview.....	110
	12.6.2 Abstract coordinate operations.....	111
	12.6.3 Concrete coordinate operations.....	114
	12.6.4 Parameter values and groups.....	117
	12.6.5 Operation method.....	119
	12.6.6 Operation parameters and groups.....	120
<b>13</b>	<b>GML schema — Topology.....</b>	<b>122</b>
13.1	General concepts.....	122
	13.1.1 Overview.....	122
	13.1.2 Relationship with ISO 19107.....	123
13.2	Abstract topology.....	123
13.3	Topological primitives.....	123
	13.3.1 Abstract topological primitives.....	123
	13.3.2 Topological primitives (0-dimensional).....	123
	13.3.3 Topological primitives (1-dimensional).....	124
	13.3.4 Topological primitives (2-dimensional).....	125
	13.3.5 Topological primitives (3-dimensional).....	126
13.4	Topological collections.....	127
	13.4.1 Topological collection (0-dimensional).....	127
	13.4.2 Topological collection (1-dimensional).....	128
	13.4.3 Topological collection (2-dimensional).....	128
	13.4.4 Topological collection (3-dimensional).....	129
13.5	Topology complex.....	130

13.5.1	TopoComplexType, TopoComplex	130
13.5.2	Maximal, sub- and super-complexes	130
13.5.3	topoPrimitiveMember	130
13.5.4	topoPrimitiveMembers	130
13.5.5	TopoComplexPropertyType, topoComplexProperty	131
<b>14</b>	<b>GML schema — Temporal information and dynamic features</b>	<b>131</b>
14.1	General concepts	131
14.1.1	Overview	131
14.1.2	Relationship with ISO 19108	132
14.2	Temporal schema	132
14.2.1	Abstract temporal objects	132
14.2.2	Temporal geometry	134
14.3	Temporal topology schema	139
14.3.1	General	139
14.3.2	Temporal topology objects	139
14.4	Temporal reference systems	142
14.4.1	Overview	142
14.4.2	Basic temporal reference system, TimeReferenceSystem	143
14.4.3	TimeCoordinateSystem	143
14.4.4	Calendars and clocks	144
14.4.5	Ordinal temporal reference systems	146
14.5	Representing dynamic features	149
14.5.1	Overview	149
14.5.2	dataSource	149
14.5.3	Dynamic properties	149
14.5.4	DynamicFeature	149
14.5.5	DynamicFeatureCollection	150
14.5.6	AbstractTimeSlice	151
14.5.7	history	152
<b>15</b>	<b>GML schema — Definitions and dictionaries</b>	<b>153</b>
15.1	Overview	153
15.2	Dictionary schema	154
15.2.1	Definition, DefinitionType, remarks	154
15.2.2	Dictionary, DictionaryType	154
15.2.3	dictionaryEntry, DictionaryEntryType	155
15.2.4	Using definitions and dictionaries	155
<b>16</b>	<b>GML schema — Units, measures and values</b>	<b>156</b>
16.1	Introduction	156
16.2	Units schema	157
16.2.1	Overview	157
16.2.2	Using unit definitions	157
16.2.3	unitOfMeasure, UnitOfMeasureType	157
16.2.4	UnitDefinition, UnitDefinitionType	158
16.2.5	quantityType, quantityTypeReference	158
16.2.6	catalogSymbol	158
16.2.7	BaseUnit, BaseUnitType, unitsSystem	159
16.2.8	DerivedUnit, DerivedUnitType	159
16.2.9	derivationUnitTerms, DerivationUnitTermType	159
16.2.10	ConventionalUnit, ConventionalUnitType	160
16.2.11	conversionToPreferredUnit, roughConversionToPreferredUnit, ConversionToPreferredUnitType, FormulaType	160
16.2.12	Example of units dictionary <informative>	161
16.3	Measures schema	162
16.3.1	Overview	162
16.3.2	measure	162
16.3.3	Scalar measure types	163
16.3.4	angle	163

16.4	Value objects schema	163
16.4.1	Introduction	163
16.4.2	Value element hierarchy	164
16.4.3	Boolean, BooleanList	164
16.4.4	Category, CategoryList	165
16.4.5	Count, CountList	165
16.4.6	Quantity, QuantityList	166
16.4.7	AbstractValue, AbstractScalarValue, AbstractScalarValueList	166
16.4.8	Value	166
16.4.9	valueProperty, valueComponent, valueComponents	167
16.4.10	CompositeValue	167
16.4.11	ValueArray	168
16.4.12	Typed ValueExtents: CategoryExtent, CountExtent, QuantityExtent	169
16.4.13	BooleanPropertyType, CategoryPropertyType, CountPropertyType, QuantityPropertyType	170
<b>17</b>	<b>GML schema — Directions</b>	<b>171</b>
17.1	Direction schema	171
17.2	direction, DirectionPropertyType	171
17.3	DirectionVectorType	171
17.4	DirectionDescriptionType	172
<b>18</b>	<b>GML schema — Observations</b>	<b>173</b>
18.1	Observations	173
18.2	Observation schema	173
18.2.1	Overview	173
18.2.2	Observation	173
18.2.3	using	174
18.2.4	target	174
18.2.5	resultOf	175
18.2.6	DirectedObservation	176
18.2.7	DirectedObservationAtDistance	176
<b>19</b>	<b>GML schema — Coverages</b>	<b>177</b>
19.1	The coverage model and representations	177
19.1.1	General remarks	177
19.1.2	Formal description of a coverage	178
19.1.3	Coverage in GML	178
19.1.4	Relationship with ISO 19123	179
19.2	Grids schema	179
19.2.1	Overview	179
19.2.2	Grid	179
19.2.3	RectifiedGrid	180
19.3	Coverage schema	182
19.3.1	AbstractCoverageType, AbstractCoverage	182
19.3.2	DiscreteCoverageType, AbstractDiscreteCoverage	182
19.3.3	AbstractContinuousCoverageType, AbstractContinuousCoverage	182
19.3.4	domainSet, DomainSetType	183
19.3.5	rangeSet, RangeSetType	183
19.3.6	DataBlock	184
19.3.7	rangeParameters	184
19.3.8	tupleList	184
19.3.9	doubleOrNilReasonTupleList	185
19.3.10	File, FileType	185
19.3.11	coverageFunction, CoverageFunctionType	186
19.3.12	CoverageMappingRule	188
19.3.13	GridFunction, GridFunctionType	188
19.3.14	sequenceRule, SequenceRuleType, SequenceRuleEnumeration	188
19.3.15	Specific Coverage Types in GML	189
19.3.16	MultiPointCoverage	190

19.3.17	MultiCurveCoverage	191
19.3.18	MultiSurfaceCoverage	192
19.3.19	MultiSolidCoverage	193
19.3.20	GridCoverage	194
19.3.21	RectifiedGridCoverage	194
<b>20</b>	<b>Profiles</b>	<b>195</b>
20.1	Profiles of GML and application schemas	195
20.2	Definition of profile	196
20.3	Relation to application schema	196
20.4	Rules for elements and types in a profile	196
20.5	Rules for referencing GML profiles from application schemas	197
20.6	Recommendations for application schemas using GML profiles	198
20.7	Summary of rules for GML profiles	198
<b>21</b>	<b>Rules for GML application schemas</b>	<b>199</b>
21.1	Instances of GML objects	199
21.1.1	GML documents	199
21.1.2	GML object elements in other XML documents	199
21.2	GML application schemas	199
21.2.1	General	199
21.2.2	Target namespace	201
21.2.3	Import GML schema	201
21.2.4	Object type derivation	201
21.2.5	Elements representing objects	202
21.2.6	Property type derivation	202
21.2.7	Elements representing properties	202
21.3	Schemas defining Features and Feature Collections	203
21.3.1	General	203
21.3.2	Import GML schema components	203
21.3.3	Elements representing features	203
21.3.4	Application features are features	203
21.4	Schemas defining spatial geometries	203
21.4.1	Import GML geometry schema components	203
21.4.2	User-defined geometry types and geometry property types	204
21.5	Schemas defining spatial topologies	205
21.5.1	Import GML topology schema components	205
21.5.2	User-defined topology types and topology property types	205
21.6	Schemas defining time	205
21.6.1	Import GML temporal schema components	205
21.6.2	User-defined temporal types and temporal property types	206
21.7	Schemas defining coordinate reference systems	206
21.7.1	General	206
21.7.2	Import GML coordinate reference system schema components	207
21.8	Schemas defining coverages	207
21.8.1	General	207
21.8.2	Import GML coverage schema components	207
21.8.3	User-defined coverage types	208
21.8.4	Range parameters shall be substitutable for AbstractValue	208
21.8.5	Coverage document	209
21.9	Schemas defining observations	209
21.9.1	General	209
21.9.2	Import GML observation schema components	209
21.9.3	User-defined observation types	209
21.9.4	Observation collections	209
21.9.5	Observations are features	210
21.9.6	Observation collection document	210
21.10	Schemas defining dictionaries and definitions	210
21.10.1	General	210

21.10.2	Import GML dictionary schema components .....	210
21.10.3	User-defined definition types .....	210
21.10.4	User-defined dictionary types .....	210
21.11	Schemas defining values .....	211
21.11.1	General .....	211
21.11.2	Import GML value objects schema components .....	211
21.11.3	Construction of new value types .....	211
21.12	GML profiles of the GML schema .....	211
<b>Annex A</b>	<b>(normative) Abstract test suites for GML application schemas, GML profiles and GML documents .....</b>	<b>214</b>
<b>Annex B</b>	<b>(normative) Abstract test suite for software implementations .....</b>	<b>228</b>
<b>Annex C</b>	<b>(informative) GML schema .....</b>	<b>232</b>
<b>Annex D</b>	<b>(normative) Implemented profile of the ISO 19100 series of International Standards and extensions .....</b>	<b>234</b>
<b>Annex E</b>	<b>(normative) UML-to-GML application schema encoding rules .....</b>	<b>296</b>
<b>Annex F</b>	<b>(normative) GML-to-UML application schema encoding rules .....</b>	<b>316</b>
<b>Annex G</b>	<b>(informative) Guidelines for subsetting the GML schema .....</b>	<b>325</b>
<b>Annex H</b>	<b>(informative) Default styling .....</b>	<b>337</b>
<b>Annex I</b>	<b>(informative) Backwards compatibility with earlier versions of GML .....</b>	<b>348</b>
<b>Annex J</b>	<b>(informative) Modularization and dependencies .....</b>	<b>364</b>
<b>Bibliography</b>	<b>.....</b>	<b>366</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*.

This first edition of ISO 19136-1 cancels and replaces ISO 19136:2007 which has been technically revised.

The main changes compared to the previous edition are as follows:

- The Geography Markup Language (GML) was originally developed within the Open Geospatial Consortium, Inc. (OGC). ISO 19136 was prepared by ISO/TC 211 jointly with the OGC. This edition of this document is a revision to GML 3.2.1 (ISO 19136:2007). It addresses the OGC Change Request 12-092 (gml:id attribute on LinearRing) by applying the following changes:
  - the XML attribute gml:id in gml:AbstractGMLType has been made optional;
  - the elements gml:AbstractRing and gml:Shell have been added to the substitutionGroups gml:AbstractCurve and gml:AbstractSurface respectively;
  - the types gml:AbstractRingType and gml:ShellType are now extended from base types gml:AbstractCurveType and gml:AbstractSurfaceType respectively;

These changes correct inconsistencies with ISO 19107 without breaking the validity of instance documents created using the GML 3.2.1 schema. i.e. all GML 3.2 instance documents that are valid against the GML 3.2.1 schema are also valid against the GML 3.2.2 schema.

The corrected GML 3.2 schema is available at <http://schemas.opengis.net/gml/3.2.1/>. Note that the use of "3.2.1" in the URL is unchanged since this version (3.2.2) replaces the GML 3.2.1 schema. Previous versions of the GML 3.2.1 schema are available at [http://schemas.opengis.net/gml/gml-3\\_2\\_1.zip](http://schemas.opengis.net/gml/gml-3_2_1.zip).

The change to the gml:id attribute reverts a change that has been made between GML 3.1.1 and GML 3.2.1. Reverting this change also addresses comments raised by several communities since the release of GML 3.2.1 / ISO 19136:2007.

As the correction relaxes a constraint in the XML schema, not all instance documents created based on the GML 3.2.2 schema will be valid against the GML 3.2.1 schema:

- all GML 3.2 instance documents that include a gml:id attribute on a ring or shell element are not valid against the GML 3.2.1 schema;
- all GML 3.2 instance documents that include a feature, a spatial object or a temporal object without a gml:id attribute are not valid against the GML 3.2.1 schema.

Local copies of the GML 3.2.1 schema documents have to be replaced by the GML 3.2.2 schema documents – or be replaced by links to <http://schemas.opengis.net/gml/3.2.1/gml.xsd>.

- URIs have been updated, mainly in examples, where OGC policies have changed since the release of GML 3.2.1 (location of the Xlink schema document, use of OGC HTTP URIs for coordinate reference systems).
- The reference to the normative schema documents in [Annex C](#) now refers to the OGC schema repository. Previously, copies of the GML schema were also published on ISO servers, but the schema documents were not always synchronized. Going forward, all references to the normative GML schema document should go to <http://schemas.opengis.net/gml/>.

A list of all parts in the ISO 19136 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

Geography Markup Language (GML) is an XML grammar written in XML Schema for the description of application schemas as well as the transport and storage of geographic information.

The key concepts used by GML to model the world are drawn from the ISO 19100 series of International Standards and the OpenGIS Abstract Specification.

A feature is an “abstraction of real world phenomena” (ISO 19101); it is a geographic feature if it is associated with a location relative to the Earth so a digital representation of the real world may be thought of as a set of features. The state of a feature is defined by a set of properties, where each property may be thought of as a {name, type, value} triple.

The number of properties a feature may have, together with their names and types, is determined by its type definition. Geographic features with geometry are those with properties that may be geometry-valued. A feature collection is a collection of features that may itself be regarded as a feature; as a consequence a feature collection has a feature type and thus may have distinct properties of its own, in addition to the features it contains.

Following ISO 19109, the feature types of an application or application domain is usually captured in an application schema. A GML application schema is specified in XML Schema and can be constructed in two different and alternative ways:

- by adhering to the rules specified in ISO 19109 for application schemas in UML, and conforming to both the constraints on such schemas and the rules for mapping them to GML application schemas specified in this document;
- by adhering to the rules for GML application schemas specified in this document for creating a GML application schema directly in XML Schema.

Both ways are supported by this document. To ensure proper use of the conceptual modelling framework of the ISO 19100 series of International Standards, all application schemas are expected to be modelled in accordance with the General Feature Model as specified in ISO 19109. Within the ISO 19100 series, UML is the preferred language by which to model conceptual schemas.

GML specifies XML encodings, conformant with ISO 19118, of several of the conceptual classes defined in the ISO 19100 series of International Standards and the OpenGIS Abstract Specification. These conceptual models include those defined in:

- ISO/TS 19103 — Conceptual schema language (units of measure, basic types);
- ISO 19107 — Spatial schema (geometry and topology objects);
- ISO 19108 — Temporal schema (temporal geometry and topology objects, temporal reference systems);
- ISO 19109 — Rules for application schemas (features);
- ISO 19111 — Spatial referencing by coordinates (coordinate reference systems);
- ISO 19123 — Schema for coverage geometry and functions.

The aim is to provide a standardized encoding (i.e. a standardized implementation in XML) of types specified in the conceptual models specified by the International Standards listed above. If every application schema were encoded independently and the encoding process included the types from, for example, ISO 19108, then, without unambiguous and completely fixed encoding rules, the XML encodings would be different. Also, since every implementation platform has specific strengths and weaknesses, it is helpful to standardize XML encodings for core geographic information concepts modelled in the ISO 19100 series of International Standards and commonly used in application schemas.

In many cases, the mapping from the conceptual classes is straightforward, while in some cases the mapping is more complex (a detailed description of the mapping is part of this document).

In addition, GML provides XML encodings for additional concepts not yet modelled in the ISO 19100 series of International Standards or the OpenGIS Abstract Specification, for example, dynamic features, simple observations or value objects.

Predefined types of geographic features in GML include coverages and simple observations.

A coverage is a subtype of feature that has a coverage function with a spatiotemporal domain and a value set range of homogeneous 1- to  $n$ -dimensional tuples. A coverage may represent one feature or a collection of features “to model and make visible spatial relationships between, and the spatial distribution of, Earth phenomena” (OGC Abstract Specification Topic 6[18]) and a coverage “acts as a function to return values from its range for any direct position within its spatiotemporal domain” (ISO 19123).

An observation models the act of observing, often with a camera or some other procedure, a person or some form of instrument (Merriam-Webster Dictionary: “an act of recognizing and noting a fact or occurrence often involving measurement with instruments”). An observation is considered to be a GML feature with a time at which the observation took place, and with a value for the observation.

A reference system provides a scale of measurement for assigning values to a position, time or other descriptive quantity or quality.

A coordinate reference system consists of a set of coordinate system axes that is related to the Earth through a datum that defines the size and shape of the Earth.

A temporal reference system provides standard units for measuring time and describing temporal length or duration.

A reference system dictionary provides definitions of reference systems used in spatial or temporal geometries.

Spatial geometries are the values of spatial feature properties. They indicate the coordinate reference system in which their measurements have been made. The “parent” geometry element of a geometric complex or geometric aggregate makes this indication for its constituent geometries.

Temporal geometries are the values of temporal feature properties. Like their spatial counterparts, temporal geometries indicate the temporal reference system in which their measurements have been made.

Spatial or temporal topologies are used to express the different topological relationships between features.

A units of measure dictionary provides definitions of numerical measures of physical quantities, e.g. length, temperature and pressure, and of conversions between units.

NOTE This document makes reference to ISO 19107:2003 and ISO 19111:2007 (withdrawn standards, replaced by 2019 versions) because this edition of ISO 19136-1 is still an XML implementation of the previous edition of ISO 19107 and other standards.

## NOTES

# Australian/New Zealand Standard

## Geographic information — Geography Markup Language (GML)

### Part 1: Fundamentals

#### 1 Scope

The Geography Markup Language (GML) is an XML encoding in accordance with ISO 19118 for the transport and storage of geographic information modelled in accordance with the conceptual modelling framework used in the ISO 19100 series of International Standards and including both the spatial and non-spatial properties of geographic features.

This document defines the XML Schema syntax, mechanisms and conventions that:

- provide an open, vendor-neutral framework for the description of geospatial application schemas for the transport and storage of geographic information in XML;
- allow profiles that support proper subsets of GML framework descriptive capabilities;
- support the description of geospatial application schemas for specialized domains and information communities;
- enable the creation and maintenance of linked geographic application schemas and datasets;
- support the storage and transport of application schemas and datasets;
- increase the ability of organizations to share geographic application schemas and the information they describe.

Implementers can decide to store geographic application schemas and information in GML, or they can decide to convert from some other storage format on demand and use GML only for schema and data transport.

**NOTE** If an ISO 19109 conformant application schema described in UML is used as the basis for the storage and transportation of geographic information, this document provides normative rules for the mapping of such an application schema to a GML application schema in XML Schema and, as such, to an XML encoding for data with a logical structure in accordance with the ISO 19109 conformant application schema.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8601-1, *Date and time — Representations for information interchange — Part 1: Basic rules*

ISO/IEC 11404:2007, *Information technology — General-Purpose Datatypes (GPD)*

ISO 19108:2002, *Geographic information — Temporal schema*

ISO 19123:2005, *Geographic information — Schema for coverage geometry and functions*

ISO/IEC 19757-3, *Information technology — Document Schema Definition Languages (DSDL) — Part 3: Rule-based validation — Schematron*

ISO 80000-3, *Quantities and units — Part 3: Space and time*

IETF RFC 2396, *Uniform Resource Identifiers (URI): Generic Syntax (August 1998)*

W3C XLink, *XML Linking Language (XLink) Version 1.1, W3C Recommendation (6 May 2010)*