

AS 61534.1:2020



STANDARDS
Australia



Powertrack systems

**Part 1: General requirements (IEC 61534-1:2011+AMD1:2014
CSV (ED. 2.1) MOD)**



AS 61534.1:2020

This Australian Standard® was prepared by EL-004, Electrical Accessories. It was approved on behalf of the Council of Standards Australia on 2 September 2020.

This Standard was published on 25 September 2020.

The following are represented on Committee EL-004:

- Australian Chamber of Commerce and Industry
- Australian Industry Group
- Better Regulation Division—NSW Fair Trading
- Consumer Electronics Suppliers Association
- Consumers' Federation of Australia
- Electrical Regulatory Authorities Council
- Engineers Australia
- Joint Accreditation System of Australia and New Zealand
- Plastics Industry Pipe Association of Australia

This Standard was issued in draft form for comment as DR AS 61534.1:2020.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

ISBN 978 1 76072 976 9

Powertrack systems

Part 1: General requirements (IEC 61534-1:2011+AMD1:2014 CSV (ED. 2.1) MOD)

Originated as AS/NZS 61534.1:2008.
Jointly revised and redesignated as AS 61534.1:2020.



© IEC 2020 — All rights reserved
© Standards Australia Limited 2020

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of either the IEC or the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth). If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please see the contact details on the back cover or the contact us page of the website for further information.

Preface

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee EL-004, Electrical Accessories, to supersede AS/NZS 61534.1—2008, *Powertrack systems, Part 1: General requirements (IEC 61534-1, Ed. 2 (2003) MOD)*.

AS/NZS 61534.1—2008 will also remain current for six months from the date of publication of this document and after this time it will be superseded by AS 61534.1:2020. Regulatory authorities that reference this document in regulation may apply these requirements at a different time. Users of this document should consult with these authorities to confirm their requirements.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this document as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this document is to provide Australian electrical industries with general electrical safety requirements for powertrack systems.

The major changes in this edition are as follows:

- (a) Updated normative references, see Clause 2.
- (b) Changes to the number of samples to be tested, see Clause 5.3.
- (c) Inclusion of a short-circuit test clause, see Clause 18.
- (d) Changes to external influences, see Clause 21.

This document is an adoption with national modifications and has been reproduced from IEC 61534-1:2011+AMD1:2014 CSV (ED. 2.1), *Powertrack systems — Part 1: General requirements*. The modifications are additional requirements and are set out in [Appendix ZZ](#), which has been added at the end of the source text.

As this document has been reproduced from an International Standard, the following applies:

- (i) In the source text “this part of IEC 61534” should read “this document”.
- (ii) A full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

NOTES

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	10
4 General requirements	15
5 General notes on tests	15
6 Ratings.....	16
7 Classification.....	16
8 Marking and documentation.....	17
9 Construction.....	20
10 Clearances, creepage distances and solid insulation	23
10.1 General.....	23
10.2 Clearances.....	23
10.2.1 General.....	23
10.2.2 Clearances for basic insulation.....	24
10.2.3 Clearances for functional insulation.....	24
10.2.4 Clearances for supplementary insulation	24
10.2.5 Clearances for reinforced insulation	25
10.3 Creepage distances.....	25
10.3.1 General	25
10.3.2 Creepage distances for basic insulation.....	26
10.3.3 Creepage distances for functional insulation.....	27
10.3.4 Creepage distances for supplementary insulation	27
10.3.5 Creepage distances for reinforced insulation	27
10.4 Solid insulation.....	27
11 Protection against electric shock	27
11.1 Access to live parts	27
11.2 Provision for earthing	28
11.3 Effectiveness of protective circuit continuity	28
12 Terminals and terminations	29
13 Screws, current carrying parts and connections.....	31
14 Mechanical strength	34
14.1 General.....	34
14.2 Impact test	34
14.3 Static load test	34
15 Insulation resistance test and dielectric strength test.....	35
15.1 General.....	35
15.2 Humidity treatment	36
15.3 Insulation resistance test.....	36
15.3.1 General	36
15.3.2 Test for functional insulation.....	36
15.3.3 Test for basic insulation, supplementary insulation and reinforced insulation.....	36
15.4 Dielectric strength test.....	37

16	Normal operation	37
17	Temperature rise	38
18	Short-circuit protection and short-circuit withstand strength	41
18.1	General	41
18.2	Information concerning short-circuit rating	41
18.3	Short circuit current values	42
18.3.1	Relationship between peak current and short-circuit current	42
18.3.2	Value and duration of the short-circuit current	42
18.4	Verification of short-circuit withstand strength	42
18.4.1	Test arrangement	42
18.4.2	Test conditions – General	42
18.4.3	Testing of the PT system	43
19	Resistance to heat	45
20	Fire hazard	46
20.1	Flammability	46
20.2	Flame spread	47
21	External influences	48
21.1	Resistance to corrosion	48
21.1.1	General	48
21.1.2	Corrosion test for dry non-aggressive environments	48
21.1.3	Corrosion test for powertrack in contact with wet screed material	48
21.2	Degrees of protection provided by enclosures	48
21.2.1	General	48
21.2.2	Protection against ingress of solid foreign objects	49
21.2.3	Protection against ingress of water	49
22	Electromagnetic compatibility	49
22.1	Immunity	49
22.2	Emission	49
Annex A (normative)	Measurement of clearances and creepage distances	56
Annex B (normative)	Proof tracking test	61
Annex C (normative)	Relationship between rated impulse withstand voltage, rated voltage and overvoltage category III	62
Annex D (normative)	Pollution degree	63
Annex E (informative)	Diagram for the dimensioning of clearances and creepage distances	64
Annex F (normative)	Impulse voltage test	65
Annex G (normative)	Routine test	66
Bibliography	67
Figure 1	– Pull apparatus for testing the cord anchorage	50
Figure 2	– Torque apparatus for testing the cord anchorage	51
Figure 3	– Arrangement for flame test	52
Figure 4	– Enclosure for flame test	53
Figure 5	– Static load test for a length	54
Figure 6	– Static load test for a joint	54
Figure 7	– Short-circuit test arrangement	55

Table 1 – Pull and torque values for tests on cord anchorages	22
Table 2 – Minimum clearances for basic insulation	25
Table 3 – Minimum creepage distances for basic insulation	26
Table 4 – Minimum connecting capacity of terminals.....	30
Table 5 – Torque values for screws	32
Table 6 – Minimum insulation resistance.....	36
Table 7 – Dielectric strength	37
Table 8 – Temperature rise values.....	40
Table 9 – Cross-sectional areas of rigid test conductors (solid or stranded).....	40
Table 10 – Cross-sectional areas of flexible test conductors	41
Table 11 – Standard values for the factor n	42
Table 12 – Test temperatures for the glow wire test.....	47
Table A.1 – Minimum values of width X	56
Table C.1 – Rated impulse withstand voltage for PT systems energised directly from the low voltage mains	62
Table F.1 – Test voltages for verifying clearances at sea level.....	65

INTERNATIONAL ELECTROTECHNICAL COMMISSION

POWERTRACK SYSTEMS –**Part 1: General requirements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This Consolidated version of IEC 61534-1 bears the edition number 2.1. It consists of the second edition (2011-05) [documents 23A/630/FDIS and 23A/631/RVD] and its amendment 1 (2014-06) [documents 23A/700A/FDIS and 23A/706/RVD]. The technical content is identical to the base edition and its amendment.

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

This publication has been prepared for user convenience.

International Standard IEC 61534-1 has been prepared by subcommittee 23A: Cable management systems, of IEC technical committee 23: Electrical accessories.

The main changes from the previous edition are as follows:

- updated normative references (Clause 2);
- changes to the number of samples to be tested (Subclause 5.3);
- inclusion of a short circuit test (New Clause 18);
- changes to external influences (Clause 21).

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 61534 series, under the general title *Powertrack systems*, can be found on the IEC website.

The following difference exists in the countries indicated below:

- Table 4, first column, first line: the 10 A rated terminal should be capable of clamping 1 mm² as a minimum (UK);
- Australia has specific wiring rules covering socket-outlets to be switched. In Australia, AS/NZS 3000 contains requirements for switching devices to be used in Australian and New Zealand electrical installations;
- 9.5: in Australia, fuses and fuse-links are not to be used.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of June 2013 apply to the French version only.

INTRODUCTION

Particular requirements for specific types of powertrack systems will be specified in the relevant parts 2 of IEC 61534.

For a specific type of powertrack system the requirements of Part 1 of the standard are to be considered, together with the particular requirements of the appropriate Part 2, which will supplement or modify some of the corresponding clauses in Part 1 to provide the complete requirements for that type of system.

Part 1 shall apply unless supplemented or modified by an appropriate Part 2.

POWERTRACK SYSTEMS –

Part 1: General requirements

1 Scope

1.1 This part of IEC 61534 specifies general requirements and tests for powertrack (PT) systems with a rated voltage not exceeding 277 V a.c. single phase, or 480 V a.c. two or three phase 50 Hz or 60 Hz with a rated current not exceeding 63 A. These systems are used for distributing electricity in household, commercial and industrial premises.

1.2 Powertrack systems, according to this standard, are intended for use under the following conditions:

- an ambient temperature in the range $-5\text{ }^{\circ}\text{C}$ to $+40\text{ }^{\circ}\text{C}$, the average value over a 24 h period not exceeding $35\text{ }^{\circ}\text{C}$;
- a situation not subject to a source of heat likely to raise temperatures above the limits specified above;
- an altitude not exceeding 2000 m above sea level;
- an atmosphere not subject to excessive pollution by smoke, chemical fumes, prolonged periods of high humidity or other abnormal conditions.

In locations where special conditions prevail, as in ships, vehicles and the like and in hazardous locations, for instance, where explosions are liable to occur, special constructions may be necessary.

This standard does not apply to

- cable trunking systems and cable ducting systems covered by IEC 61084 [8] ¹;
- busbar trunking systems covered by IEC 60439-2 [5];
- electrical supply track systems for luminaires covered by IEC 60570 [6].

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038:2009, *IEC standard voltages*

IEC 60060-1:2010, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60068-2-52, *Environmental testing – Part 2-52: Tests - Test Kb: Salt mist, cyclic (sodium, chloride solution)*

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

¹ Figures in square brackets refer to the bibliography.