

AS/NZS 5263.1.7:2020



Australian/New Zealand Standard™

Gas appliances

Part 1.7: Domestic outdoor gas cooking appliances



AS/NZS 5263.1.7:2020

This Joint Australian/New Zealand Standard™ was prepared by Joint Technical Committee AG-001, Gas Appliances. It was approved on behalf of the Council of Standards Australia on 18 September 2020 and by the New Zealand Standards Approval Board on 22 September 2020.

This Standard was published on 1 October 2020.

The following are represented on Committee AG-001:

- Association of Accredited Certification Bodies
- Australian Gas Association
- Australian Industry Group
- Better Regulation Division — NSW Fair Trading
- Consumer Electronics Suppliers Association
- Consumers Federation of Australia
- Energy Networks Australia
- Gas Appliance Manufacturers Association of Australia
- Gas Association of New Zealand
- Gas Energy Australia
- Gas Technical Regulators Committee
- Gas Utilization Institute, New Zealand
- Joint Accreditation System of Australia and New Zealand
- WorkSafe New Zealand — Energy Safety

This Standard was issued in draft form for comment as DR AS/NZS 5263.1.7:2020.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.standards.govt.nz

ISBN 978 1 76072 996 7

Australian/New Zealand Standard™

Gas appliances

Part 1.7: Domestic outdoor gas cooking appliances

Originated in Australia as AG 107—1975.
Previous and first joint edition AS/NZS 5263.1.7:2006.
Second edition 2020.

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2020

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

Preface

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee AG-001, Gas Appliances, to supersede AS/NZS 5263.1.7:2016, *Gas appliances — Part 1.7: Domestic outdoor gas barbecues*.

If a Standard is referenced in legislation, the legislative instrument or regulation specifies when the Standard or Amendment comes into effect. Regulatory Authorities have indicated 12 months, following the date of publication, as an appropriate transition period for [Clauses 2.4.3](#) and [2.4.103](#). Clause 2.4.102 of AS/NZS 5263.1.7:2016 (i.e. prior to revision) will remain current for a period of 18 months following the date of publication of this Standard to ensure that where applicable both the Type 21 and Type 27 appliance connection meet the requirements of the relevant standard.

This Standard provides particular requirements for domestic outdoor cooking appliances that apply in addition to or in place of the general requirements for gas appliances set out in AS/NZS 5263.0, *Gas appliances, Part 0: General requirements*. The combination of AS/NZS 5263.1.7 (this Standard) and AS/NZS 5263.0 supersedes the combination of AS/NZS 5263.1.7:2016 and AS 5263.0—2013.

This Part 1.7 of AS/NZS 5263, supplements or modifies the corresponding clauses of Part 0. The numbering of clauses in this Part 1.7 is consistent with the numbering in Part 0 for related requirements.

Statements used in this Part 1.7 to explain the relationship of clauses in this Standard to the corresponding Clause of Part 0 are as follows:

- (a) “This Clause of AS/NZS 5263.0 applies”, in which case the corresponding clause of Part 0 and its subclauses are used without modification.
- (b) “This Clause of AS/NZS 5263.0 applies, except as modified below”, in which case the corresponding clause of Part 0 and its subclauses are used but with the modifications, as listed in this document.
- (c) “Not applicable”, in which case the corresponding clause of Part 0 is not used in this context.

Otherwise the text in this Standard replaces the corresponding clause of Part 0.

Any clauses in this Standard that are additional to the requirements of Part 0 are numbered beginning from 101 (except for additional definitions, which begin from 201). Additional Appendices in this Part 1.7 are designated with letters starting from AA, or numbered beginning from 101 (e.g. [ZA.101](#)).

Where an Appendix or part of an Appendix (i.e. paragraph, figure or table) is cited in this Standard, reference should first be made to Part 0 for the content of the Appendix, which may be modified by this Part 1.7.

This Standard (AS/NZS 5263.1.7), together with the Standard AS/NZS 5263.0 (Part 0), constitute a means of conformance to AS 3645, *Essential requirements for gas equipment*, for domestic outdoor gas cooking appliances.

The objective of this Standard is to provide manufacturers, designers, regulatory authorities, conformity assessment bodies and similar organizations with uniform minimum requirements for the safety, performance and use of gas appliances.

This Standard should not be regarded as a design specification or as an instruction manual.

Consideration has been given to —

- (i) continuity of satisfactory operation;
- (ii) the prevention of fire hazards, and explosions;
- (iii) the prevention of injury to persons or property;
- (iv) gas rules and regulations now in force; and

(v) relevant International Standards.

AS/NZS 5601 series of Standards provides essential requirements and means of compliance for gas installations. Any reference to “AS/NZS 5601” in AS/NZS 5263 series of Standards should be considered as reference to the appropriate part of AS/NZS 5601 series of Standards (i.e. AS/NZS 5601.1 or AS/NZS 5601.2).

The terms “normative” and “informative” are used in Standards to define the application of the appendices to which they apply. A “normative” appendix is an integral part of a Standard, whereas an “informative” appendix is only for information and guidance.

Contents

Preface	ii
Section 1 Scope and general	1
1.1 Scope and application.....	1
1.1.1 Scope.....	1
1.1.2 Application.....	1
1.2 Normative references.....	1
1.3 Terms and definitions.....	2
1.4 Test methods.....	3
Section 2 Design and construction	4
2.1 Scope.....	4
2.2 General design requirements.....	4
2.2.3 Fitting of flame safeguards.....	4
2.2.12 Provision for removal of condensate.....	4
2.2.101 LP Gas cylinder mounting means.....	4
2.2.102 Means to prevent accidental closure of hood or lid.....	4
2.2.103 Provision and location of grease receptacle.....	4
2.2.104 Weatherproofing.....	4
2.2.105 Pan supports for side burners.....	4
2.2.106 Prevention of separation of barbecues from detachable trolleys.....	5
2.2.107 Adequacy of means of support.....	5
2.2.108 Smoker oven or outdoor oven — Prevention of inadvertent placement of utensils in a flame.....	5
2.2.109 Smoker oven or outdoor oven — Prevention of accidental removal of shelves.....	5
2.2.110 Smoker oven or outdoor oven — Stability of shelves.....	5
2.2.111 Smoker oven or outdoor oven — Door stability.....	5
2.2.112 Smoker oven or outdoor oven — Provision of explosion relief for appliances with door locks.....	5
2.2.113 Smoker oven — Flame contact with smoker materials.....	5
2.3 Materials.....	5
2.4 Design for assembly and installation.....	5
2.4.3 Gas inlet connection.....	5
2.4.101 Provision of hose assembly.....	6
2.4.102 Protection of inlet connection to an LP Gas cylinder.....	6
2.4.103 Appliance connection where hose assembly is supplied.....	6
2.4.104 Appliance connection assembly.....	6
2.4.105 Side burner support shelf.....	6
2.5 Design for maintenance.....	6
2.5.8 Means for gas pressure measurement.....	6
2.5.101 Gas train connections.....	7
2.6 Design for operation.....	7
2.6.4 Primary guards openings.....	7
2.6.5 Touchability of flames.....	7
2.7 Controls and safety devices.....	7
2.7.1 Safety shut off system.....	7
2.7.7 Tip over switch.....	7
2.8 Gas train.....	7
2.9 Combustion air and flue systems.....	7
2.10 Fan assisted combustion systems.....	7
2.11 Burners and ignition systems.....	7
2.11.3 Restrictions on gauze over primary air ports.....	7
2.11.13 Interconnected burners.....	8
2.12 Components.....	8
2.13 Cylinders and cylinder compartments.....	8

2.13.6	Protection from spillover	8
2.14	Markings	8
2.14.2	Permanent markings on appliances	8
2.14.12	Label on guard	9
2.14.14	Markings on packaging	9
2.15	Instructions	9
2.15.2	Installation	10
2.15.3	Operation	11
2.15.4	Maintenance	11
Section 3	Preliminary tests — Line gases	12
3.1	General	12
3.1.101	Side burners and other accessory burners	12
3.2	Preparation for testing	12
3.3	Gas leakage	12
3.4	Gas consumption	12
3.4.101	Tolerance on determined gas consumption of multiple burners	12
3.5	Gas pressure regulators	12
3.6	Ignition and safety shut off systems	12
3.6.101	Manual ignition by match	12
3.6.102	Cross lighting	13
3.7	Ignition of draped fabric	13
Section 4	Tests under limiting conditions	14
4.1	General	14
4.2	CO/CO ₂ ratio limits of any independent surface combustion burner — Underload	14
4.3	CO/CO ₂ ratio limits for any independent burner — Overload	14
4.4	CO/CO ₂ ratio limits for permanent pilots — Overload	15
4.5	Flame characteristics at maximum and minimum limiting conditions	15
4.6	Burner ignition at maximum and minimum limiting conditions	15
4.7	Delayed ignition at maximum and minimum limiting conditions	16
4.8	Reignition at turndown under draught conditions	16
4.9	Pilot ignition and stability at maximum and minimum limiting conditions	17
4.10	Burner stability when changing setting	17
4.11	Unburnt gas release from burner system	17
4.12	Blocked flueway terminal	17
4.13	Case pressure test	17
4.14	Effect of opening and closing doors at turndown condition	17
4.15	Sooting — Luminous effect appliances	18
4.16	Burner interference at ignition or during combustion	18
Section 5	Performance specifications	19
5.1	Combustion air supply	19
5.2	Flue operation	19
5.3	Condensate	19
5.4	Temperature hazards	19
5.4.2	Appliance operating conditions	19
5.4.5	Temperature limits — Surfaces likely to be accidentally touched	19
5.4.6	Temperature limits — Appliance safety	20
5.4.7	Temperature limits — Protection from contact with the heat source	20
5.5	Heat resistance of appliance	20
5.5.1	Resistance to temperatures	20
5.5.3	Minimum temperature requirements of heat exchangers during warming-up period	21
5.5.4	Maximum temperature requirements for heat exchanger materials	21
5.6	Durability	21
5.6.3	Effect of spillover on ignition systems	21
5.6.4	Automatic flue damper device	21
5.7	Electrical supply variation or failure	21
5.8	Appliance operation under linting conditions	21

5.9	Rain test for outdoor and room sealed appliances.....	22
5.10	Operation under windy conditions.....	22
5.11	Strength and stability.....	22
5.11.1	Bearing pressure.....	22
5.11.2	Strength of flue connection.....	22
5.11.4	Hydrostatic strength.....	22
5.11.6	Body loading.....	22
5.11.7	Attachment of primary guard.....	22
5.11.8	Strength of primary guard incorporating glass or similar material.....	22
5.11.101	Resistance to load — Side burners.....	22
5.11.102	Smoker ovens and outdoor ovens with doors — Appliance stability.....	22
5.11.103	Smoker ovens and outdoor ovens with doors — Door hinge strength.....	22
5.11.104	Smoker ovens and outdoor ovens — Door strength.....	23
5.11.105	Smoker ovens and outdoor ovens — Strength of shelves and their supports.....	23
5.11.106	Smoker ovens and outdoor ovens — Stability of shelves.....	23
5.12	Thermal efficiency.....	23
5.13	Vitiation and emissions.....	23
Appendix AA (normative) Figures AA.101 and AA.102.....		24
Appendix ZA (normative) Preliminary test methods.....		26
Appendix ZB (normative) Limiting conditions test methods.....		32
Appendix ZC (normative) Performance test methods.....		44
Bibliography.....		49

Australian/New Zealand Standard

Gas appliances

Part 1.7: Domestic outdoor gas cooking appliances

Section 1 Scope and general

1.1 Scope and application

1.1.1 Scope

This Standard provides specific requirements and test methods for domestic outdoor cooking appliances with an energy input not exceeding 200 MJ/h.

For Australia the fuel gases are natural gas (as described by AS 4564), town gas, liquefied petroleum gas (LP Gas, as described by AS 4670) and tempered liquefied petroleum gas (TLP).

For New Zealand, the fuel gases are natural gas (as specified in NZS 5442) and general product liquefied petroleum gas (NZLPG) (as specified in NZS 5435).

NOTE Other statutory and regulatory requirements may be applicable to product that falls within the scope of this Standard. It is the responsibility of the manufacturer, importer or distributor (as appropriate) to ensure that products conform with such requirements.

[Appendix AA](#) provides figures referenced in this Standard that are in addition to those in AS/NZS 5263.0.

Test methods are set out in [Appendices ZA, ZB](#) and [ZC](#) (see [Clause 1.4](#)).

1.1.2 Application

This Standard is complementary to and is intended to be used in conjunction with AS/NZS 5263.0. The requirements given herein shall take precedence over corresponding requirements in that Standard.

AS 3645 specifies essential requirements for gas equipment that requires regulatory approval before sale. This Standard, together with AS/NZS 5263.0, is intended to provide a means of demonstrating conformance to AS 3645.

1.2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document.

NOTE Documents for informative purposes are listed in the Bibliography.

AS 1722.2, *Pipe threads of Whitworth form, Part 2: Fastening pipe threads*

AS 4621, *Regulator for use with liquefied petroleum — Vapour phase*

AS 4627, *Quick-connect devices for gas*

AS ISO 7.1, *Pipe threads where pressure-tight joints are made on the threads, Part 1: Dimensions, tolerances and designation*

AS/NZS 5263.0, *Gas appliances, Part 0: General requirements*

AS/NZS 1869, *Hose and hose assemblies for liquefied petroleum gases (LP Gas), natural gas and town gas*

UL 2061, *Adapters and Cylinder Connection Devices for Portable LP-Gas Cylinder Assemblies*