

An ACI Standard

Code Requirements for Residential Concrete (ACI 332-20) and Commentary

Reported by ACI Committee 332

ACI 332-20



American Concrete Institute
Always advancing



Code Requirements for Residential Concrete and Commentary

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at <http://concrete.org/Publications/DocumentErrata.aspx>. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided “as is” without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

Order information: ACI documents are available in print, by download, through electronic subscription, or reprint, and may be obtained by contacting ACI.

ACI codes, specifications, and practices are made available in the ACI Collection of Concrete Codes, Specifications, and Practices. The online subscription to the ACI Collection is always updated, and includes current and historical versions of ACI's codes and specifications (in both inch-pound and SI units) plus new titles as they are published. The ACI Collection is also available as an eight-volume set of books and a USB drive.

American Concrete Institute
38800 Country Club Drive
Farmington Hills, MI 48331
Phone: +1.248.848.3700
Fax: +1.248.848.3701

Code Requirements for Residential Concrete and Commentary

An ACI Standard

Reported by ACI Committee 332

James A. Farny, Chair

Mary J. Wilson, Secretary

VOTING MEMBERS

Brent Anderson
Joseph Stephen Balik
James R. Baty II
Claude J. Bergeron
Anthony J. Candiloro
John P. Carr
Michael W. Cook
Jerry D. Coombs
Barry A. Descheneaux
Timothy J. Dickson
Kevin L. Doerr
John S. Edwards
Gary J. Ehrlich
Nader R. Elhajj
William A. Fennell

Augusta Gaertner
George H. Harrison
Harvey H. Haynes
Robert L. Henry
Bret Houck
Samhar S. Hoz
Morris Huffman
Said Irvani
Raj K. Jalla
Kirby Justesen
Ashok M. Kakade
Destry R. Kenning
Tarek S. Khan
Scott J. Klevenhagen
Kenneth A. Luttrell

Warren E. McPherson
Jereme Montgomery
T. George Muste
Anil K. Patnaik
Dale A. Phillips
Dennis R. Purinton
Jorge L. Quiros
Dana D. Rotkovich
J. Edward Sauter
Robert E. Sculthorpe
Christopher R. Tull
Michael H. Weber
Douglas C. Wittler

CONSULTING MEMBERS

Glen E. Bollin
Scott R. Humphreys
John M. Jaffee

Lionel A. Lemay
Luke R. Pinkerton
Skip Reynolds

Royce J. Rhoads

This code covers the design and construction of cast-in-place concrete for one- and two-family dwellings and multiple single-family dwellings (townhouses), and their accessory structures. Among the subjects covered are the design and construction requirements for plain and reinforced concrete footings; foundation walls; slabs-on-ground; and requirements for concrete, reinforcement, forms, and other related materials. The quality and testing of materials discussed in this document are covered by reference to the appropriate ASTM standards.

This code is written to allow for reference by adoption in a general building code without changing its language. Background details or suggestions for carrying out the requirements or intent of the code are provided in the commentary. The commentary discusses some of the considerations of the committee in developing the code with emphasis given to the explanation of provisions that may be unfamiliar to code users or where significant departure exists from other concrete codes.

Keywords: admixtures; aggregate; backfill; cement; compressive strength; cover; flexural strength; footings; formwork (construction); foundations; loads (forces); slabs; structural analysis; reinforcement.

ACI 332-20 supersedes ACI 332-14, was adopted July 6, 2020, and was published October 2020.

Copyright © 2020, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

CONTENTS

PREFACE, p. 3

CHAPTER 1—GENERAL, p. 5

- 1.1—Scope, p. 5
- 1.2—Alternative systems, p. 6
- 1.3—Drawings and specifications, p. 7
- 1.4—Inspection, p. 7

CHAPTER 2—NOTATION AND DEFINITIONS, p. 8

- 2.1—Notation, p. 8
- 2.2—Definitions, p. 9

CHAPTER 3—REFERENCED STANDARDS, p. 11

CHAPTER 4—MATERIALS, p. 13

- 4.1—Concrete, p. 13
- 4.2—Reinforcement, p. 13
- 4.3—Formwork, p. 14
- 4.4—Vapor retarder, p. 14

CHAPTER 5—CONCRETE REQUIREMENTS, p. 16

- 5.1—Exposure categories and classes, p. 16
- 5.2—General requirements, p. 18
- 5.3—Requirements for concrete mixtures, p. 18
- 5.4—Additional requirements for freezing-and-thawing exposure, p. 20
- 5.5—Alternative cementitious materials for sulfate exposure, p. 21
- 5.6—Concrete cover, p. 21

CHAPTER 6—DESIGN OF STRUCTURAL CONCRETE, p. 22

- 6.1—Scope, p. 22
- 6.2—Materials, p. 22
- 6.3—Load factors and combinations, p. 23
- 6.4—Strength reduction factors, p. 24
- 6.5—Plain concrete, p. 24
- 6.6—Sectional strength of reinforced sections, p. 26
- 6.7—Design limits, p. 30
- 6.8—Reinforcement detailing, p. 30

CHAPTER 7—CONCRETE PRODUCTION AND PLACEMENT, p. 31

- 7.1—Concrete, p. 31
- 7.2—Placement, p. 31
- 7.3—Form removal, p. 31
- 7.4—Finishing, p. 31
- 7.5—Curing, p. 32
- 7.6—Protection of concrete during cold weather, p. 32
- 7.7—Temperature limits for concrete as delivered in hot weather, p. 33

CHAPTER 8—FOOTINGS, p. 34

- 8.1—Scope, p. 34
- 8.2—General, p. 34
- 8.3—Design limits, p. 37
- 8.4—Required strength, p. 38
- 8.5—Design, p. 39
- 8.6—Prescriptive design tables, p. 39
- 8.7—Construction requirements, p. 45

CHAPTER 9—FOUNDATION WALLS, p. 47

- 9.1—Scope, p. 47
- 9.2—General, p. 47
- 9.3—Design limits, p. 49
- 9.4—Required strength, p. 51
- 9.5—Design, p. 51
- 9.6—Connection to lateral support system, p. 62
- 9.7—Construction requirements, p. 62

CHAPTER 10—ABOVE-GRADE WALLS, p. 64

- 10.1—Scope, p. 64
- 10.2—General, p. 64
- 10.3—Design limits, p. 64
- 10.4—Required strength, p. 64
- 10.5—Design, p. 64
- 10.6—Construction requirements, p. 65

CHAPTER 11—LINTEL BEAMS, p. 66

- 11.1—Scope, p. 66
- 11.2—General, p. 66
- 11.3—Design limits, p. 67
- 11.4—Required strength, p. 67
- 11.5—Design, p. 67
- 11.6—Prescriptive design, p. 67

CHAPTER 12—DESIGN FOR EXPANSIVE SOILS, p. 68

- 12.1—Scope, p. 68
- 12.2—General, p. 68
- 12.3—Expansive soil classification, p. 68
- 12.4—Design, p. 68

CHAPTER 13—SLABS-ON-GROUND, p. 69

- 13.1—Scope, p. 69
- 13.2—Design, p. 69
- 13.3—Support, p. 69
- 13.4—Forms, p. 69
- 13.5—Thickness, p. 69
- 13.6—Joints, p. 69
- 13.7—Reinforcement, p. 70

COMMENTARY REFERENCES, p. 72

- Authored documents, p. 73

PREFACE

The commentary of this code discusses some of the considerations of ACI Committee 332 in developing the provisions contained herein. Explanation of the departure of this code from ACI 318 is emphasized. Comments on specific provisions are made under the corresponding chapter and section numbers of this code.

The commentary is not intended to provide a complete historical background concerning the development of this code, nor is it intended to provide a detailed résumé of the studies and research data reviewed by the committee in formulating this document.

This code is meant to be used as part of a legally adopted building code and, as such, must differ in form and substance from documents that provide detailed specifications, recommended practices, or complete design procedures. This code was developed by an ANSI-approved consensus process.

This code is intended to cover all residential structures that fall within the scope of IRC-2018. Requirements more stringent than the code provisions may be desirable for large, complex, or irregular structures; high-hazard areas; and other unusual construction. This code cannot replace sound engineering knowledge, experience, and judgment.

A building code states only the minimum requirements necessary to provide for public health and safety; this code is based on that principle. For any structure, the owner or the designer may require the quality of materials and construction to be higher than the minimum requirements necessary to protect the public as stated herein. Lower standards, however, are not permitted. The commentary directs attention to other documents that provide suggestions for carrying out the requirements and intent of this code.

This code has no legal status unless adopted by government bodies having authority to regulate building design and construction. Where this code has not been adopted, it may serve as a reference to good practice even though it has no legal status.

This code provides a means of establishing minimum standards for acceptance of designs and construction by legally appointed building officials or their designated representatives. This document is not intended for use in settling disputes between the owner; engineer; architect; contractor; or their agents, subcontractors, material suppliers, or testing agencies. Therefore, this code cannot define the contract responsibility of each of the parties in construction. General references requiring compliance with this code in the project specifications should be avoided because the contractor is rarely in a position to accept responsibility for design details or construction requirements that depend on detailed knowledge of the design. Design-build construction contractors, however, typically combine the design and construction responsibility. Generally, the drawings, specifications, and contract documents should contain all the necessary requirements to ensure compliance with the code. In part, this can be accomplished by reference to specific code sections in the project specifications. Other ACI publications, such as ACI 301, are written specifically for use as contract documents for construction. Requirements for testing and certification programs should be provided for the individual parties involved with the execution of work performed in accordance with this code.

THIS PAGE INTENTIONALLY LEFT BLANK.



CODE

CHAPTER 1—GENERAL

1.1—Scope

1.1.1 This chapter addresses (a) through (f):

- (a) General requirements of this code
- (b) Purpose of this code
- (c) Applicability of this code
- (d) Alternative systems
- (e) Drawings and specifications
- (f) Inspection

1.1.2 This code, when legally adopted as part of a general building code, provides minimum requirements for design and construction of residential concrete members. In areas without a legally adopted building code, this code defines minimum acceptable standards of design and construction practice.

1.1.3 This code supplements the general building code and governs matters pertaining to design and construction of cast-in-place concrete construction for one- and two-family dwellings and multiple single-family dwellings (townhouses), and their accessory structures, except wherever this code conflicts with requirements in the legally adopted general building code.

1.1.4 Where this code conflicts with requirements contained in other standards referenced in this code, this code shall govern.

1.1.5 This code is limited to design and construction of concrete footings, including thickened slab footings, wall footings, and isolated footings; concrete basement or foundation walls and above-grade walls constructed with removable forms or with flat insulating concrete forms; and concrete slabs-on-ground.

1.1.6 Where the scope of this code and the scope of **ACI 318** coincide, design in accordance with ACI 318 shall be permitted for all buildings and structures, and all parts thereof, within the scope of this code.

1.1.7 Seismic design

1.1.7.1 The seismic risk level of a region, or seismic performance or design category of a structure, shall be regulated by the legally adopted general building code, of which this code forms a part, or determined by the local authority.

1.1.8 This code does not govern design and construction of insulating concrete form walls with a waffle or screen configuration; precast wall members; cantilevered walls or retaining walls; deep foundation systems, such as piles, drilled piers, or caissons; and elevated concrete slabs.

COMMENTARY

CHAPTER R1—GENERAL

R1.1—Scope

R1.1.1 This Code includes provisions for the design of residential concrete used for structural purposes, including plain concrete and concrete containing mild reinforcement.

This chapter includes numerous provisions that explain where this Code applies and how it is to be interpreted.

R1.1.2 The user of this code should consult the applicable general building code for all applied loads to determine the applicable values for design requirements. In the absence of a governing code, the user should consider the use of **ASCE/SEI 7** to determine applicable loads.

R1.1.4 IRC-2018 references this code. Where the design of a member is initiated with this code from reference by the IRC, the entire design of the member must be completed using the provisions of this code.

R1.1.5 The design and construction requirements for footings, foundation walls, and slabs-on-ground are included in this code, together with requirements for concrete, reinforcement, forms, and other related materials.

R1.1.7 Seismic design

Provisions for application of precast wall members are found in IRC-2018. The provisions for above-grade concrete walls are currently available in IRC-2018 based on **PCA 100.03**.

R1.1.8 Guidance on the type and application of systems for drainage, waterproofing, dampproofing, and radon gas ventilation are commonly found in the general building code.