

AS/NZS 5263.1.11:2020



Australian/New Zealand Standard™

Gas appliances

Part 1.11: Small gas engine driven appliances



AS/NZS 5263.1.11:2020

This Joint Australian/New Zealand Standard™ was prepared by Joint Technical Committee AG-001, Gas Appliances. It was approved on behalf of the Council of Standards Australia on 22 October 2020 and by the New Zealand Standards Approval Board on 4 November 2020.

This Standard was published on 20 November 2020.

The following are represented on Committee AG-001:

- Association of Accredited Certification Bodies
- Australian Gas Association
- Australian Industry Group
- Better Regulation Division—NSW Fair Trading
- Consumer Electronics Suppliers Association
- Consumers Federation of Australia
- Energy Networks Australia
- Gas Appliance Manufacturers Association of Australia
- Gas Association of New Zealand
- Gas Energy Australia
- Gas Technical Regulators Committee
- Gas Utilisation Institute, New Zealand
- Joint Accreditation System of Australia and New Zealand
- WorkSafe New Zealand—Energy Safety

This Standard was issued in draft form for comment as DR AS/NZS 5263.1.11:2019.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.standards.govt.nz

ISBN 978 1 76113 058 8

Australian/New Zealand Standard™

Gas appliances

Part 1.11: Small gas engine driven appliances

First published as AS/NZS 5263.1.11:2020.

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2020

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

Preface

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee AG-001, Gas Appliances.

This Standard provides particular requirements for appliances for fixed installation, including gas fuelled spark ignition reciprocating internal combustion engines, that apply in addition to or in place of the general requirements for gas appliances set out in AS/NZS 5263.0, *Gas appliances, Part 0: General requirements*.

This Part 1.11 of AS/NZS 5263, supplements or modifies the corresponding clauses of Part 0. The numbering of clauses in this Part 1.11 is consistent with the numbering in Part 0 for related requirements.

Statements used in this Part 1.11 to explain the relationship of clauses in this Standard to the corresponding clause of Part 0 are as follows:

- (a) “This Clause of AS/NZS 5263.0 applies”, in which case the corresponding clause of Part 0 and its subclauses are used without modification.
- (b) “This Clause of AS/NZS 5263.0 applies, except as modified below”, in which case the corresponding clause of Part 0 and its subclauses are used but with the modifications, as listed in this document.
- (c) “Not applicable”, in which case the corresponding clause of Part 0 is not used in this context.

Otherwise the text in this Standard replaces the corresponding clause of Part 0.

Any clauses in this Standard that are additional to the requirements of Part 0 are numbered beginning from 101 (except for additional definitions, which begin from 201). Additional appendices in this Part 1.11 are designated with letters starting from AA, and additional clauses in appendices are numbered beginning from 101 (e.g. [ZB.101](#)).

Where an appendix, or part of an appendix (i.e. clause, figure, or table) is cited in this Standard, reference should first be made to Part 0 for the content of the appendix, which may be modified by this Part 1.11.

This Standard (AS/NZS 5263.1.11), together with AS/NZS 5263.0, constitute a means of conformance to AS 3645, *Essential requirements for gas equipment*, for small gas engine driven appliances.

The objective of this Standard is to provide manufacturers, designers, regulatory authorities, testing laboratories and similar organizations with uniform minimum requirements for the safety, performance and use of gas appliances.

This Standard should not be regarded as a design specification or instruction manual.

Consideration has been given to —

- (i) continuity of satisfactory operation;
- (ii) the prevention of fire hazards and explosions;
- (iii) the prevention of injury to persons or property;
- (iv) gas rules and regulations now in force; and
- (v) relevant International Standards.

AS/NZS 5601 series of Standards provides essential requirements, performance-based requirements and means of conformance for gas installations. Any reference to AS/NZS 5601 in the AS/NZS 5263 series of Standards should be considered as a reference to the appropriate part of the AS/NZS 5601 series of Standards (i.e. AS/NZS 5601.1 or AS/NZS 5601.2).

The terms “normative” and “informative” are used in Standards to define the application of the appendices to which they apply. A “normative” appendix is an integral part of a Standard, whereas an “informative” appendix is only for information and guidance.

Contents

Preface	ii
Section 1 Scope and general	1
1.1 Scope and application.....	1
1.1.1 Scope.....	1
1.1.2 Application.....	1
1.2 Normative references.....	1
1.3 Terms and definitions.....	2
1.4 Test methods.....	3
Section 2 Design and construction	5
2.1 Scope.....	5
2.2 General design requirements.....	5
2.2.3 Fitting of flame safeguards.....	5
2.2.101 Supports for appliance pipework.....	5
2.2.102 Crankcase gas venting.....	5
2.2.103 Batteries.....	5
2.2.104 Mechanical ventilation failure.....	5
2.2.105 Failure of cooling system.....	5
2.3 Materials.....	5
2.3.5 Components required to be placed in a flame.....	6
2.3.101 Flueway insulation.....	6
2.4 Design for assembly and installation.....	6
2.4.101 Provision of hose assembly.....	6
2.5 Design for maintenance.....	6
2.5.2 Accessibility for replacement.....	6
2.5.7 Viewing of flames.....	7
2.6 Design for operation.....	7
2.6.2 Proving of burner or pilot ignition.....	7
2.6.3 Burner controls.....	7
2.6.4 Primary guards openings.....	7
2.6.5 Touchability of flames.....	7
2.6.6 Air filters.....	7
2.6.101 Guarding against temperature hazards.....	7
2.6.102 Protection against moving parts.....	8
2.6.103 Openings in and around guards.....	8
2.7 Control and safety devices.....	8
2.7.2 Pilot shut off.....	8
2.7.3 Main burner shut off provision.....	8
2.7.4 Programmable electronic systems.....	8
2.7.101 Engine shutdown detection.....	8
2.7.102 Activation of automatic shut off valves.....	8
2.7.103 Controls accessibility.....	9
2.7.104 Engine isolation and stopping device.....	9
2.7.105 Overspeed protection.....	9
2.8 Gas train.....	9
2.8.2 Provision of pressure regulators.....	9
2.8.4 Control of bleed lines.....	9
2.8.5 Main burner automatic shut off valves.....	9
2.8.9 Pilot gas filters.....	9
2.8.14 Classification of safety shut off valves.....	10
2.8.101 Automatic shut off valve requirements.....	10
2.8.102 Protection of appliance gas valve train from vibration.....	10
2.9 Combustion air and flue systems.....	10
2.9.1 Design of air entry and combustion product discharge.....	10
2.9.2 Flue terminal openings.....	10

2.9.3	Flue terminal and draught diverter construction.....	10
2.9.4	Draught diverters	10
2.9.5	Design of flue connection	10
2.9.6	Automatic flue dampers.....	11
2.9.101	Flueway clearances	11
2.9.102	Combustion air inlet and exhaust terminal openings.....	11
2.9.103	Exhaust terminal construction.....	11
2.9.104	Flueing of indoor appliances.....	11
2.10	Fan assisted combustion systems	11
2.11	Burners and ignition systems.....	11
2.12	Components.....	11
2.13	Cylinders and cylinder compartments	11
2.13.4	Separation of cylinder compartment.....	11
2.13.6	Protection from spillover	11
2.14	Markings.....	11
2.14.2	Permanent markings on appliances.....	12
2.14.4	Marking of flash ignition tubes.....	12
2.14.5	Indication of function	12
2.14.10	Identification of injectors.....	13
2.14.12	Label on guard.....	13
2.14.101	Markings on guards.....	13
2.15	Instructions.....	13
2.15.2	Installation.....	13
2.15.3	Operation.....	14
2.15.4	Maintenance	14
Section 3	Preliminary tests — Line gases	16
3.1	General.....	16
3.2	Preparation for testing.....	16
3.2.101	Load for appliance testing.....	16
3.3	Gas leakage.....	16
3.3.101	Unburnt gas release from the engine system	16
3.4	Gas consumption.....	16
3.4.1	Tolerance on determined gas consumption	16
3.4.2	Determined gas consumption of permanent pilots	16
3.5	Gas pressure regulators.....	16
3.6	Ignition and safety shut off systems.....	16
3.6.1	General requirements.....	17
3.6.2	Additional requirements for atmospheric burners with automatic burner ignition systems not based on permanent pilots.....	18
3.6.3	Additional requirements for fan assisted combustion systems with automatic ignition not based on permanent pilots.....	18
3.7	Ignition of draped fabric.....	19
Section 4	Tests under limiting conditions	20
4.1	General.....	20
4.2	CO/CO ₂ ratio limits for any independent surface combustion burner — Underload.....	20
4.3	CO/CO ₂ ratio limits for any independent burner — Overload.....	20
4.4	CO/CO ₂ ratio limits for permanent pilots — Overload.....	20
4.5	Flame characteristics at maximum and minimum limiting conditions.....	20
4.6	Burner ignition at maximum and minimum limiting conditions.....	20
4.7	Delayed ignition at maximum and minimum limiting conditions.....	20
4.8	Reignition at turndown under draught conditions.....	20
4.9	Pilot ignition and stability ignition at maximum and minimum limiting conditions.....	20
4.10	Burner stability when changing setting	20
4.11	Unburnt gas release from burner system.....	20
4.12	Blocked flueway terminal	20
4.13	Case pressure test.....	20
4.14	Effect of opening and closing doors at turndown condition.....	21

4.15	Sooting — Luminous effect appliances	21
4.16	Burner interference at ignition or during combustion	21
4.101	Engine starting at maximum and minimum limiting conditions	21
Section 5	Performance specifications	22
5.1	Combustion air supply	22
5.1.1	Combustion air flow proving	22
5.1.2	Obstruction of air inlets with fan assisted combustion systems	22
5.2	Flue operation	22
5.2.1	Diversion of combustion products	22
5.2.2	Spillage of combustion products	22
5.2.3	Performance with updraught, downdraught and blocked flue	22
5.2.5	Flue gas temperatures	22
5.2.7	Safety shutdown — Combustion product limits	22
5.2.8	Automatic flue damper devices	22
5.3	Condensate	22
5.3.1	Control of flue gas condensate	23
5.4	Temperature hazards	23
5.4.2	Appliance operating conditions	23
5.4.6	Temperature limits — Appliance safety	23
5.4.7	Temperature limits — Protection from contact with the heat source	23
5.5	Heat resistance of appliance	23
5.5.1	Resistance to temperatures	24
5.5.2	Resistance to temperatures — Burner light back	24
5.5.3	Minimum temperature requirements of heat exchangers during warming-up period	24
5.6	Durability	24
5.6.101	Appliance deterioration	24
5.7	Electrical supply variation or failure	24
5.7.1	Response to electrical supply variation or failure	24
5.8	Appliance operation under linting conditions	24
5.9	Rain test for outdoor and room sealed appliances	24
5.10	Operation under windy conditions	24
5.11	Strength and stability	25
5.11.2	Strength of flue connection	25
5.11.7	Attachment of primary guard	25
5.11.8	Strength of primary guard incorporating glass or similar material(s)	25
5.11.101	Explosion resistance for flueway	25
5.11.102	Attachment of guards	25
5.11.103	Strength of guards incorporating glass	25
5.13	Vitiation and emissions	26
5.13.101	Carbon monoxide emissions	26
5.101	Noise of operation	26
5.102	Spit back	26
5.103	Battery compartment	26
Appendix AA	(normative) Location of flue terminals — Figure AA.1 and Table AA.1	27
Appendix ZA	(normative) Preliminary test methods	30
Appendix ZB	(normative) Limiting conditions test methods	38
Appendix ZC	(normative) Performance test methods	40
Bibliography		59

Australian/New Zealand Standard

Gas appliances

Part 1.11: Small gas engine driven appliances

Section 1 Scope and general

1.1 Scope and application

1.1.1 Scope

This Standard provides specific requirements and test methods for an appliance for fixed installation comprising a naturally aspirated gas fuelled spark ignition reciprocating internal combustion engine with energy input not exceeding 1000 MJ/h, powering one of the following:

- (a) Air conditioner.
- (b) Heat pump.
- (c) Electricity generator.
- (d) Gas compressor.

For Australia, the fuel gases are natural gas (as described by AS 4564), liquefied petroleum gas (LP Gas), as described by AS 4670 and simulated natural gas (SNG).

For New Zealand —

- (i) The fuel gases are natural gas (as specified in NZS 5442) and general product liquefied petroleum gas (NZLPG) (as specified in NZS 5435).
- (ii) The thermal efficiency requirements are informative only, except where they relate to safety.

[Appendix AA](#) provides a figure and table referenced in this Standard that are in addition to those in AS/NZS 5263.0.

Test methods are set out in [Appendices ZA, ZB and ZC](#) (see [Clause 1.4](#)).

NOTE Other statutory or regulatory requirements may be applicable to a product that falls within the scope of this Standard. It is the responsibility of the manufacturer, importer or distributor (as appropriate) to ensure that products comply with such requirements.

1.1.2 Application

This Standard is complementary to, and is intended to be used in conjunction with, AS/NZS 5263.0. The requirements given herein shall take precedence over corresponding requirements in that Standard.

AS 3645 specifies essential requirements for gas equipment that requires regulatory approval before sale. This Standard, together with AS/NZS 5263.0, is intended to provide a means of demonstrating conformance to AS 3645.

1.2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document.

NOTE Documents for informative purposes are listed in the Bibliography.

AS 1375, *Industrial fuel-fired appliances*