

AS/NZS 5263.1.8:2021



Australian/New Zealand Standard™

# Gas appliances

Part 1.8: Decorative effect gas appliances



AS/NZS 5263.1.8:2021

This Joint Australian/New Zealand Standard™ was prepared by Joint Technical Committee AG-001, Gas Appliances. It was approved on behalf of the Council of Standards Australia on 19 January 2021 and by the New Zealand Standards Approval Board on 16 December 2020.

This Standard was published on 5 February 2021.

The following are represented on Committee AG-001:

- Association of Accredited Certification Bodies
- Australian Industry Group
- Better Regulation Division — (NSW Fair Trading, SafeWork NSW, TestSafe NSW)
- Consumer Electronics Suppliers Association
- Consumers Federation of Australia
- Energy Networks Australia
- Gas Appliance Manufacturers Association of Australia
- Gas Association of New Zealand
- Gas Energy Australia
- Gas Technical Regulators Committee
- Gas Utilisation Institute, New Zealand
- Joint Accreditation System of Australia and New Zealand
- The Australian Gas Association
- WorkSafe New Zealand — Energy Safety

This Standard was issued in draft form for comment as DR AS/NZS 5263.1.8:2020.

### **Keeping Standards up-to-date**

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

[www.standards.org.au](http://www.standards.org.au)

[www.standards.govt.nz](http://www.standards.govt.nz)

ISBN 978 1 76113 191 2

Australian/New Zealand Standard™

# Gas appliances

## Part 1.8: Decorative effect gas appliances

Originated in Australia as AG 108—1975.  
Originated in New Zealand as NZS AS 4558(Int):2013.  
Previous edition AS/NZS 5263.1.8:2016.  
Second edition 2021.

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2021

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

## Preface

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee AG-001, Gas Appliances, to supersede AS/NZS 5263.1.8:2016, *Gas appliances, Part 1.8: Decorative effect gas appliances*.

This Standard provides particular requirements for Type 1 and Type 2 decorative effect gas appliances that apply in addition to or in place of the general requirements for gas appliances set out in AS/NZS 5263.0, *Gas appliances, Part 0: General requirements*. The combination of AS/NZS 5263.1.8 (this Standard) and AS/NZS 5263.0 supersedes the combination of AS/NZS 5263.1.8:2016 and AS 5263.0—2013.

This Part 1.8 of AS/NZS 5263, supplements or modifies the corresponding clauses of Part 0. The numbering of clauses in this Part 1.8 is consistent with the numbering in Part 0 for related requirements.

Statements used in this Part 1.8 to explain the relationship of clauses in this Standard to the corresponding clauses in Part 0 are as follows:

- (a) “This Clause of AS/NZS 5263.0 applies”, in which case the corresponding clause of Part 0 and its subclauses are used without modification.
- (b) “This Clause of AS/NZS 5263.0 applies, except as modified below”, in which case the corresponding clause of Part 0 and its subclauses are used but with the modifications, as listed in this document.
- (c) “Not applicable”, in which case the corresponding clause of Part 0 is not used in this context.

Otherwise the text in this Standard replaces the corresponding clause of Part 0.

Any clauses in this Standard that are additional to the requirements of Part 0 are numbered beginning from 101 (except for additional definitions, which begin from 201). Additional appendices in this Part 1.8 are designated with a letter starting from AA, or numbered beginning from 101 (e.g. ZA.101).

Where an appendix or part of an appendix (i.e. clause, figure or table) is cited in this Standard, reference should first be made to Part 0 for the content of the appendix, which may be modified by this Part 1.8.

This Standard (AS/NZS 5263.1.8), together with the Standard AS/NZS 5263.0 (Part 0), constitute a means of conformance to AS 3645, *Essential requirements for gas equipment*, for decorative effect gas appliances.

The objective of this Standard is to provide manufacturers, designers, regulatory authorities, conformity assessment bodies and similar organizations with uniform minimum requirements for the safety, performance and use of gas appliances.

This Standard should not be regarded as a design specification or as an instruction manual.

Consideration has been given to —

- (i) continuity of satisfactory operation;
- (ii) the prevention of fire hazards, and explosions;
- (iii) the prevention of injury to persons or property;
- (iv) gas rules and regulations now in force; and
- (v) relevant International Standards.

AS/NZS 5601 series of Standards provides essential requirements and means of conformance for gas installations. Any reference to “AS/NZS 5601” in AS/NZS 5263 series of Standards should be considered as reference to the appropriate part of AS/NZS 5601 series of Standards (i.e. AS/NZS 5601.1 or AS/NZS 5601.2).

The terms “normative” and “informative” are used in Standards to define the application of the appendix to which they apply. A “normative” appendix is an integral part of a Standard, whereas an “informative” appendix is only for information and guidance.

# Contents

<b>Preface</b> .....	<b>ii</b>
<b>Section 1 Scope and general</b> .....	<b>1</b>
1.1 Scope.....	1
1.1.2 Application.....	1
1.2 Normative references.....	1
1.3 Terms and definitions.....	1
1.4 Test methods.....	2
<b>Section 2 Design and construction</b> .....	<b>4</b>
2.1 Scope.....	4
2.2 General design requirements.....	4
2.2.13 Design of appliance base.....	4
2.2.14 Provision for moving appliances.....	4
2.2.101 Fuel storage container.....	4
2.2.102 Surface finish of primary guard.....	4
2.3 Materials.....	4
2.4 Design for assembly and installation.....	4
2.4.101 Assembly or kit for Type 1 appliances.....	4
2.5 Design for maintenance.....	4
2.6 Design for operation.....	4
2.7 Controls and safety devices.....	4
2.7.101 CO safety system for Type 1 appliances.....	4
2.7.102 Safety controls for exposed burners.....	5
2.8 Gas train.....	5
2.9 Combustion air and flue systems.....	5
2.9.4 Draught diverters.....	5
2.9.5 Design of flue connection.....	5
2.9.101 Circulating air system.....	5
2.9.102 Flue cowls.....	5
2.10 Fan assisted combustion systems.....	6
2.11 Burners and ignition systems.....	6
2.12 Components.....	6
2.13 Cylinders and cylinder compartments.....	6
2.14 Markings.....	6
2.14.2 Permanent markings on appliances.....	6
2.14.14 Markings on packaging.....	6
2.14.101 Appliances not protected by primary guards.....	6
2.15 Instructions.....	7
2.15.2 Installation.....	7
2.15.3 Operation.....	8
<b>Section 3 Preliminary tests — Line gases</b> .....	<b>9</b>
3.1 General.....	9
3.2 Preparation for testing.....	9
3.2.101 Setting up Type 1 appliances.....	9
3.2.102 Setting up Type 2 appliances.....	9
3.3 Gas leakage.....	9
3.4 Gas consumption.....	9
3.5 Gas pressure regulators.....	9
3.6 Ignition and safety shut off systems.....	9
3.7 Ignition of draped fabric.....	9
<b>Section 4 Tests under limiting conditions</b> .....	<b>10</b>
4.1 General.....	10
4.2 CO/CO <sub>2</sub> ratio limits for any independent surface combustion burner — Underload.....	10
4.3 CO/CO <sub>2</sub> ratio limits for any independent burner — Overload.....	10

4.4	CO/CO <sub>2</sub> ratio limits for permanent pilots — Overload.....	10
4.5	Flame characteristics at maximum and minimum limiting conditions.....	10
4.6	Burner ignition at maximum and minimum limiting conditions.....	10
4.7	Delayed ignition at maximum and minimum limiting conditions.....	10
4.8	Reignition at turndown under draught conditions.....	10
4.9	Pilot ignition and stability at maximum and minimum limiting conditions.....	10
4.10	Burner stability when changing setting.....	10
4.11	Unburnt gas release from burner system.....	10
4.12	Blocked flueway terminal.....	10
4.13	Case pressure test.....	10
4.14	Effect of opening and closing doors at turndown condition.....	11
4.15	Sooting — Luminous effect appliances.....	11
4.16	Burner interference at ignition or during combustion.....	11
<b>Section 5</b>	<b>Performance specifications.....</b>	<b>12</b>
5.1	Combustion air supply.....	12
5.2	Flue operation.....	12
5.2.1	Diversion of combustion products.....	12
5.2.2	Spillage of combustion products.....	12
5.2.2.101	Type 1 appliances — Spillage of combustion products.....	12
5.2.3	Performance with updraught, downdraught and blocked flue.....	12
5.2.5	Flue gas temperatures.....	13
5.2.7	Safety shutdown — Combustion products limits.....	13
5.3	Condensate.....	13
5.4	Temperature hazards.....	14
5.4.2	Appliance operating conditions.....	14
5.4.7	Temperature limits — Protection from contact with the heat source.....	14
5.5	Heat resistance of appliance.....	14
5.5.1	Resistance to temperatures.....	14
5.6	Durability.....	14
5.7	Electrical supply variation or failure.....	14
5.8	Appliance operation under linting conditions.....	14
5.9	Rain test for outdoor and room sealed appliances.....	15
5.10	Operation under windy conditions.....	15
5.10.4	Open flued appliances.....	15
5.11	Strength and stability.....	15
5.12	Thermal efficiency (Australia only).....	15
5.13	Vitiation and emissions.....	15
5.13.4	CO/CO <sub>2</sub> ratio at the manufacturer's nominal test point pressure.....	15
5.13.101	Operation of CO safety system.....	15
5.13.102	Emissions with CO safety system inoperative.....	15
<b>Appendix ZA</b>	<b>(normative) Preliminary test methods.....</b>	<b>16</b>
<b>Appendix ZB</b>	<b>(normative) Limiting conditions test methods.....</b>	<b>17</b>
<b>Appendix ZC</b>	<b>(normative) Performance test methods.....</b>	<b>19</b>
<b>Bibliography</b>	<b>.....</b>	<b>27</b>

## NOTES

# Australian/New Zealand Standard

## Gas appliances

### Part 1.8: Decorative effect gas appliances

#### Section 1 Scope and general

##### 1.1 Scope

This Standard provides specific requirements and test methods for Type 1 and Type 2 decorative effect gas appliances with natural draught or fan assisted combustion systems, with an energy input not exceeding 72 MJ/h.

For Australia, the fuel gases are natural gas (as described by AS 4564), town gas, liquefied petroleum gas (LP Gas, as described by AS 4670), simulated natural gas (SNG) and tempered liquefied petroleum gas (TLP).

For New Zealand, the fuel gases are natural gas (as specified in NZS 5442) and general product liquefied petroleum gas (NZLPG) (as specified in NZS 5435).

NOTE 1 Space heating appliances are not covered by this Standard but are covered by the requirements of AS/NZS 5263.1.3.

NOTE 2 Indoor flueless appliances are not covered by this Standard.

NOTE 3 Appliances falling within the scope of AS 2658 are not covered by this Standard.

NOTE 4 Other statutory or regulatory requirements may be applicable to a product that falls within the scope of this Standard. It is the responsibility of the manufacturer, importer or distributor (as appropriate) to ensure that products conform to such requirements.

Test methods are set out in [Appendices ZA, ZB and ZC](#) (see [Clause 1.4](#)).

##### 1.1.2 Application

This Standard is complementary to, and is intended to be used in conjunction with AS/NZS 5263.0. The requirements given herein shall take precedence over corresponding requirements in that Standard.

AS 3645 specifies essential requirements for gas equipment that requires regulatory approval before sale. This Standard, together with AS/NZS 5263.0, is intended to provide a means of demonstrating conformance to AS 3645.

##### 1.2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document.

NOTE Documents for informative purposes are listed in the Bibliography.

AS 4566, *Flue cowls — Gas appliances*

AS 4567, *Twin wall metal flues — Gas appliances*

AS/NZS 5263.0, *Gas appliances, Part 0: General requirements*

##### 1.3 Terms and definitions

For the purposes of this Standard the terms and definitions given in AS/NZS 5263.0 and the following apply: