

# IPC-2591-Version 1.3

2021 - February

## Connected Factory Exchange (CFX)

*An international standard developed by IPC*



BUILD ELECTRONICS BETTER



Standard

---

**The Principles of Standardization**

In May 1995 the IPC's Technical Activities Executive Committee (TAEC) adopted Principles of Standardization as a guiding principle of IPC's standardization efforts.

**Standards Should:**

- Show relationship to Design for Manufacturability (DFM) and Design for the Environment (DFE)
- Minimize time to market
- Contain simple (simplified) language
- Just include spec information
- Focus on end product performance
- Include a feedback system on use and problems for future improvement

**Standards Should Not:**

- Inhibit innovation
- Increase time-to-market
- Keep people out
- Increase cycle time
- Tell you how to make something
- Contain anything that cannot be defended with data

**Notice**

IPC Standards and Publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need. Existence of such Standards and Publications shall not in any respect preclude any member or nonmember of IPC from manufacturing or selling products not conforming to such Standards and Publication, nor shall the existence of such Standards and Publications preclude their voluntary use by those other than IPC members, whether the standard is to be used either domestically or internationally.

Recommended Standards and Publications are adopted by IPC without regard to whether their adoption may involve patents on articles, materials, or processes. By such action, IPC does not assume any liability to any patent owner, nor do they assume any obligation whatever to parties adopting the Recommended Standard or Publication. Users are also wholly responsible for protecting themselves against all claims of liabilities for patent infringement.

**IPC Position Statement on Specification Revision Change**

It is the position of IPC's Technical Activities Executive Committee that the use and implementation of IPC publications is voluntary and is part of a relationship entered into by customer and supplier. When an IPC publication is updated and a new revision is published, it is the opinion of the TAEC that the use of the new revision as part of an existing relationship is not automatic unless required by the contract. The TAEC recommends the use of the latest revision. Adopted October 6, 1998

**Why is there a charge for this document?**

Your purchase of this document contributes to the ongoing development of new and updated industry standards and publications. Standards allow manufacturers, customers, and suppliers to understand one another better. Standards allow manufacturers greater efficiencies when they can set up their processes to meet industry standards, allowing them to offer their customers lower costs.

IPC spends hundreds of thousands of dollars annually to support IPC's volunteers in the standards and publications development process. There are many rounds of drafts sent out for review and the committees spend hundreds of hours in review and development. IPC's staff attends and participates in committee activities, typesets and circulates document drafts, and follows all necessary procedures to qualify for ANSI approval.

IPC's membership dues have been kept low to allow as many companies as possible to participate. Therefore, the standards and publications revenue is necessary to complement dues revenue. The price schedule offers a 50% discount to IPC members. If your company buys IPC standards and publications, why not take advantage of this and the many other benefits of IPC membership as well? For more information on membership in IPC, please visit [www.ipc.org](http://www.ipc.org) or call 847/597-2809.

Thank you for your continued support.



IPC-2591-Version 1.3

# Connected Factory Exchange (CFX)

Developed by the Connected Factory Initiative Subcommittee (2-17) and the Connected Factory Initiative Subcommittee – China (2-17CN) of the Electronic Product Data Description Committee (2-10) of IPC

***Supersedes:***

IPC-2591-Version 1.2 -

September 2020

IPC-2591-Version 1.1 -

January 2020

IPC-2591 - March 2019

Users of this publication are encouraged to participate in the development of future revisions.

**Contact:**

IPC

3000 Lakeside Drive, Suite 105N

Bannockburn, Illinois

60015-1249

Tel 847 615.7100

Fax 847 615.7105

This Page Intentionally Left Blank

## Acknowledgment

Any document involving a complex technology draws material from a vast number of sources across many continents. While the principal members of the Connected Factory Initiative Subcommittee (2-17) and the Connected Factory Initiative Subcommittee – China (2-17CN) of the Electronic Product Data Description Committee (2-10) are shown below, it is not possible to include all of those who assisted in the evolution of this standard. To each of them, the members of IPC extend their gratitude.

---

### Electronic Product Data Description Committee

Chair  
Michael Ford  
Aegis Software

### Connected Factory Initiative Subcommittee

Co-Chairs  
Jason Spera  
Aegis Software  
  
Marc Peo  
Heller Industries Inc.

### Connected Factory Initiative Subcommittee – China

Chair  
Huang Chunguang  
Shenzhen Dianchao Technology Co., Ltd.

### Technical Liaison of the IPC Board of Directors

Bob Neves  
Microtek (Changzhou) Laboratories

---

### Connected Factory Initiative Subcommittee / Connected Factory Initiative Subcommittee – China

David Adams, Collins Aerospace  
Michael Adamson, Inovaxe Corporation  
Marybeth Allen, KIC  
Christopher Almeras, Raytheon Company  
Alisha Amar, Lockheed Martin Space Systems Company  
Paul Austen, ECD  
Ifeanyi Azolibe, SigmaPoint Technologies Inc.  
Martin Baar, Mycronic AB  
Jimmy Baccam, Lockheed Martin Missiles & Fire Control  
Jaeyoung Bae, Yamaha Motor Europe N.V.  
Jun Balangue, Keysight Technologies  
B. Balasaravanan, Nutek Private Limited  
Kent Balius, TTM Technologies  
HyunJin Bang, Samsung/Hanwha  
Ian Barnes, TE Connectivity  
Albrecht Beck, Kurtz Ersas, Inc.  
Jennifer Bennett, IBM Corporation  
Tom Bergeron, KIC  
Henk Biemans, MEK Europe BV  
Mike Bixenman, Kyzen Corporation  
Ruffin Blackard, CBH Solutions, LLC

Tom Blaszczyk, Celestica  
Steve Blouin, SigmaPoint Technologies Inc.  
Sarah Boctor-Vauvert, Digitaltest GmbH  
Jean-Marc Bouchard, SigmaPoint Technologies Inc.  
Kurt Braganza, Celestica  
James Brand, Innovative Creations Ltd  
Tim Burke, Arch Systems  
Claudio Cantone, High Technology Systems HTS srl  
Bill Cardoso, Creative Electron, Inc.  
Michael Ceraso, The University of New Orleans  
Ranjan Chatterjee, PDF Solutions  
GuangJun Che, Xi'an Aerospace Precision Electromechanical Institute  
Zhiman Chen, ZHUZHOU CRRC TIMES ELECTRIC CO., LTD.  
Xiaojuan Chen, Quick Intelligent Equipment Co., Ltd.  
Peter Chiang, MSI Computer (Shenzhen) Co., Ltd.  
Jacky Chien, Lite-ON Technology Corporation  
Huang Chunguang, Shenzhen Dianchao Technology Co., Ltd.

Sean Clancy, HZO Inc  
Chris Clapper, Imperative Solutions, LLC  
Thomas Cleere, BAE Systems  
Marie Cole, IBM Corporation  
Michael Collier, Teledyne Leeman Labs  
Rolando Corrales, Continental Automotive Nogales S.A. de C.V.  
Polichronis Coutsos, Rheinmetall Air Defence AG  
Dylan Cramer, CTI Systems  
Luke Cranford, CTI Systems  
Jean-Francois Cucarro, VI Technology  
Nick Dajda, Nordson DAGE X-ray Systems  
Blake Davis, Northrop Grumman Innovation Systems  
James Davison, Celestica  
Radu Diaconescu, Swissmic  
Marvin Duarte, L3Harris  
Michael Durkan, Mentor Graphics Corporation  
Zac Elliott, Mentor Graphics  
Jesus Espinosa, Continental Automotive Nogales S.A. de C.V.  
David Fenton, Europlacer Ltd.

Brent Fischthal, Koh Young Technology	Naim Kapadia, The Manufacturing Technology Centre	Markus Mittermair, Rehm Thermal Systems GmbH
Ron Folkeringa, Nortech Systems Inc.	Wes Karpiak, Celestica	James Monarchio, TTM Technologies
Michael Ford, Aegis Software	Ryoji Kashiwagi, Saki Corporation	Miles Moreau, KIC
Thomas Forsythe, Kyzen Corporation	Noriyuki Kato, Omron Manufacturing, Netherlands	Enrique Moreno, JBC Soldering, S.L.
Alexis Fouquet, Europlacer	Eyal Kaufman, QualityLine Production Technologies, Ltd	Nathan Morgan, The Ohio State University
Nicolas Francheteau, Europlacer	Jason Keeping, Celestica	N. Nagaraj, Papros, Inc.
Symon Franklin, Custom Interconnect Ltd	Hee Ken, ViTrox Technologies Sdn. Bhd.	Arne Neiser, SEHO Systems GmbH
Sarah Friscano, L3Harris Communications	Somphoon Kerdthong, Celestica (Thailand) Limited	Jarda Neuhauser, SAKI EUROPE
Bobby Glidwell, Kyzen Corporation	Andre Khachatourians, FTG Circuits, Inc.	Hoa Nguyen, OK International
Stephen Golemme, Google Inc.	Leon Kim, YJ Link	Kazunori Nishihara, Toyota Motor Corporation
Rafael Gomez, Bright Machines	Michael Kimpton, Fuji America Corporation	Ron Nowak, Lockheed Martin Mission Systems & Training
Constantino Gonzalez, ACME Training & Consulting	Eduard Kirstgen, ASYS Automatisierungssysteme GmbH	Jurgen Nunner, SMT Maschinen und Vertriebs GmbH & Co. KG
Josh Goolsby, Lockheed Martin Missiles & Fire Control	Yusaku Kono, Japan Unix Co., Ltd.	John O'Connor, TTM Technologies, Inc.
Jay Gorajia, Siemens Digital Industries Software	Marilyn Krause, Viscom AG	Mark Ogden, ASM Assembly Systems
David Graham, 4IR.UK British Systems	Rainer Krauss, ERSA GmbH	Pat Ortiz, FlexLink Systems, Inc.
Michele Gray, Aegis Software	Michelle Lam, IBM Corporation	Brad Osatiuk, TTM Technologies
Ernie Grice, Kurtz Ersas, Inc.	Kyle Latham, Lockheed Martin Corporation	Gerry Padnos, Juki Automation Systems, Inc.
Curtis Grosskopf, IBM Corporation	Lucus Lau, Aegis Software	HyungGun Park, Hanwha
Xiaoman Guo, Swissmic	Andrew Leslie, BAE Systems	Marc Peo, Heller Industries Inc.
Ryan Hamm, Precision Valve & Automation, Inc.	Vincent Levannier, SYNEO, LLC	Peter Pecz, Haris Digital Engineering Ltd
Rainer Heining, Continental Automotive GmbH	Tian Chiok Lian, Keysight Technologies	Sylvain Perron, Cogiscan Inc.
Jeff Hempton, BAE Systems Platform Solutions	Terry Liu, Shanghai Yo-i Information Technology Co., Ltd.	Petko Petkov, Tempo Automation
Happy Holden, Holden Consulting-Gentex	Michael Lo, Foxconn	Colas Peyrelier, LACROIX Electronics
Niklas Holmstrand, Mycronic AB	Wilson Loh, CyberOptics	Tony Picciola, Fuji America Corporation
Khoo Hua, ViTrox Technologies Sdn. Bhd.	Todd MacFadden, Bose Park Place Manufacturing	Mussie Pietros, GE Lighting
Robert Hudjakov, IPTE Automation OU	Thomas Marktscheffel, ASM (Assembly Systems) GmbH & Co. KG	Bob Potysman, ATRON Group LLC
Kanishka Huzurudin, ASYS Automatisierungssysteme GmbH	Laura Martin, Lockheed Martin Missile & Fire Control	Ray Prasad, Ray Prasad Consultancy Group
Jennie Hwang, H-Technologies Group	Karen McConnell, Northrop Grumman Corporation	Frank Pruefer, iTAC Software AG
Rafael Ibarra, Continental Automotive Nogaes S.A. de C.V.	Kevin McGowan, iNEMI - International Electronics	Manvir Raulji, Universal Instruments Corporation
Kazuhiko Inoue, Juki Corporation	Mark McMeen, STI Electronics, Inc.	Bob Reback, PDF Solutions
Tomek Jasinski, MEK Europe BV	Zohair Mehkri, Flextronics International	Henry Rekers, Schneider Electric
Both Joerg, Cogiscan Inc.	Robert Miklosey, Aegis Software	Florian Ritter, ASYS Automatisierungssysteme GmbH
Kalmer Kand, Enics Eesti AS		Charles Robinson, Teradyne Inc.
		Lars Rosenboom, Viscom AG
		Todd Rountree, Austin American Technology

---

Hakan Sandell, Mycronic AB	Liu Suzhong, Shenzhen Hengzhiyuan Technology Corporation Ltd	Raymond Whittier, BAE Systems
Helene Schloter, ERSA GmbH	Raj Takhar, Assent Compliance Inc.	Christopher Wilson, Tempo Automation
Neaven Seo, Keysight Technologies	Zeng Tao, Quick Intelligent Equipment Co., Ltd.	Christoph Wimmer, Microscan Systems Inc.
Chris Shaw, Fujitsu Network Communications	Bill Thomas, Aegis Software	Danny Woodlief, South-Tek Systems, LLC
Cameron Shearon, Raytheon Company	Dror Trifon, Heller Industries Inc.	Shengtang Wu, Hayawin Electronic Technology Co., Ltd
Tyler Siebert, Lockheed Martin Missiles & Fire Control	Marco Van Oosterhout, Kulicke & Soffa Netherlands B.V.	ZongSheng Xie, Xi'an Aerospace Precision Electromechanical Institute
Carl Silkey, ITW EAE	Torsten Vegelahn, ASYS Automatisierungssysteme GmbH	Robert Yebra, Test Research Inc.
Liang Sime Ong, FlexLink Engineering Sdn Bhd	Richard Vereijssen, Yamaha Motor Europe N.V.	Wee-Sheng Yong, Keysight Technologies
Daniel Siran, Aster Technologies	John Walls, Aegis Software	Edward Zamborsky, OK International
Simon Smith, Pillarhouse International, Ltd.	Mark Waterman, ECD	Ben Zhai, Swissmic
Tiffany Sobczak, Aegis Software	Jarrod Webb, Lockheed Martin Missiles & Fire Control	Jack Zhu, Veoneer China CO., LTD
Jason Spera, Aegis Software	Alan Weber, PDF Solutions	
Chris Stuber, American Hakko Products Inc.	Siew-Siew Wee, Keysight Technologies	

---

### Special Recognition

IPC recognizes the following group of people who showed exceptional leadership and effort in the development of IPC-2591, Version 1.3. Their efforts accelerated the process of publishing this much needed revision.

Tim Burke, Arch Systems	Thomas Marktscheffel, ASM Assembly Systems	Simon Smith, Pillarhouse International, Ltd.
Michael Ford, Aegis Software	Frank Pruefer, iTAC Software AG	John Walls, Aegis Software
Alexis Fouquet, Europlacer		
Michael Kimpton, Fuji America Corporation		

This Page Intentionally Left Blank

# Table of Contents

<b>1</b>	<b>SCOPE</b>	1	<b>2.3</b>	International Organization for Standardization (ISO)	4
1.1	Purpose	1	<b>2.4</b>	SEMI	4
1.2	Application of This Standard	1	<b>3</b>	<b>GENERAL REQUIREMENTS</b>	5
1.3	CFX and the Hermes Standard	1	3.1	Guidance on the Use of This Standard	5
1.4	Updates to This Standard	1	3.1.1	Technical Reference	5
1.5	Definition of Requirements	2	3.1.2	Application Reference	5
1.6	Order of Precedence	2	3.2	Users of CFX	5
1.6.1	Conflict	2	3.2.1	Automated Assembly Processes	5
1.6.2	Clause References	2	3.2.2	In-House Manufacturing Solution Development	5
1.7	Measurement Units	2	3.2.3	MES Software Solutions	5
1.8	Acronyms	2	3.3	Software Development Environment	5
1.9	Terms and Definitions	2	3.4	CFX Support Declaration	5
1.9.1	Activity	2	<b>4</b>	<b>CFX STRUCTURAL OVERVIEW</b>	6
1.9.2	Component	3	4.1	Primary Transport Layer: AMQP v1.0	6
1.9.3	Dashboard	3	4.1.1	CFX Message Channels	6
1.9.4	Data Integrity	3	4.1.2	Channel Configuration	7
1.9.5	Endpoint	3	4.1.3	CFX Message Types	7
1.9.6	Factory Resource	3	4.1.4	CFX Compression	7
1.9.7	Lane	3	4.1.5	CFX – AMQP Message Properties	7
1.9.8	Lock	3	4.2	Encoding: JSON	8
1.9.9	Material Carrier	3	4.2.1	JSON Data Types	8
1.9.10	Material Chain	3	4.3	CFX-Defined Content	9
1.9.11	Material Location	3	4.4	CFX Key Parameters	9
1.9.12	Material Package	3	4.4.1	Endpoint Identification (CFX Handle)	9
1.9.13	Material Traceability	3	4.4.2	TransactionID	9
1.9.14	Materials	3	4.5	CFX Message Envelope	9
1.9.15	Operator	3	4.6	Operator Information	10
1.9.16	Process Endpoint (Station)	3	4.7	CFX Endpoint Configuration	10
1.9.17	Production Unit	3	4.7.1	Specific CFX Endpoint Configuration Addresses	11
1.9.18	Recipe	3	<b>5</b>	<b>CFX OPERATIONAL MODELING</b>	11
1.9.19	Root	4	5.1	Equipment State Model	11
1.9.20	Setup	4	5.2	Station Fault Event Model	14
1.9.21	State (Production State)	4	5.3	Production Unit Architecture	14
1.9.22	Station (Process Endpoint)	4	5.4	Production Station Process Model	16
1.9.23	Stage	4	<b>6</b>	<b>CFX TOPICS AND DYNAMIC STRUCTURES</b>	16
1.9.24	Subassembly	4	6.1	Hierarchy of CFX Topics	17
1.9.25	Symptom	4	6.1.1	CFX Topic Support Declaration	18
1.9.26	Tool	4	6.2	CFX Message Names	18
1.9.27	Transactional Endpoint	4	6.3	CFX Structures	18
<b>2</b>	<b>APPLICABLE DOCUMENTS</b>	4			
2.1	IPC	4			
2.2	ECMA International	4			

6.4	CFX Dynamic Structures .....	18	7.5.4	CFX.Production.LoadingAndUnloading (Level 2) .....	32
6.5	CFX Messaging Requirements by Equipment Type .....	18	7.5.5	CFX.Production.Processing (Level 2) .....	32
<b>7</b>	<b>CFX MESSAGES .....</b>	<b>26</b>	7.5.6	CFX.Production.TestAndInspection (Level 2) .....	32
7.1	Root Level Messages .....	26	7.6	CFX.ResourcePerformance (Level 1) .....	33
7.2	CFX.InformationSystem (Level 1) .....	26	7.6.1	CFX.ResourcePerformance.PressInsertion (Level 2) .....	33
7.2.1	CFX.InformationSystem.Production Scheduling (Level 2) .....	26	7.6.2	CFX.ResourcePerformance.SMTPlacement (Level 2) .....	34
7.2.2	CFX.InformationSystem.UnitValidation (Level 2) .....	26	7.6.3	CFX.ResourcePerformance.SolderPaste Printing (Level 2) .....	34
7.2.3	CFX.InformationSystemWorkOrder Management (Level 2) .....	27	7.6.4	CFX.ResourcePerformance.THTPlacement (Level 2) .....	34
7.3	CFX.Maintenance (Level 1) .....	27	7.7	CFX.Sensor (Level 1) .....	34
7.4	CFX.Materials (Level 1) .....	28	7.7.1	CFX.Sensor.Identification (Level 2) .....	34
7.4.1	CFX.Materials.Management (Level 2) .....	28	7.8	CFX Message Flow .....	35
7.4.2	CFX.Materials.Storage (Level 2) .....	29	7.8.1	Production Endpoint (Station) Connection .....	35
7.4.3	CFX.Materials.Transport (Level 2) .....	29	7.8.2	Station State Transition .....	36
7.5	CFX.Production (Level 1) .....	30	7.8.3	Station Processing .....	37
7.5.1	CFX.Production.Application (Level 2) .....	31	<b>8</b>	<b>CFX TECHNICAL REFERENCE .....</b>	<b>38</b>
7.5.2	CFX.Production.Assembly (Level 2) .....	31	<b>APPENDIX A</b>	<b>Version Updates .....</b>	<b>39</b>
7.5.3	CFX.Production.Hermes (Level 2) .....	31	<b>APPENDIX B</b>	<b>Acronyms and Abbreviations .....</b>	<b>44</b>

<b>Figures</b>			
Figure 1-1	Version Change Tracking Example .....	2	
Figure 4-1	CFX Channels Between Endpoints .....	7	
Figure 4-2	The CFX TransactionID .....	9	
Figure 5-1	SEMI E10 Equipment State Model .....	12	
Figure 5-2	Examples of Groupings of Production Units ...	15	
Figure 5-3	Panelized Printed Board .....	16	
Figure 5-4	CFX Unit Locations Identified on Multiple-Board Panel .....	16	
Figure 5-5	CFX Production Station Process Model .....	16	
Figure 7-1	CFX Station Connection Example Message Flow .....	35	
Figure 7-2	CFX Station State Transition Example Message Flow .....	36	
Figure 7-3	CFX Station Processing Example Message Flow .....	37	
<b>Tables</b>			
Table 4-1	Types of CFX Messages .....	8	
Table 4-2	CFX – AMQP Message Properties .....	8	
Table 4-3	CFX Message Envelope .....	10	
Table 5-1	Station Event Fault Model .....	14	
Table 6-1	CFX Capability Requirements by Equipment Type .....	19	
Table 6-2	Required Messages by Capability .....	21	
Table 7-1	CFX.Root Messages .....	26	
Table 7-2	CFX.InformationSystem.Production Scheduling Messages .....	26	
Table 7-3	CFX.InformationSystem.UnitValidation Messages .....	26	
Table 7-4	CFX.InformationSystem.WorkOrder Management Messages .....	27	
Table 7-5	CFX.Maintenance Messages .....	27	
Table 7-6	CFX.Materials.Management Messages .....	28	
Table 7-7	CFX.Materials.Management.MSD Management Messages .....	28	
Table 7-8	CFX.Materials.Storage Messages .....	29	
Table 7-9	CFX.Materials.Transport Messages .....	29	
Table 7-10	CFX.Production Messages .....	30	
Table 7-11	CFX.Production.Application Messages .....	31	
Table 7-12	CFX.Production.Assembly Messages .....	31	
Table 7-13	CFX.Production.Assembly.PressInsertion Messages .....	31	
Table 7-14	CFX.Production.Hermes Messages .....	31	
Table 7-15	CFX.Production.LoadingAndUnloading Messages .....	32	
Table 7-16	CFX.Production.Processing Messages .....	32	
Table 7-17	CFX.Production.TestAndInspection Messages .....	32	
Table 7-18	CFX.ResourcePerformance Messages .....	33	
Table 7-19	CFX.ResourcePerformance.PressInsertion Messages .....	33	
Table 7-20	CFX.ResourcePerformance.SMTPlacement Messages .....	34	
Table 7-21	CFX.ResourcePerformance.SolderPaste Printing Messages .....	34	
Table 7-22	CFX.ResourcePerformance.THTPlacement Messages .....	34	
Table 7-23	CFX.Sensor.Identification Messages .....	34	

This Page Intentionally Left Blank

---

# Connected Factory Exchange (IPC-CFX)

---

## 1 SCOPE

This standard establishes the requirements for the omnidirectional exchange of information between manufacturing processes and associated host systems for assembly manufacturing. This standard applies to communication between all executable processes in the manufacture of printed board assemblies – automated, semiautomated and manual – and is applicable to related mechanical assembly and transactional processes.

**1.1 Purpose** With the growth and acceptance of digital modeling and practices in manufacturing, the lack of a holistic Industrial Internet of Things (IIoT) standard for the transfer of information between machines, systems and processes has become a severe limitation to the growth of digitization and computerization in the electronics manufacturing industry, inhibiting technology innovations such as Industry 4.0 and Smart Factories being available to all companies in the industry, regardless of size, sector and location.

This Connected Factory Exchange (CFX) standard provides a true “plug and play” Internet of Things (IoT) communication environment throughout manufacturing, where all equipment, manufacturing processes and transactional stations can communicate with each other without the need for the development and use of bespoke interfaces. CFX-enabled equipment and solutions from different vendors work seamlessly together.

There are many types of users of this CFX standard, including equipment vendors, solution providers, in-house information technology (IT) groups, etc. The many types of data included in CFX are used in different ways depending on the application; for example, closed-loop feedback systems, live production dashboards, traceability (IPC-1782), manufacturing execution systems (MES) control, lean supply chain management, active quality management, production control, etc.

As CFX data is fully omnidirectional, any CFX endpoint connection can consume data as well as create it. As an illustration, consider the scenario in which a single machine from a certain vendor is connected in-line with other machines from different vendors. CFX messages are sent from the single machine to other machines in the line, and to host systems such as MES. The single machine can also receive CFX messages from all other machines in the line, as well as from the host systems in order to optimize the machine operation and enable the vendor of the machines to create added-value functionality, such as to support machine-specific Industry 4.0. In this way, a smart, digital, Industry 4.0 factory will be comprised of many different Industry 4.0 computerization applications, each of which can be provided by different suppliers, at the machine, line, site and even enterprise levels, all working together, sharing data seamlessly through CFX.

This CFX standard supports the concept of big data by including data of different types from across the factory, including performance, materials, resources, users, quality events, product tracking, etc., all of which can be combined to create a big-data environment. CFX, therefore, provides many kinds of added value opportunities to the whole manufacturing operation, including, for example, improving operational efficiency and productivity, quality and reliability, agility and responsiveness. This CFX standard helps organizations ensure that end users/consumers will receive products and services that meet or exceed their expectations and in the timeliest and most economically viable method.

**1.2 Application of This Standard** This standard defines the communication protocol and content across all assembly production processes, irrespective of type or method of operation. It can also be applied to transactional operations. There are no restrictions in terms of product classification sector, size of operation or location. Surface-mount technology (SMT) production is not required to be a part of the factory. Though intended to support all aspects of printed board production, the use of CFX can be extended downstream to include, for example, mechanical assembly, personalization, packing and shipping, as well as upstream to include, for example, electrical and mechanical subassemblies.

**1.3 CFX and the Hermes Standard** This CFX standard is complementary to IPC-HERMES-9852. The Hermes Standard, as an advanced, intelligent Surface Mount Equipment Manufacturers Association (SMEMA) standard replacement, provides near-instant line control, passing information about production units as they pass down the line. CFX provides vertical messaging that is complementary to Hermes.

**1.4 Updates to This Standard** The IPC Connected Factory Exchange Initiative Subcommittee intends to make frequent incremental revisions to this standard to support additional machines and processes. Version updates are identified by version number and the change (added, removed, etc.), so the reader can easily identify changes in each version. See Figure 1-1 for an example of this version change tracking using a portion of the CFX.Maintenance table of this standard as an example.