

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Fibre optic communication subsystem test procedures –
Part 2-8: Digital systems – Determination of low BER using Q-factor
measurements**

**Procédures d'essai des sous-systèmes de télécommunications fibroniques –
Partie 2-8: Systèmes numériques – Détermination de faibles valeurs de BER en
utilisant des mesures du facteur Q**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC online collection - oc.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Fibre optic communication subsystem test procedures –
Part 2-8: Digital systems – Determination of low BER using Q-factor
measurements**

**Procédures d'essai des sous-systèmes de télécommunications fibroniques –
Partie 2-8: Systèmes numériques – Détermination de faibles valeurs de BER en
utilisant des mesures du facteur Q**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.180.10

ISBN 978-2-8322-9497-0

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	4
1 Scope	6
2 Normative references	6
3 Terms, definitions, and abbreviated terms	6
3.1 Terms and definitions	6
3.2 Abbreviated terms	7
4 Measurement of low bit-error ratios	7
4.1 General considerations	7
4.2 Background to Q-factor	8
5 Variable decision threshold method	10
5.1 Overview	10
5.2 Apparatus	13
5.3 Sampling and specimens	13
5.4 Procedure	13
5.5 Calculations and interpretation of results	15
5.5.1 Sets of data	15
5.5.2 Convert BER using inverse error function	16
5.5.3 Linear regression	17
5.5.4 Standard deviation and mean	18
5.5.5 Optimum decision threshold	18
5.5.6 BER optimum decision threshold	18
5.5.7 BER non-optimum decision threshold	19
5.5.8 Error bound	19
5.6 Test documentation	19
5.7 Specification information	19
6 Variable optical threshold method	19
6.1 Overview	19
6.2 Apparatus	20
6.3 Items under test	20
6.4 Procedure for basic optical link	20
6.5 Procedure for self-contained system	21
6.6 Evaluation of results	22
Annex A (normative) Calculation of error bound in the value of Q	24
Annex B (informative) Sinusoidal interference method	26
B.1 Overview	26
B.2 Apparatus	26
B.3 Sampling and specimens	26
B.4 Procedure	27
B.4.1 Optical sinusoidal interference method	27
B.4.2 Electrical sinusoidal interference method	28
B.5 Calculations and interpretation of results	29
B.5.1 Mathematical analysis	29
B.5.2 Extrapolation	29
B.5.3 Expected results	30
B.6 Documentation	31

B.7 Specification information 31

Bibliography 32

Figure 1 – Sample eye diagram showing patterning effects 9

Figure 2 – More accurate measurement technique using a DSO that samples noise statistics between eye centres 10

Figure 3 – Bit error ratio as a function of decision threshold level 11

Figure 4 – Plot of Q-factor as a function of threshold voltage 12

Figure 5 – Set-up for the variable decision threshold method 14

Figure 6 – Set-up of initial threshold level (approximately at the centre of the eye) 14

Figure 7 – Effect of optical bias 20

Figure 8 – Set-up for optical link or device test 21

Figure 9 – Set-up for system test 21

Figure 10 – Extrapolation of log BER as a function of bias 23

Figure B.1 – Set-up for the sinusoidal interference method by optical injection 27

Figure B.2 – Set-up for the sinusoidal interference method by electrical injection 29

Figure B.3 – BER result from the sinusoidal interference method (data points and extrapolated line) 30

Figure B.4 – BER versus optical power for three methods 31

Table 1 – Mean time for the accumulation of 15 errors as a function of BER and bit rate 7

Table 2 – BER as a function of threshold voltage 16

Table 3 – f_i as a function of D_i 17

Table 4 – Values of linear regression constants 18

Table 5 – Mean and standard deviation 18

Table 6 – Example of optical bias test 22

Table B.1 – Results for sinusoidal injection 28

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIBRE OPTIC COMMUNICATION SUBSYSTEM TEST PROCEDURES –

Part 2-8: Digital systems – Determination of low BER using Q-factor measurements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61280-2-8 has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics. It is an International Standard.

This second edition cancels and replaces the first edition published in 2003. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) correction of errors in Formula (8) in 5.5.2 and in a related formula in 5.5.3;
- b) correction of errors in the references to clauses, subclauses, figures, procedures, and in the Bibliography;
- c) alignment of the terms and definitions in 3.1 with those in IEC 61281-1.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86C/1708/FDIS	86C/1711/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

FIBRE OPTIC COMMUNICATION SUBSYSTEM TEST PROCEDURES –

Part 2-8: Digital systems – Determination of low BER using Q-factor measurements

1 Scope

This part of IEC 61280 specifies two main methods for the determination of low BER values by making accelerated measurements. These include the variable decision threshold method (Clause 5) and the variable optical threshold method (Clause 6). In addition, a third method, the sinusoidal interference method, is described in Annex B.

2 Normative references

There are no normative references in this document.

3 Terms, definitions, and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1.1

amplified spontaneous emission

ASE

optical power associated to spontaneously emitted photon amplified by an active medium in an optical amplifier

3.1.2

bit error ratio

BER

P_e

number of errored bits divided by the total number of bits, over some stipulated period of time

3.1.3

intersymbol interference

ISI

overlap of adjacent pulses as caused by the limited bandwidth characteristics of the optical devices in a fibre optic link

3.1.4

Q-factor

Q

ratio of the difference between the mean voltage of the 1 and 0 rails, to the sum of their standard deviation values