

AS/NZS 62233:2021



Australian/New Zealand Standard™

Measurement methods for electromagnetic fields of household appliances and similar apparatus with regard to human exposure (IEC 62233:2005 (ED.1.0) MOD)



AS/NZS 62233:2021

This Joint Australian/New Zealand Standard™ was prepared by Joint Technical Committee TE-007, Human Exposure to Electromagnetic Fields. It was approved on behalf of the Council of Standards Australia on 16 April 2021 and by the New Zealand Standards Approval Board on 4 May 2021.

This Standard was published on 21 May 2021.

The following are represented on Committee TE-007:

- Australian Centre for Radiofrequency Bioeffects Research
- Australian Industry Group
- Australian Mobile Telecommunications Association
- Australian Radiation Protection and Nuclear Safety Agency
- Commercial Radio Australia
- Communications, Electrical and Plumbing Union — Electrical Division
- Department of Defence (Australian Government)
- Electrical Engineers Association of NZ
- Engineers Australia
- Ministry of Health (NZ)
- National Measurement Institute
- National Radiation Laboratory New Zealand
- Victoria University of Wellington NZ

This Standard was issued in draft form for comment as DR AS/NZS 62233:2021.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.standards.govt.nz

ISBN 978 1 76113 318 3

Australian/New Zealand Standard™

**Measurement methods for
electromagnetic fields of
household appliances and
similar apparatus with regard
to human exposure (IEC
62233:2005 (ED.1.0) MOD)**

First published as AS/NZS 62233:2021.



© IEC Geneva Switzerland 2021 — All rights reserved

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2021

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of either the IEC or the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand). If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please see the contact details on the back cover or the contact us page of the website for further information.

Preface

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee TE-007, Human Exposure to Electromagnetic Fields.

The objective of this document is to define methods for evaluating the electric field strength and magnetic flux density around household and similar electrical appliances, including the conditions during testing as well as measuring distances and positions. This document deals with electromagnetic fields up to 300 GHz.

Appliances may incorporate motors, heating elements or their combination, may contain electric or electronic circuitry, and may be powered by the mains, by batteries, or by any other electrical power source.

Appliances include such equipment as household electrical appliances, electric tools and electric toys. Appliances not intended for normal household use but which nevertheless may be approached by the public, or may be used by laymen, are within the scope of this standard.

This document does not apply to—

- (a) apparatus designed exclusively for heavy industrial purposes;
- (b) apparatus intended to be part of the fixed electrical installation of buildings (such as fuses,
- (c) circuit breakers, cables and switches);
- (d) radio and television receivers, audio and video equipment, and electronic music instruments;
- (e) medical electrical appliances;
- (f) personal computers and similar equipment;
- (g) radio-transmitters; and
- (h) apparatus designed to be used exclusively in vehicles.

This document includes specific elements to assess human exposure as follows:

- (i) Definition of sensor.
- (ii) Definition of measuring methods.
- (iii) Definition of operating mode for appliance under test.
- (iv) Definition of measuring distance and position.

This document is an adoption with national modifications, and has been reproduced from, IEC 62233:2005, *Measurement methods for electromagnetic fields of household appliances and similar apparatus with regard to human exposure*.

The modifications are additional requirements and are set out in [Appendix ZZ](#), which has been added at the end of the source text.

[Appendix ZZ](#) lists the variations to IEC 62233:2005 for the application of this document in Australia and New Zealand.

As this document has been reproduced from an International Standard the following applies:

- (A) In the source text “this International Standard” should read “this document”.
- (B) A full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	11
1 Scope.....	13
2 Normative references	15
3 Terms and definitions	15
3.1 Physical quantities and units	15
3.2 Terms and definitions	15
4 Choice of test method and limit sets	19
5 Measuring methods	19
5.1 Electric fields.....	19
5.2 Frequency range	19
5.3 Measuring distances, positions and operating mode	21
5.4 Magnetic field sensor	21
5.5 Measuring procedures for magnetic fields	21
5.6 Measurement uncertainty	29
5.7 Test report	31
6 Evaluation of results	31
Annex A (normative) Test conditions for the measurement of magnetic flux density.....	39
Annex B (informative) Exposure limits.....	55
Annex C (normative) Determination of coupling factors	59
Annex D (informative) Examples using the limits of Annex B.....	71
Bibliography.....	87
Figure 1 – Recommendations for the choice of the test method starting with the evaluation against the reference levels	33
Figure 2 – Example for dependency on frequency of the reference levels with smoothed edges	35
Figure 3 – Example for a transfer function A corresponding to the reference level of Figure 2	35
Figure 4 – Schematic diagram of the reference method	37
Figure A.1 – Measuring position: top / front (see 3.2.7).....	49
Figure A.2 – Measuring position: around (see 3.2.7)	49
Figure A.3 – Measuring distances for induction hobs and hotplates	53
Figure C.1 – Hot spot.....	59
Figure C.2 – Gradient of flux density and integral G.....	61
Figure C.3 – Equivalent coil position	61
Figure C.4 – Gradients of flux density and coil	63

Figure C.5 – Coupling factor $a_c(r)$ with 0.1 S/m, $A_{\text{sensor}}=100 \text{ cm}^2$, for the whole human body (re-scaled using ICNIRP limits)	69
Figure D.1 – Measurement of the magnetic flux	73
Figure D.2 – Normalized field distribution along the tangential distance r_0	75
Figure D.3 – Numerical model of a homogenous human body	77
Figure D.4 – Details of the construction of the head and shoulders	79
Figure D.5 – Position of source Q against model K	81
Table A.1 – Measuring distances, sensor location and operating conditions.....	41
Table B.1 – Basic restrictions for general public exposure to time varying electric and magnetic fields for frequencies up to 10 GHz – Excerpts	55
Table B.2 – Reference levels for general public exposure to time-varying electric and magnetic fields (unperturbed rms values) – Excerpts	55
Table B.3 – Basic limitations for general public exposure applying to various regions of the body up to 3 kHz – Excerpts	57
Table B.4 – Magnetic field limits for general public exposure: exposure of head and torso – Excerpts.....	57
Table C.1 – Value G [m] of different coils.....	63
Table C.2 – Value of factor $k[\frac{A/m^2}{T}]$ at 50 Hz for the whole human body.....	65
Table D.1 – Transfer function with ICNIRP general public exposure.....	71
Table D.2 – Transfer function with IEEE general public exposure.....	71
Table D.3 - Coupling factor $a_c(r_1)$	73

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MEASUREMENT METHODS FOR ELECTROMAGNETIC FIELDS
OF HOUSEHOLD APPLIANCES AND SIMILAR APPARATUS
WITH REGARD TO HUMAN EXPOSURE**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62233 has been prepared by IEC technical committee 106: Methods for the assessment of electric, magnetic and electromagnetic fields associated with human exposure.

The text of this standard is based on the following documents:

FDIS	Report on voting
106/99/FDIS	106/103/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

INTRODUCTION

This standard establishes a suitable evaluation method for determining the electromagnetic fields in the space around the equipment mentioned in the scope, and defines standardized operating conditions and measuring distances.

This document is designed as one method for measurement and assessment of electromagnetic (EM) fields and their potential effect on the human body by reference to exposure standards. Existing exposure standards, e.g. ICNIRP'98 [11]¹⁾, IEEE C95.1-1999 [22] and IEEE C95.6-2002 [12], present rules for the exposure of humans to EM fields. The simplest and more practical levels [limits] with which to comply are limits (suitably time-averaged in some cases) on the electric (E) and magnetic (B) fields, measured in the absence of the human to be exposed to these fields. These limits are called maximum permissible exposure levels, IEEE-based levels, or reference levels (ICNIRP). Suitable definitions and specified measurement techniques are applied in any exposure compliance measurement or assessment. Compliance with maximum permissible exposure or reference levels is sufficient for positive assessment of meeting these levels as specified in the appropriate exposure standard.

This document addresses the additional measurement and calculation techniques which permit determination of compliance under one set of specified circumstance, without reference to time of exposure or actual exposure conditions. This document is not meant to supplant definitions and procedures specified in exposure standards but is aimed at supplementing the procedure already specified for compliance with exposure.

1) Figures in square brackets refer to the Bibliography.

MEASUREMENT METHODS FOR ELECTROMAGNETIC FIELDS OF HOUSEHOLD APPLIANCES AND SIMILAR APPARATUS WITH REGARD TO HUMAN EXPOSURE

1 Scope

This International Standard deals with electromagnetic fields up to 300 GHz and defines methods for evaluating the electric field strength and magnetic flux density around household and similar electrical appliances, including the conditions during testing as well as measuring distances and positions.

Appliances may incorporate motors, heating elements or their combination, may contain electric or electronic circuitry, and may be powered by the mains, by batteries, or by any other electrical power source.

Appliances include such equipment as household electrical appliances, electric tools and electric toys.

Appliances not intended for normal household use but which nevertheless may be approached by the public, or may be used by laymen, are within the scope of this standard.

This standard does not apply to:

- apparatus designed exclusively for heavy industrial purposes;
- apparatus intended to be part of the fixed electrical installation of buildings (such as fuses, circuit breakers, cables and switches);
- radio and television receivers, audio and video equipment, and electronic music instruments;
- medical electrical appliances;
- personal computers and similar equipment;
- radio transmitters;
- apparatus designed to be used exclusively in vehicles;

The fields of multifunction equipment which is subjected simultaneously to different clauses of this standard and/or other standards shall be assessed using the provisions of each clause/standard for the relevant functions in operation.

Abnormal operation of the appliances is not taken into consideration.

This standard includes specific elements to assess human exposure:

- definition of sensor;
- definition of measuring methods;
- definition of operating mode for appliance under test;
- definition of measuring distance and position.

The measurement methods specified are valid from 10 Hz to 400 kHz. In the frequency range above 400 kHz and below 10 Hz appliances in the scope of this standard are deemed to comply without testing unless otherwise specified in IEC 60335 series.