

IN-LB

Inch-Pound Units

SI

International System of Units

# Integrity and Collapse Resistance of Structural Concrete Floor Systems— Report

Reported by ACI Committee 377

ACI PRC-377-21



American Concrete Institute  
*Always advancing*



## **Integrity and Collapse Resistance of Structural Concrete Floor Systems—Report**

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at <http://concrete.org/Publications/DocumentErrata.aspx>. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided “as is” without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

Order information: ACI documents are available in print, by download, through electronic subscription, or reprint and may be obtained by contacting ACI.

Most ACI standards and committee reports are gathered together in the annually revised the ACI Collection of Concrete Codes, Specifications, and Practices.

**American Concrete Institute**  
**38800 Country Club Drive**  
**Farmington Hills, MI 48331**  
**Phone: +1.248.848.3700**  
**Fax: +1.248.848.3701**

[www.concrete.org](http://www.concrete.org)

# Integrity and Collapse Resistance of Structural Concrete Floor Systems—Report

Reported by ACI Committee 377

Mehrdad Sasani\*, Chair

Serdar Astarlioglu  
Jared E. Brewe  
Ramon Emilio Gilsanz\*  
Matthew J. Gombeda\*

Sashi K. Kunnath  
Hai S. Lew  
Xinzheng Lu\*  
Shalva M. Marjanishvili\*

Sarah Lynn Orton\*  
Michael A. Russillo\*  
Ying Tian\*

## Consulting Members

Bruce R. Ellingwood

Uwe Starossek

\*Task group that developed this report.

Special acknowledgments to S. Cheruku,\* J. Hurff, Y. Jia, M. Joyner, Z. Peng, and A. Trygestad for their contributions to this report.

*This report provides a summary of the present understanding of collapse-resisting mechanisms of reinforced concrete and post-tensioned flat plates, flat slabs, slabs with beams, joist floor systems, and precast floor systems following initial local failures.*

**Keywords:** beam growth; catenary action; collapse resistance; collapse-resisting mechanisms; column removal; compressive membrane action; emulative connection; flat plate; flat slab; floor systems; joist floor; post-punching capacity; post-tensioned; precast; punching; structural integrity.

## CONTENTS

### CHAPTER 1—INTRODUCTION AND SCOPE, p. 1

- 1.1—Introduction, p. 1
- 1.2—Scope, p. 2

### CHAPTER 2—NOTATION AND DEFINITIONS, p. 2

- 2.1—Notation, p. 2
- 2.2—Definitions, p. 2

ACI Committee Reports and Guides are intended for guidance in planning, designing, executing, and inspecting construction. This document is intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. The American Concrete Institute disclaims any and all responsibility for the stated principles. The Institute shall not be liable for any loss or damage arising therefrom.

Reference to this document shall not be made in contract documents. If items found in this document are desired by the Architect/Engineer to be a part of the contract documents, they shall be restated in mandatory language for incorporation by the Architect/Engineer.

### CHAPTER 3—REINFORCED CONCRETE AND POST-TENSIONED FLAT PLATES AND SLABS, p. 3

- 3.1—Introduction, p. 3
- 3.2—Collapse initiation and resisting mechanisms, p. 3
- 3.3—Current integrity provisions, p. 5

### CHAPTER 4—REINFORCED CONCRETE AND POST-TENSIONED SLABS/JOISTS WITH BEAMS, p. 5

- 4.1—Introduction, p. 5
- 4.2—Collapse initiation and resisting mechanisms, p. 6
- 4.3—Current integrity provisions, p. 8
- 4.4—Comparison between ACI 318 integrity provisions and experimental data, p. 9

### CHAPTER 5—PRECAST AND PRETENSIONED FLOORS, p. 10

- 5.1—Introduction, p. 10
- 5.2—Collapse initiation and resisting mechanisms, p. 11
- 5.3—Current integrity provisions, p. 12

### CHAPTER 6—REFERENCES, p. 13

Authored documents, p. 14

ACI PRC-377-21 was adopted and published in October 2021.

Copyright © 2021, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

## CHAPTER 1—INTRODUCTION AND SCOPE

### 1.1—Introduction

Progressive or disproportionate collapse of structures happens with low probability but may cause large-scale—relative to the extent of the initial damage—structural failure. The following are some notable collapse examples that occurred previously in different types of reinforced concrete (RC) buildings during different abnormal events:

*Ronan Point building in the United Kingdom in 1968*—This 22-story precast concrete wall panel building suffered collapse when the partial collapse of one floor due to an accidental explosion propagated down to the rest of the floors.

*Alfred P. Murrah Building in Oklahoma City, OK, in 1995*—The explosion of a truck bomb destroyed an exterior column supporting a transfer girder and the blast may have also destroyed two adjacent exterior columns (Corley 2004). The loss of these columns led to the collapse of nearly half the RC frame building and 168 deaths.

*A flat-plate office building in Jackson, MI, in 1956*—The collapse occurred when concrete placement on the fourth floor resulted in punching failures at the second floor (Feld 1964).

*A flat-plate structure in Boston, MA, in 1971*—The punching failure of a slab-column connection at the roof level propagated all the way to the ground level, resulting in the collapse of two-thirds of the building. Construction overload, poor material properties in cold weather, and inappropriate positioning of slab top reinforcement precipitated this failure (King and Delatte 2004).

*L'Ambiance Plaza in Bridgeport, CT, in 1987*—The 16-story building collapsed during construction. The lift-slab method was used for construction with the floors supported by steel columns. Several potential causes of the collapse were identified, but the triggering collapse mechanism was never established (Martin and Delatte 2000). However, the anomalous design details of the slab unbonded post-tensioning tendons was considered a major factor in the propagation of the collapse after it had begun (Poston et al. 1991).

The aforementioned incidents indicate that, even though collapse takes place with low frequency, disproportionate structural collapse may cause severe consequences. Given that collapse is defined as loss of vertical-load-carrying capacity of structure, floor systems are critically important in providing structural integrity and redistributing gravity loads away from failing components. Once collapse is initiated, often due to column loss, the remaining structural system should be capable of resisting the progression of the collapse. The way in which the floor system redistributes the loads varies with the type of collapse initiation and the type of floor system. Current integrity provisions are intended to aid in redistributing gravity load after an initial failure.

This report is meant to assist engineers and practitioners in addressing an increasing desire by clients demanding designs beyond the integrity requirements in ACI 318.

### 1.2—Scope

The report seeks to summarize our present understanding of collapse initiations, collapse-resisting mechanisms, collapse-resisting strengths of floor systems, and to discuss the role of current integrity provisions in providing resistance to collapse.

This report is designed to be used by engineers, practitioners, and researchers. It will be used to improve understanding of how concrete floor systems redistribute gravity loads following the onset of initial failure. This report can also be used by educators to describe the mechanics of collapse resistance and direct them to the applicable code provisions currently in place.

Each chapter details possible causes of collapse initiation, collapse-resisting mechanisms, collapse-resisting strengths of floor systems, and discussion of relevant code requirements. Chapters 3 and 4 mainly correspond to cast-in-place concrete structures without and with beams, respectively. The focus of Chapter 5 is on precast concrete structures. The report also presents relevant integrity provisions in ACI 318, and CSA A23.3, and the New York City Building Code (2014).

If an engineer is required to perform a comprehensive progressive collapse analysis, including the determination of collapse initiation scenarios, the design guidelines provided by the General Services Administration (GSA) or the Department of Defense (DoD) should be used. Furthermore, this report can be used to supplement current material-specific GSA and DoD guidelines with the approval of the authority having the jurisdiction over the project.

This report is developed based on analytical and experimental studies conducted on RC elements and structures with uniaxial concrete compressive design strength of approximately 3 to 8 ksi (21 to 55 MPa). Application of the collapse-resisting mechanisms discussed herein to high-strength concrete or high-strength reinforcement requires further study.

## CHAPTER 2—NOTATION AND DEFINITIONS

### 2.1—Notation

$A_{sb}$	=	area of bottom slab and beam reinforcement passing through each face of column
$A_{sm}$	=	area of integrity reinforcement required in each principle direction
$F$	=	beam vertical load-carrying capacity
$f_y$	=	specified yield strength of reinforcement
$L$	=	span length of beam or one-way slab
$L_1$	=	governing bay length
$L_n$	=	length of clear span measured face-to-face of supports
$\ell_1$	=	center-to-center span length
$\ell_2$	=	center-to-center span width (perpendicular to $\ell_1$ )
$\ell_x$	=	clear span length in the short direction
$\ell_y$	=	clear span length in the long direction
$M$	=	moment at right end of beam
$M'$	=	moment at left end of beam
$P$	=	beam axial force