

# IPC-HDBK-620

2018 - April

Handbook and Guide to  
IPC-D-620 and IPC/WHMA-A-620

*An international standard developed by IPC*

*Association Connecting Electronics Industries*



---

**The Principles of Standardization**

In May 1995 the IPC's Technical Activities Executive Committee (TAEC) adopted Principles of Standardization as a guiding principle of IPC's standardization efforts.

**Standards Should:**

- Show relationship to Design for Manufacturability (DFM) and Design for the Environment (DFE)
- Minimize time to market
- Contain simple (simplified) language
- Just include spec information
- Focus on end product performance
- Include a feedback system on use and problems for future improvement

**Standards Should Not:**

- Inhibit innovation
- Increase time-to-market
- Keep people out
- Increase cycle time
- Tell you how to make something
- Contain anything that cannot be defended with data

**Notice**

IPC Standards and Publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need. Existence of such Standards and Publications shall not in any respect preclude any member or nonmember of IPC from manufacturing or selling products not conforming to such Standards and Publication, nor shall the existence of such Standards and Publications preclude their voluntary use by those other than IPC members, whether the standard is to be used either domestically or internationally.

Recommended Standards and Publications are adopted by IPC without regard to whether their adoption may involve patents on articles, materials, or processes. By such action, IPC does not assume any liability to any patent owner, nor do they assume any obligation whatever to parties adopting the Recommended Standard or Publication. Users are also wholly responsible for protecting themselves against all claims of liabilities for patent infringement.

**IPC Position Statement on Specification Revision Change**

It is the position of IPC's Technical Activities Executive Committee that the use and implementation of IPC publications is voluntary and is part of a relationship entered into by customer and supplier. When an IPC publication is updated and a new revision is published, it is the opinion of the TAEC that the use of the new revision as part of an existing relationship is not automatic unless required by the contract. The TAEC recommends the use of the latest revision. Adopted October 6, 1998

**Why is there a charge for this document?**

Your purchase of this document contributes to the ongoing development of new and updated industry standards and publications. Standards allow manufacturers, customers, and suppliers to understand one another better. Standards allow manufacturers greater efficiencies when they can set up their processes to meet industry standards, allowing them to offer their customers lower costs.

IPC spends hundreds of thousands of dollars annually to support IPC's volunteers in the standards and publications development process. There are many rounds of drafts sent out for review and the committees spend hundreds of hours in review and development. IPC's staff attends and participates in committee activities, typesets and circulates document drafts, and follows all necessary procedures to qualify for ANSI approval.

IPC's membership dues have been kept low to allow as many companies as possible to participate. Therefore, the standards and publications revenue is necessary to complement dues revenue. The price schedule offers a 50% discount to IPC members. If your company buys IPC standards and publications, why not take advantage of this and the many other benefits of IPC membership as well? For more information on membership in IPC, please visit [www.ipc.org](http://www.ipc.org) or call 847/597-2809.

Thank you for your continued support.



**IPC-HDBK-620**


# **Handbook and Guide to IPC-D-620 and IPC/ WHMA-A-620**

Developed by the IPC-HDBK-620 Handbook Task Group (7-31h) and Wire Harness Design Task Group (7-31k) of the Product Assurance Committee (7-30) of IPC

Users of this publication are encouraged to participate in the development of future revisions.

Contact:

IPC  
3000 Lakeside Drive, Suite 105N  
Bannockburn, Illinois  
60015-1249  
Tel 847 615.7100  
Fax 847 615.7105



**Figure 1-1 Hierarchy of IPC Design and Acceptance Specifications for Cable and Harness Assemblies Incorporating One or More Wiring Technologies (Discrete Wire, Cable, Coaxial, Optical Fiber)**

This handbook is intended to provide information on the design requirements for cable and wiring harness design, to the extent that they can be applied to the broad spectrum of cable and wiring harness design.

It is therefore crucial that decisions concerning the choice of product classification, wiring technology, connectorization requirements, and performance and reliability requirements be made as early as possible.

As wiring and connector technology changes, specific requirements will be updated or new requirements added to the document set.

The IPC invites input on the effectiveness of the documentation and encourages User response through completion of “Suggestions for Improvement” forms located at the end of each document.

## Acknowledgment

Members of the IPC-HDBK-620 Handbook Task Group and Wire Harness Design Task Group worked together to develop this document. We thank them for their dedication and service to this effort. Any document involving a complex technology draws material from a vast number of sources across many continents. While the principal members of the IPC-HDBK-620 Handbook Task Group (7-31h) and Wire Harness Design Task Group (7-31k) of the Product Assurance Committee (7-30) are shown below, it is not possible to include all of those who assisted in the evolution of this standard. To each of them, the members of the IPC extend their gratitude.

---

### Product Assurance Committee

Chair  
Robert Cooke  
NASA Johnson Space Center

Vice Chair  
Debbie Wade  
Advanced Rework Technology-A.R.T

### IPC-HDBK-620 Handbook Task Group

Chair  
Robert Cooke  
NASA Johnson Space Center

Vice Chair  
Sean Keating  
Amphenol Limited (UK)

### Wire Harness Design Task Group

Chair  
Robert Cooke  
NASA Johnson Space Center

Vice Chair  
Sean Keating  
Amphenol Limited (UK)

### Technical Liaison of the IPC Board of Directors

Bob Neves  
Microtek (Changzhou) Laboratories

---

### IPC-HDBK-620 Handbook Task Group

Jan Saris  
John Tinker  
Kevin Schuld  
Mel Parrish  
Arye Grushka, A. A. Training Consulting and Trade A.G. Ltd.  
Constantino Gonzalez, ACME Training & Consulting  
Debbie Wade, Advanced Rework Technology-A.R.T  
Vu Nguyen, Amphenol Canada Corp  
Sean Keating, Amphenol Limited (UK)  
Robert Potysman, AssembleTronics LLC  
David Greer, AssembleTronics LLC  
Agnieszka Ozarowski, BAE Systems  
Darrell Sensing, BAE Systems  
Thomas Cleere, BAE Systems  
Thomas Carle, Ball Aerospace & Technologies Corp.  
Gerald Leslie Bogert, Bechtel Plant Machinery, Inc.  
Zenaida Valianu, Celestica International L.P.

Riley Northam, Circuit Technology Inc.  
Kevin Denning, Cirris Systems Corporation  
Bill Downton, Cirris Systems Corporation  
Miguel Dominguez, Continental Temic SA de CV  
David Gillies, Data Cable Company, Inc.  
Vicki Hagen, Delta Group Electronics, Inc.  
Leo Lambert, EPTAC Corporation  
Frederick Santos, General Dynamics Mission Systems  
Carl Olson, Harting, Inc. of North America  
Cory Jenkins, Harting, Inc. of North America  
B.J. Franco, Honeywell Aerospace  
John Mastorides, Honeywell Aerospace  
Loshniban Thavasigamani, Honeywell Aerospace Avionics Malaysia Sdn Bhd  
Richard Rumas, Honeywell Canada

Bob Teegarden, Honeywell International - Torrance  
Mark Northrup, IEC Electronics Corp.  
David Luc, Isola Laminate Systems  
Toshiyasu Takei, Japan Unix Co., Ltd.  
Alan Young, Jet Propulsion Laboratory  
Kay Pulver, L3 Communications  
Kim Souva, L3 Communications Telemetry-West  
Theodore John Laser, L3 Technologies  
Brooke Archuletta, L3 Technologies  
Shelley Holt, L3 Technologies  
Robert Fornefeld, L3 Technologies  
William Fox, Lockheed Martin Missile & Fire Control  
Schuyler Williams, Lockheed Martin Missile & Fire Control  
Daniel Eifert, Lockheed Martin Missile & Fire Control  
Vijay Kumar, Lockheed Martin Missile & Fire Control

---

Dominik Alder, Lockheed Martin Space Systems Company	Sandra Fortune, Northrop Grumman Corporation	Paula Jackson, Raytheon UK
Gregg Owens, Millennium Space Systems	Michael Kunysz, Northrop Grumman SSES	Caroline Ehlinger, Rockwell Collins
Daniel Foster, Missile Defense Agency	Patrick Ryan, Panduit Corp.	Debie Vorwald, Rockwell Collins
Mary Lou Sachenik, Moog Inc.	Vincent Barone, Panduit Corporation	Erik Quam, Schlumberger Well Services
Edward Rios, Motorola Solutions	Matt Garrett, Phonon Corporation	Vern Solberg, Solberg Technical Consulting
Leonard Hee, NASA Ames Research Center	Kevin Laphen, Practical Components Inc.	Terry Clitheroe, Surface Mount Circuit Board Association
Rigo Garcia, NASA Goddard Space Flight Center	Russell Kido, Practical Components Inc.	Rick Hawthorne, TE Connectivity
Chris Fitzgerald, NASA Goddard Space Flight Center	Gabriel Rosin, QGR	Guy Murphy, TE Connectivity Canada Ltd.
Robert Cooke, NASA Johnson Space Center	Lisa Maciolek, Raytheon Company	Michael Steenbeke, Thermo Fisher Scientific
James Blanche, NASA Marshall Space Flight Center	Cindy Hale, Raytheon Company	Gaston Hidalgo, Toyota Motor North America
Charles Gamble, NASA Marshall Space Flight Center	Derek Lehmann, Raytheon Company	Sharon Ventress, U.S. Army Aviation & Missile Command
Garry McGuire, NASA Marshall Space Flight Center	Kathy Johnston, Raytheon Missile Systems	Dave Scidmore, Unlimited Services, Inc.
Blanca Janet Canales, Northrop Grumman	Martin Scionti, Raytheon Missile Systems	Daniel Adducchio, US Air Force Research Lab
Randy McNutt, Northrop Grumman Aerospace Systems	Steve Musante, Raytheon Missile Systems	Brett Miller, USA Harness, Inc.
	Lance Brack, Raytheon Missile Systems	Dave Harrell, ViaSat Inc.
	George Millman, Raytheon Missile Systems	
	Charles Scharnberg, Raytheon Missile Systems	

---

### Wire Harness Design Task Group

Doug Rogers	Agnieszka Ozarowski, BAE Systems	Miguel Dominguez, Continental Temic SA de CV
John Tinker	Darrell Sensing, BAE Systems	David Gillies, Data Cable Company, Inc.
Lawrence Joy	Thomas Cleere, BAE Systems	Jennifer Wagner, Ducommun LaBarge Technologies, Inc.
Kevin Schuld	Joseph Kane, BAE Systems	Leo Lambert, EPTAC Corporation
Mel Parrish	Jonathon Vermillion, Ball Aerospace & Technologies Corp.	Frederick Santos, General Dynamics Mission Systems
Mary Bellon	Thomas Carle, Ball Aerospace & Technologies Corp.	Carl Olson, Harting, Inc. of North America
Constantino Gonzalez, ACME Training & Consulting	Gerald Leslie Bogert, Bechtel Plant Machinery, Inc.	Cory Jenkins, Harting, Inc. of North America
Debbie Wade, Advanced Rework Technology-A.R.T	Zenaida Valianu, Celestica International L.P.	B.J. Franco, Honeywell Aerospace
Darin Cook, Ametek - EMC	Jason Keeping, Celestica International L.P.	John Mastorides, Honeywell Aerospace
Vu Nguyen, Amphenol Canada Corp	Riley Northam, Circuit Technology Inc.	Loshniban Thavasigamani, Honeywell Aerospace Avionics Malaysia Sdn Bhd
Sean Keating, Amphenol Limited (UK)	Kevin Denning, Cirris Systems Corporation	Richard Rumas, Honeywell Canada
Robert Potysman, AssembleTronics LLC	Bill Downton, Cirris Systems Corporation	
David Greer, AssembleTronics LLC		
Douglas Hooper, Astronics - Luminescent Systems Inc.		

---

---

Bob Teegarden, Honeywell International - Torrance	Edward Rios, Motorola Solutions	Martin Scionti, Raytheon Missile Systems
Mark Northrup, IEC Electronics Corp.	Gerd Fischer, NASA Goddard Space Flight Center	Steve Musante, Raytheon Missile Systems
Ife Hsu, Intel Corporation	Rigo Garcia, NASA Goddard Space Flight Center	Lance Brack, Raytheon Missile Systems
Toshiyasu Takei, Japan Unix Co., Ltd.	Chris Fitzgerald, NASA Goddard Space Flight Center	George Millman, Raytheon Missile Systems
Alan Young, Jet Propulsion Laboratory	Robert Cooke, NASA Johnson Space Center	Charles Scharnberg, Raytheon Missile Systems
Sue Powers-Hartman, Killdeer Mountain Manufacturing, Inc.	James Blanche, NASA Marshall Space Flight Center	Gilbert Shelby, Raytheon Systems Company
Kay Pulver, L3 Communications	Charles Gamble, NASA Marshall Space Flight Center	Paula Jackson, Raytheon UK
Kim Souva, L3 Communications Telemetry-West	Garry McGuire, NASA Marshall Space Flight Center	Caroline Ehlinger, Rockwell Collins
Theodore John Laser, L3 Technologies	Blanca Janet Canales, Northrop Grumman	Debie Vorwald, Rockwell Collins
Brooke Archuletta, L3 Technologies	Randy McNutt, Northrop Grumman Aerospace Systems	David Hillman, Rockwell Collins
Shelley Holt, L3 Technologies	Mahendra Gandhi, Northrop Grumman Aerospace Systems	Erik Quam, Schlumberger Well Services
Robert Fornefeld, L3 Technologies	Sandra Fortune, Northrop Grumman Corporation	Christopher Sowards, Sikorsky Aircraft
Paul Schneider, Lockheed Martin Missile & Fire Control	Michael Kunysz, Northrop Grumman SSES	Terry Clitheroe, Surface Mount Circuit Board Association
Schuyler Williams, Lockheed Martin Missile & Fire Control	William Graver, NTS - Baltimore	Rick Hawthorne, TE Connectivity
Daniel Eifert, Lockheed Martin Missile & Fire Control	Patrick Ryan, Panduit Corp.	Guy Murphy, TE Connectivity Canada Ltd.
Vijay Kumar, Lockheed Martin Missile & Fire Control	Vincent Barone, Panduit Corporation	Stephen Tisdale, Tisdale Environmental Consulting LLC
Robert Stringer, Lockheed Martin Missiles & Fire Control	Matt Garrett, Phonon Corporation	Gaston Hidalgo, Toyota Motor North America
Keith Walker, Lockheed Martin Rotary and Mission Systems	Kevin Laphen, Practical Components Inc.	Sharon Ventress, U.S. Army Aviation & Missile Command
Darren Cox, Lockheed Martin Space Systems Company	Russell Kido, Practical Components Inc.	Dave Scidmore, Unlimited Services, Inc.
Dominik Alder, Lockheed Martin Space Systems Company	Gabriel Rosin, QGR	Daniel Adducchio, US Air Force Research Lab
Gregg Owens, Millennium Space Systems	Lisa Maciolek, Raytheon Company	Brett Miller, USA Harness, Inc.
Daniel Foster, Missile Defense Agency	Cindy Hale, Raytheon Company	Dave Harrell, ViaSat Inc.
Mary Lou Sachenik, Moog Inc.	Roger Miedico, Raytheon Company	Bud Bowen, Winchester Electronics Division
	Derek Lehmann, Raytheon Company	
	Kathy Johnston, Raytheon Missile Systems	

This Page Intentionally Left Blank

# Table of Contents

<b>1 GENERAL</b> .....	1	3.17 Intellectual Property (IP) Control Requirements .....	16
1.1 Scope .....	1	3.18 Quality Management System (QMS) Requirements .....	16
1.2 Purpose .....	1	<b>4 GENERAL DESIGN CONSIDERATIONS</b> .....	17
1.3 Applicability .....	2	4.1 General Manufacturing and Assembly .....	17
1.4 Performance/Product Classification .....	2	4.2 Thermal Management .....	17
1.5 Measurement Units and Applications .....	2	4.2.1 Touch Temperature .....	18
1.5.1 Graphics .....	2	4.2.2 Conduction .....	18
1.6 Terms and Definitions .....	2	4.3 Design for Safety .....	18
1.7 Health and Safety .....	3	4.4 Shipping and Physical Shock .....	18
1.7.1 Chemicals .....	3	4.5 Selection of Parts, Materials, and Tools .....	18
1.7.2 Ergonomic Factors .....	3	4.5.1 Standard Parts and Materials .....	19
<b>2 APPLICABLE DOCUMENTS</b> .....	3	4.5.2 Counterfeit EEE Parts Avoidance .....	19
2.1 Aerospace .....	3	4.5.3 Non-Standard Parts and Materials .....	19
2.2 Commercial .....	3	<b>5 MATERIALS AND PROCESSES</b> .....	19
2.3 Federal .....	4	5.1 Materials and Processes – Non-Metals .....	19
2.4 Military Handbooks .....	4	5.1.1 Composition and Processing .....	19
2.5 Military Specifications .....	4	5.1.2 Compatibility .....	19
2.6 Other .....	5	5.1.3 Special Considerations .....	19
2.7 Reference .....	5	5.1.4 Polymer Materials .....	19
2.8 Guidance on Use of “Inactive for New Design” Documents .....	10	5.1.5 Prohibited/Restricted Usage Parts, Materials, Processes (PMP) .....	24
2.9 Documentation References .....	10	<b>6 CABLE AND WIRE HARNESS ASSEMBLIES</b> .....	31
<b>3 ENGINEERING DESIGN</b> .....	10	6.1 Connector Selection .....	31
3.1 General .....	10	6.1.1 Common Connector Definitions .....	31
3.2 Design Philosophy .....	10	6.1.2 Top Level Considerations .....	32
3.3 Establishing the Design Team .....	11	6.1.3 Connector Overview .....	33
3.4 Defining Reliability Requirements .....	11	6.2 Connector Types .....	33
3.5 Understanding the Life Cycle .....	12	6.2.1 Circular Connectors .....	34
3.5.1 Defining the Life Cycle Environment .....	12	6.2.2 Rectangular Connectors .....	34
3.6 System Requirements Specification (SyRS) ....	12	6.2.3 Hermetically-Sealed Connectors .....	36
3.6.1 Interface Control Document (ICD) .....	12	6.2.4 Radio Frequency (RF) Connectors .....	36
3.6.2 Engineering Drawings .....	13	6.2.5 Special Application Connectors .....	38
3.7 Performance and Reliability .....	15	6.3 Shells .....	38
3.8 Interchangeability .....	15	6.3.1 Shell Keyway and Other Types of Keying Provisions .....	38
3.9 Design for Maintainability (DFM) .....	15	6.3.2 Shell Base Material Finish .....	39
3.10 Ergonomic Design .....	16	6.3.3 Shell Plating Finish .....	41
3.11 Design Compliance Monitoring .....	16	6.3.4 Shell Finish Selection .....	41
3.12 Service Life .....	16	6.4 Contact Body/Insert .....	41
3.13 Workmanship .....	16	6.4.1 Glass Hermetic .....	42
3.14 Environmental Requirements .....	16	6.5 Contacts .....	42
3.15 Packaging, Handling, Shipping, and Transportation (PHS&T) .....	16		
3.16 Documentation Requirements .....	16		

6.5.1	Basic Identification Number (BIN) Code Color Bands .....	44	7.12	Smoke and Fire Hazards .....	61
6.6	Connector Coupling Mechanism .....	44	7.13	Corona .....	61
6.6.1	Bayonet Pin .....	44	<b>8</b>	<b>CORROSION CONTROL</b> .....	62
6.6.2	Threaded .....	45	8.1	Selection of Metals in Direct Contact .....	62
6.6.3	Anti-Rotation/Vibration-Resistant .....	45	8.2	Wiring Issues – Green Contamination .....	62
6.6.4	Reverse Bayonet .....	45	8.2.1	Copper Phthalate (C <sub>8</sub> H <sub>4</sub> CuO <sub>4</sub> ) .....	62
6.6.5	Quick-Release/Break-Away Connectors .....	45	8.2.2	Copper Abietate (Cu(C <sub>20</sub> H <sub>29</sub> O <sub>2</sub> ) <sub>2</sub> ) .....	62
6.6.6	Push-Pull Connectors .....	45	8.2.3	Copper (II) Chloride (CuCl <sub>2</sub> ) .....	63
6.7	Rear Accessories .....	46	8.3	The Do's of Cable and Wiring Harness Design .....	63
6.7.1	Cable Grommet Nut .....	46	8.4	The Don'ts of Cable and Wiring Harness Design .....	64
6.7.2	Cable Strain Relief .....	46	<b>9</b>	<b>BONDING (ELECTRICAL)</b> .....	65
6.7.3	Braid Termination .....	47	9.1	Purposes of Bonding .....	65
6.7.4	Integral Back Shell .....	48	9.1.1	Voltage Drop Issues .....	65
6.8	Example of Connector Part Numbering .....	48	9.1.2	Electromagnetic Pulse (EMP)/Lightning Protection .....	65
6.9	Connector Installation .....	48	9.1.3	EMI/RFI/EMC .....	66
6.9.1	Circular Connector Installation .....	49	9.2	Resistance Criteria .....	67
6.9.2	Rectangular Connector Installation .....	49	9.3	Direct Bonds .....	67
6.10	Potting .....	49	9.3.1	Contact Resistance .....	67
6.11	Safety Wiring .....	49	9.3.2	Surface Contaminants .....	68
6.12	Dust Protection .....	49	9.3.3	Surface Hardness .....	68
6.13	Connector Accessories .....	49	9.3.4	Contact Pressure .....	68
6.14	Connector Saver .....	50	9.3.5	Bond Area .....	68
<b>7</b>	<b>WIRING SELECTION</b> .....	50	9.3.6	Direct Bonding Techniques .....	68
7.1	Wire and Cable Conductors .....	50	9.3.7	Indirect Bonds .....	71
7.1.1	Aluminum Wire .....	50	9.3.8	Surface Preparation .....	72
7.1.2	Copper Wire (Uncoated) .....	51	9.3.9	Completion of the Bond .....	73
7.1.3	Nickel/Electroless Nickel-Coated .....	51	9.3.10	Bond Corrosion .....	73
7.1.4	Silver-Coated Copper Wire .....	51	<b>10</b>	<b>CABLE AND WIRE HARNESS ASSEMBLY, FABRICATION, AND INSTALLATION</b> .....	75
7.1.5	Tin-Coated Copper Wire .....	52	10.1	Cold Flow .....	75
7.1.6	Stainless Steel .....	52	10.1.1	Load Types .....	75
7.2	Conductor Construction .....	52	10.1.2	Initiator Mechanisms .....	76
7.2.1	Solid Conductors .....	52	10.1.3	Prevention .....	76
7.2.2	Stranded Conductors .....	53	10.1.4	Diagnostic/Inspection Methods .....	76
7.2.3	Braided Conductors .....	54	10.2	Wiring Mockup .....	77
7.2.4	Cables .....	56	10.3	Arrangement and Harnessing .....	77
7.3	Insulation .....	59	10.3.1	Bundle and Group Size .....	77
7.4	Wire Size and De-Rating .....	59	10.3.2	Dead Ending .....	78
7.5	Wire and Cable Identification .....	60	10.3.3	Splicing .....	78
7.6	Wire Size/Color Code System .....	60	10.4	Routing .....	81
7.7	Wire for Electromagnetic Interference (EMI) .....	61	10.5	Stress Relief and Mechanical Support .....	81
7.8	Service Life .....	61	10.6	Drip Loops/Legs .....	81
7.9	Accessibility .....	61	10.7	Slack in Cable and Wiring .....	81
7.10	Manufacturing Processes .....	61			
7.11	Maintenance and Repair .....	61			

10.8	Connector Termination .....	82	10.26.2	Crimp Terminations .....	97
10.9	Lug Termination .....	82	10.26.3	Other Shield Termination Solutions .....	98
10.10	Strain Protection .....	82	10.26.4	Floating Shield Termination .....	98
10.11	Free Movement .....	82	10.26.5	Ground Lead (Ground Pick) .....	98
10.12	Cable and Wire Shifting .....	82	10.26.6	Mass Termination of Ground Leads .....	99
10.13	Inspection and Maintenance .....	82	<b>11</b>	<b>FIBER OPTIC CABLES (IPC-A-640/ IPC-D-640) .....</b>	<b>100</b>
10.14	Protection and Support .....	82	11.1	Design .....	100
10.14.1	Tape .....	83	11.2	Reliability and Quality .....	103
10.14.2	Sleeving .....	83	11.3	Splicing .....	103
10.14.3	Straps/Clamps .....	84	11.3.1	Mechanical Splicing .....	103
10.14.4	Lacing Cord/Tape .....	84	11.3.2	Fusion Splicing .....	103
10.14.5	Cable Tie .....	86	11.4	Quick Termination Fiber Optic Connectors .....	104
10.15	Bend Radius .....	86	11.4.1	Applications for Quick Termination Fiber Connectors: .....	104
10.16	Routing Near Moving Parts or Controls .....	86	11.4.2	Applications for Traditional Epoxy and Polish Fiber Connectors: .....	104
10.17	Ground Return .....	87	<b>12</b>	<b>IDENTIFICATION AND MARKING METHODS ...</b>	<b>104</b>
10.18	Shielded Wire Grounding .....	87	12.1	Hot Stamp Marking .....	104
10.19	Group (Cluster) Grounding of Individual Shield Terminations .....	87	12.2	Inkjet Marking .....	105
10.20	Daisy Chain Grounding of Individual Shield Terminations .....	87	12.3	Dot Matrix Marking .....	105
10.21	Separation of Redundant Systems .....	89	12.4	Laser Marking .....	105
10.22	Terminal Boards and Terminal Junction Modules .....	89	12.5	Hand Ink Pen Marking .....	106
10.22.1	Wire Connections and Terminals .....	89	12.6	Label Marking .....	106
10.22.2	Terminal Lugs and Splices/Stub-Type .....	89	12.7	Heat Shrink Sleeve .....	106
10.22.3	Selection of Terminal Lugs .....	90	12.8	Thermal Marking .....	106
10.22.4	Spare Terminals .....	92	12.9	Fundamental Marking Principals .....	106
10.22.5	Shielding and Shield Terminations .....	92	12.9.1	Correctness of Required Marking .....	106
10.23	General Requirements and Guidance .....	92	12.9.2	Marking Process(s) .....	106
10.23.1	Thermal/Abrasion Protection .....	92	12.9.3	Marking Robustness .....	106
10.23.2	Cleaning and Inspection .....	92	12.10	Marking (Tag/Nameplate) .....	107
10.23.3	Dressing the Termination .....	92	12.10.1	Marking Requirements .....	107
10.23.4	Moisture Protection .....	92	12.10.2	Marking Methods and Materials .....	107
10.24	Shield Design Overview .....	93	12.10.3	Nameplate Drawings .....	107
10.24.1	Braid .....	93	12.10.4	Standard Nameplates .....	107
10.24.2	Foil .....	93	<b>13</b>	<b>GASKETS .....</b>	<b>108</b>
10.24.3	Spiral .....	94	13.1	Conductive Elastomer EMI Gaskets .....	108
10.24.4	Combination .....	94	13.1.1	EMI Gasket Material Types .....	108
10.25	Materials of Construction .....	94	<b>14</b>	<b>FASTENERS .....</b>	<b>109</b>
10.25.1	Bare Copper .....	94	14.1	Bolts/Threaded Fasteners .....	109
10.25.2	Silver-Coated Copper .....	95	14.2	Clamping Force .....	109
10.25.3	Nickel/Nickel-Coated Copper .....	95	14.3	Considerations for Threaded Fasteners .....	109
10.25.4	Magnetic (Mu-Metal) Shield .....	95	14.4	Drawing Requirements for Threaded Fasteners .....	110
10.25.5	Stainless Steel Shield .....	96	14.4.1	Additional Requirements .....	110
10.26	Termination Methods .....	96			
10.26.1	Soldered Shield Terminations .....	96			

14.4.2	Drawing Notes .....	110	<b>16 REPAIR .....</b>	128	
14.4.3	Thread Lock .....	110	16.1	Wire and Cable Splicing and Repair .....	128
14.4.4	Lubricant .....	110	16.1.1	Repairing Damaged Wire Insulation .....	128
14.5	Corrosion Protection .....	111	16.1.2	Wire Bundle Repair .....	128
14.6	Prevailing Torque .....	111	16.2	Connector Repair .....	128
14.7	Thread Projection and Thread Engagement ...	111	16.2.1	Bent Pin Repair .....	128
14.7.1	Thread Projection .....	111	16.3	Corrosion .....	129
14.7.2	Thread Engagement .....	111	16.3.1	Common Types of Corrosion .....	129
14.7.3	Fastener Retention/Locking .....	111	<b>17 CONTENT OF ENGINEERING DRAWINGS FOR CABLE AND/OR WIRE HARNESSSES .....</b>	130	
14.8	Washers .....	113	<b>18 VERIFICATION AND VALIDATION (V&amp;V) .....</b>	132	
14.8.1	Belleville Washers .....	113	18.1	Verification .....	132
14.8.2	Lock Washers .....	114	18.2	Validation .....	132
14.9	Torque .....	114	18.3	Environmental Tests .....	133
14.9.1	Definitions .....	114	18.3.1	Salt Atmosphere (Corrosion) (Salt Spray) (MIL-STD-202, Test Method 101) .....	133
14.9.2	Standard Torque Values .....	115	18.3.2	Salt Fog (MIL-STD-810, Test Method 509) .....	133
14.9.3	Nonstandard Torque Values .....	116	18.3.3	Acidic Atmosphere (MIL-STD-810, Test Method 518) .....	133
14.9.4	Torque Tolerances .....	116	18.3.4	Humidity – Component (MIL-STD-202, Test Method 103) .....	133
14.9.5	Prevailing Torque .....	116	18.3.5	Humidity – Enclosure (MIL-STD-810, Test Method 507) .....	134
14.9.6	Lubricants .....	116	18.3.6	Immersion – Seal Effectiveness (MIL- STD-202, Test Method 104) .....	134
14.9.7	Manufacturer’s Suggested Torque .....	116	18.3.7	Immersion – Operation (MIL-STD-810, Test Method 512) .....	134
14.9.8	Basic Torque Determination .....	116	18.3.8	Seal (MIL-STD-202, Test Method 112) .....	135
14.9.9	Basic Torque Equations .....	118	18.3.9	Barometric Pressure (Reduced) (MIL- STD-202, Test Method 105) .....	135
<b>15 ASSEMBLY .....</b>		120	18.3.10	Low Pressure (Altitude) (MIL-STD-810, Test Method 500) .....	135
15.1	Electrostatic Discharge (ESD) Control Program .....	120	18.3.11	Moisture Resistance (MIL-STD-202, Test Method 106) .....	135
15.2	Foreign Object Debris (FOD) .....	120	18.3.12	Low Temperature (MIL-STD-810, Test Method 502) .....	136
15.2.1	FOD Control .....	120	18.3.13	High Temperature (MIL-STD-810, Test Method 501) .....	136
15.2.2	Identification of Failure Modes and Problem Areas .....	121	18.3.14	Thermal Shock (MIL-STD-202, Test Method 107) .....	136
15.2.3	Effective Industry Practices/Lessons Learned .....	121	18.3.15	Temperature Shock (MIL-STD-810, Test Method 503) .....	136
15.2.4	FOD Process Controls .....	121	18.3.16	Life at Elevated Ambient Temperature (MIL-STD-202, Test Method 108) .....	136
15.3	Design Considerations To Improve Environmental Resistance .....	122	18.3.17	Explosion (MIL-STD-202, Test Method 109) .....	137
15.3.1	Adhesives and Adhesive Bonding .....	122	18.3.18	Explosive Atmosphere (MIL-STD-810, Test Method 511) .....	137
15.3.2	Seal Types and Their Function .....	122			
15.3.3	Cleaning Solvents and Cleaning .....	123			
15.3.4	Primer Application .....	124			
15.3.5	Adhesive/Sealant Application .....	124			
15.4	Soldering .....	126			
15.5	Crimping, Cabling and Harnessing .....	126			
15.6	Torquing .....	126			
15.6.1	Identification of Torqued Fasteners (Torque Striping) .....	126			
15.6.2	Torque Staking .....	127			
15.7	Inspection .....	127			

18.3.19	Sand and Dust (MIL-STD-202, Test Method 110) .....	137	18.6.3	Conducted Emissions, Antenna Terminal, 10 kHz to 40 GHz (MIL-STD-461, CE106) .....	151
18.3.20	Sand and Dust (MIL-STD-810, Test Method 510) .....	137	18.6.4	Conducted Susceptibility, Power Leads, 30 Hz to 150 kHz (MIL-STD-461, CS101) .....	151
18.3.21	Flammability .....	137	18.6.5	Conducted Susceptibility, Antenna Port, Intermodulation, 15 kHz to 10 GHz (MIL-STD-461, CS103) .....	151
18.3.22	Fungus (MIL-STD-810, Test Method 508, RTCA DO-160 Section 13) .....	138	18.6.6	Conducted Susceptibility, Antenna Port, Rejection of Undesired Signals, 30 Hz to 20 GHz (MIL-STD-461, CS104) .....	151
18.3.23	Contamination by Fluids (MIL-STD-810, Test Method 504) .....	138	18.6.7	Conducted Susceptibility, Antenna Port, Cross Modulation, 30 Hz to 20 GHz (MIL-STD-461, CS105) .....	152
18.3.24	Solar Radiation (Sunshine) (MIL-STD-810, Test Method 505) .....	139	18.6.8	Conducted Susceptibility, Transients, Power Leads (MIL-STD-461, CS106) .....	152
18.3.25	Rain (MIL-STD-810, Test Method 506) .....	139	18.6.9	Conducted Susceptibility, Structure Current, 60 Hz to 100 kHz (MIL-STD-461, CS109) .....	152
18.3.26	Icing/Freezing Rain (MIL-STD-810, Test Method 521) .....	139	18.6.10	Conducted Susceptibility, Bulk Cable Injection, 10 kHz to 200 MHz (MIL-STD-461, CS114) .....	152
18.3.27	Freeze/Thaw (MIL-STD-810, Test Method 524) .....	139	18.6.11	Conducted Susceptibility, Bulk Cable Injection, Excitation (MIL-STD-461, CS115) .....	152
18.3.28	UV Aging of Polymeric Outdoor Enclosure Materials (GR-487, section R3-25) .....	139	18.6.12	Conducted Susceptibility, Damped Sinusoidal Transients, Cables and Power Leads, 10 kHz to 100 MHz (MIL-STD-461, CS116) .....	152
18.3.29	HALT Testing .....	140	18.6.13	Radiated Emissions, Magnetic Field, 30 Hz to 100 kHz (MIL-STD-461, RE101) .....	152
18.3.30	HASS Testing .....	140	18.6.14	Radiated Emissions, Electric Field, 10 kHz to 18GHz (MIL-STD-461, RE102) .....	152
18.4	Physical Characteristics Tests .....	140	18.6.15	Radiated Emissions, Antenna, Spurious and Harmonic Outputs, 10 kHz to 40 GHz (MIL-STD-461, RE103) .....	153
18.4.1	Vibration Tests .....	140	18.6.16	Radiated Susceptibility, Magnetic Field, 30 Hz to 100 kHz (MIL-STD-461, RS101) .....	153
18.4.2	Random Drop (MIL-STD-202, Test Method 203) .....	141	18.6.17	Radiated Susceptibility, Electric Field, 2 MHz to 40 GHz (MIL-STD-461, RS103) .....	153
18.4.3	Shock Tests .....	142	18.6.18	Radiated Susceptibility, Transient Electromagnetic Field (MIL-STD-461, RS105) .....	153
18.4.4	Life (Rotational) (MIL-STD-202, Test Method 206) .....	144	18.7	Noise Testing (MIL-STD-1474 and MIL-STD-810) .....	153
18.4.5	Radiographic Inspection (X-ray) (MIL-STD-202, Test Method 209) .....	144	18.7.1	Noise Testing (MIL-STD-1474) .....	153
18.4.6	Terminal Strength (MIL-STD-202, Test Method 211) .....	145	18.7.2	Acoustic Noise (MIL-STD-810, Test Method 515) .....	154
18.4.7	Acceleration Tests .....	145	18.8	Fiber Optic Testing .....	155
18.4.8	Temperature, Humidity, Vibration and Altitude (MIL-STD-810, Test Method 520) .....	145			
18.4.9	Vibro-Acoustic/Temperature (MIL-STD-810, Test Method 523) .....	145			
18.4.10	Hydrostatic, Flow & Pressure Test .....	145			
18.5	Electrical Characteristics Tests .....	146			
18.5.1	Recommended Acceptance/Pre-Installation Testing Sequence .....	146			
18.5.2	Other Electrical Tests .....	149			
18.5.3	Acceptance/Functional Tests .....	150			
18.6	Electromagnetic Interference (EMI) Testing .....	150			
18.6.1	Conducted Emissions, Power Leads, 30 Hz to 10 kHz (MIL-STD-461, CE101) .....	150			
18.6.2	Conducted Emissions, Power Leads, 10 kHz to 10 MHz (MIL-STD-461, CE102) .....	151			

18.8.1	Visual Inspection of Fiber Optic Components (MIL-STD-2042-6, Test Method 6A1) .....	155
18.8.2	Cable Attenuation Test (MIL-STD-2042-6, Test Method 6B1) .....	155
18.8.3	Cable Assembly Link Loss Test (MIL-STD-2042-6, Test Method 6C1) .....	155
18.8.4	Cable Continuity Test (MIL-STD-2042-6, Test Method 6D1) .....	155
18.8.5	Cable Topology End-to-End Attenuation Test (MIL-STD-2042-6, Test Method 6E1) .....	155
18.8.6	Measurement Quality Jumper Selection Test (MIL-STD-2042-6, Test Method 6F1) .....	155
18.8.7	Heavy Duty Connector Mechanical Pull Test (MIL-STD-2042-6, Test Method 6G1) .....	155
18.8.8	BOF Cable Ball Bearing Test (MIL-STD-2042-6, Test Method 6H1) .....	155
18.8.9	BOF Cable Pressurization Test (MIL-STD-2042-6, Test Method 6I1) .....	155
18.8.10	BOF Tube Seal Verification Test (MIL-STD-2042-6, Test Method 6J1) .....	156
18.8.11	Cable Assembly Return Loss Test (MIL-STD-2042-6, Test Method 6K1) .....	156
18.8.12	Cable Topology End-to-End Return Loss Test (MIL-STD-2042-6, Test Method 6L1) .....	156
18.9	Environmental Stress Screening (ESS) (MIL-HDBK-344) .....	156
18.10	Visual and Mechanical Inspection and Testing .....	156
18.10.1	Visual Inspection .....	156
18.10.2	Dimensional Inspection .....	158
18.10.3	Advice on the Use of X-Ray/CSAM .....	158
<b>19</b>	<b>DEFINITIONS AND ACRONYMS</b> .....	<b>159</b>
<b>20</b>	<b>TABLES</b> .....	<b>171</b>

### Figures

Figure 3-1	Cable and Harness Design Process .....	11
Figure 5-1	Waxed Lacing Tape .....	24
Figure 5-2	Red Plague (Cuprous Oxide Corrosion on Wire Strands) .....	26
Figure 5-3	White Plague (Fluorine Attack) .....	26
Figure 5-4	FN/HN Grade Polyimide (Kapton®) Insulated Wiring .....	27
Figure 5-5	Glass/Glass-Like Materials (e.g., Fuses) .....	27
Figure 5-6	Tin Whiskers .....	28
Figure 5-7	Lock Washer (Internal/Split/External Tooth) ...	28
Figure 5-8	Serrated-Face/Wedge-Lock Washer (paired set) .....	28

Figure 5-9	Micro-D Connector (Fiber/Copper Combination) .....	29
Figure 5-10	In-Line Lash Solder Splice .....	30
Figure 6-1	Common Connection Make Up .....	33
Figure 6-2	Assembled Connector Cut Away .....	33
Figure 6-3	Circular Connectors .....	34
Figure 6-4	Rectangular Connectors .....	34
Figure 6-5	D-Shell Connector .....	34
Figure 6-6	Flat/Ribbon Cable .....	35
Figure 6-7	Discrete Wire Termination .....	35
Figure 6-8	Registered Jack (RJ) .....	35
Figure 6-9	Hermetically Sealed Connectors .....	36
Figure 6-10	Micro Hermetic Connectors .....	36
Figure 6-11	RF Connector .....	36
Figure 6-12	Special Application Connectors .....	38
Figure 6-13	Connector Shells .....	38
Figure 6-14	Keyway Designs .....	39
Figure 6-15	Aluminum Shell .....	40
Figure 6-16	Brass Shell .....	40
Figure 6-17	Composite Shell .....	40
Figure 6-18	Titanium Shell .....	40
Figure 6-19	Stainless Steel Shell .....	40
Figure 6-20	Nickel Aluminum Bronze Shell .....	40
Figure 6-21	Example of a Contact Body Insert .....	41
Figure 6-22	Example of Standard Circular Plan Forms Usually Denoted with the Size and Plan Form Type .....	41
Figure 6-23	Contact Options .....	42
Figure 6-24	Example of a Circular Connector with Mixed Contacts .....	42
Figure 6-25	Example of a Circular Connector with Pintail Contacts .....	43
Figure 6-26	Example of a Circular Connector with Power Contacts .....	43
Figure 6-27	Example of a Circular Connector with Optical Fiber Contacts .....	43
Figure 6-28	Example of a Circular Connector with Quadax Contacts .....	43
Figure 6-29	Example of a Dynamic Contact Connector ....	43
Figure 6-30	Example of a Static Contact Connector .....	43
Figure 6-31	Contact, BIN Code Marking .....	44
Figure 6-32	Bin Color Code .....	44
Figure 6-33	Example of a Bayonet Pin Circular Connector .....	44
Figure 6-34	Example of a Threaded Coupling Circular Connector .....	45
Figure 6-35	Example of an Anti-Rotation/Vibration – Resistant Circular Connector .....	45
Figure 6-36	Example of a Reverse Bayonet Circular Connector .....	45
Figure 6-37	Example of a Quick-Release/Break-Away Connector .....	45
Figure 6-38	Example of a Push-Pull Connector .....	46

Figure 6-39	Example of Push-Pull Receptacles Mounted on Enclosure .....	46	Figure 10-4	Lap Splice, Solder Sleeve .....	79
Figure 6-40	Example of a Cable Grommet Nut .....	46	Figure 10-5	Lash Splice, Inline/Parallel .....	79
Figure 6-41	Example of a Strain Relief Clamp Assembly .....	47	Figure 10-6	Lash Splice, End .....	79
Figure 6-42	Example of Quick Clamp Assembly .....	47	Figure 10-7	Crimp Splice, Butt (Uninsulated) .....	80
Figure 6-43	Example of a Band Strap Braided Shield Termination .....	47	Figure 10-8	Crimp Splice, End .....	80
Figure 6-44	Example of a Braid Trap Shield Termination Assembly .....	47	Figure 10-9	Crimp Splice, Parallel .....	80
Figure 6-45	Example of a Constant Force Spring Shield Termination .....	47	Figure 10-10	Crimp Splice, End, Modified Crimp .....	80
Figure 6-46	Example of a Resistance Shrinkable Ring Shield Termination .....	47	Figure 10-11	Example of Cable Installation with Drip Loops .....	81
Figure 6-47	Connectors with an Integral Shield Termination Backshell .....	48	Figure 10-12	Cable Clamp (Insulated) .....	84
Figure 6-48	Example of Connector Part Numbering .....	48	Figure 10-13	Example of a Cable Tie with a Metal Tab .....	86
Figure 6-49	Example of Safety Wiring .....	49	Figure 10-14	Group (Cluster) Grounding of Individual Shield Terminations .....	87
Figure 7-1	Aluminum Wire .....	50	Figure 10-15	Group Grounding of Individual Shield Terminations .....	88
Figure 7-2	Copper Wire (Uncoated) .....	51	Figure 10-16	Daisy Chaining of Individual Shield Terminations .....	88
Figure 7-3	Nickel/Electroless Nickel Coated Copper Wire .....	51	Figure 10-17	Example of Terminal Lugs Connected to Termination Stud .....	89
Figure 7-4	Silver-Coated Copper Wire .....	51	Figure 10-18	Example of M7928-1 Insulation-Restricting Terminal .....	90
Figure 7-5	Tin-Coated Copper Wire .....	52	Figure 10-19	Color Coding of Commercially-Available Insulated Copper Terminal Lug or Splice Crimp (Stub) Terminations (SAE AS7928/4, SAE AS7928/5*, Other**) .....	91
Figure 7-6	Stainless Steel Wire .....	52	Figure 10-20	Color Coding of Insulation-Restricting Insulated Copper Terminal Lug or Splice Crimp (Stub) Terminations (SAE AS7928/1) ..	91
Figure 7-7	Solid Conductor .....	52	Figure 10-21	Example of Metallic Braid .....	93
Figure 7-8	True-Concentric Strand .....	53	Figure 10-22	Example of Foil Shielding .....	93
Figure 7-9	Concentric Strand (ASTM B8) .....	53	Figure 10-23	Spiral Shielding .....	94
Figure 7-10	Bunch Strand (ASTM B174) .....	54	Figure 10-24	Example of Lash Solder Termination .....	97
Figure 7-11	Rope Lay Strand .....	54	Figure 10-25	Example of Solder Ferrule Termination .....	97
Figure 7-12	Flat/Tubular Metal Braid .....	54	Figure 10-26	Example of a Two-Piece Shield Crimp and Drain Wire .....	97
Figure 7-13	LITZ (Woven Wire) .....	55	Figure 10-27	Example of Wire Breakout/Displacement Termination .....	98
Figure 7-14	Example of Multi-Conductor Cable .....	56	Figure 10-28	Example of a Two-Piece Crimp Floating Shield Termination .....	98
Figure 7-15	Ribbon Cable .....	56	Figure 10-29	Cluster Bond Termination .....	99
Figure 7-16	Basic Construction of a Coaxial Cable .....	57	Figure 10-30	Daisy-Chain Termination .....	99
Figure 7-17	Basic Construction of a Twin Coaxial (Twinax) Cable .....	58	Figure 11-1	Basic Types of Optical Cables .....	100
Figure 7-18	Basic Construction of a Triaxial Cable .....	59	Figure 11-2	Breakout Cable Detail .....	101
Figure 7-19	Multi-Color Wiring in Harness Assemblies .....	60	Figure 11-3	Distribution Cable Detail .....	101
Figure 8-1	Copper Phthalate (Green Gunge/ Green Goo) .....	62	Figure 11-4	Armored Cable Detail .....	102
Figure 8-2	Copper Abietate (Green Specks) on Shield Braid .....	63	Figure 11-5	Aerial Armored Cable Detail .....	102
Figure 8-3	Copper (II) Chloride .....	63	Figure 11-6	Mechanical Fiber Optic Splice .....	103
Figure 9-1	Mechanical Load on Bond Resistance .....	69	Figure 11-7	Fusion Fiber Optic Splice .....	103
Figure 9-2	Nomograph of Torque to Bolt Size .....	70	Figure 11-8	Quick Termination Fiber Optic Connector .....	104
Figure 9-3	Rivet Bond Path .....	71	Figure 12-1	Example of Hot Stamp Marking .....	104
Figure 9-4	Basic Corrosion Cell .....	73	Figure 12-2	Example of Ink Jet Marking .....	105
Figure 10-1	AST-Induced Damage Insulation Deformation – 22 AWG Wire .....	77	Figure 12-3	Example of Dot Matrix Marking .....	105
Figure 10-2	Non-AST (NAST) Induced Damage (Insulation Thinning) .....	77	Figure 12-4	Example of Laser Marking .....	105
Figure 10-3	Lap Splice, HST Over-Sleeve .....	79			

Figure 12-5	Example of Label Marking .....	106	Table 20-16	Bond Classification .....	187
Figure 14-1	Fasteners .....	109	Table 20-17	Types of Splices .....	188
Figure 14-2	Threaded Fasteners .....	109	Table 20-18	Stud Terminals, Minimum Tensile Strength In Newtons [Pound-Force] .....	189
Figure 14-3	Lock Wiring .....	111	Table 20-19	Electrical Creepage and Clearance Distance .....	190
Figure 14-4	Types of Belleville Washers .....	113	Table 20-20	DC Resistance of Direct Bonds Between Selected Metals .....	191
Figure 14-5	Combinations of Belleville Washers .....	113	Table 20-21	Standard Electromotive Force (EMF) Series .....	191
Figure 14-6	Lock Washer (Internal/Split/ External Tooth) .....	114	Table 20-22	Galvanic Series of Common Metals and Alloys .....	192
Figure 14-7	Serrated-Face/Wedge-Lock Washer (paired set) .....	114	Table 20-23	MIL-DTL-38999 – Recommended Connector Jam Nut Torque Values .....	193
Figure 15-1	Foreign Object Debris (FOD) Logo set) .....	120	Table 20-24	MIL-DTL-38999 – Recommended Accessory Torque Values .....	193
Figure 15-2	Fastener Torque-Striping .....	126	Table 20-25	Preferred Sizes of Rectangular Nameplates .....	194
Figure 15-3	Fastener Torque Staking .....	127	Table 20-26	Fungi Susceptibility of Materials (MIL-HDBK-454, Table 4-1) .....	194
Figure 16-1	Bent Pin Repair .....	129	Table 20-27	Steady-State Noise Categories (MIL-STD-1474, Table 1-I, RQMT 1) .....	195
<b>Tables</b>			Table 20-28	Summary of Fastener Materials .....	195
Table 20-1	Bend Radius – Metallic Conductors .....	172	Table 20-29	Summary of Fastener Coating Materials .....	196
Table 20-2	Bend Radius – Optical Fiber .....	173	Table 20-30	Verification & Validation (V&V) Inspection/Testing .....	197
Table 20-3	Typical EEE Temperature Ranges .....	174	Table 20-31	RTCA DO-160 Table of Contents .....	200
Table 20-4	Common Connector Plating Finishes .....	175	Table 20-32	Conductor Substitution (Oversized or Parallel) By Wire Gauge (AWG)/Circular Mil Area (CMA) .....	201
Table 20-5	Derating (Class 3, Military Space) .....	176	Table 20-33	Copper Wire Data .....	202
Table 20-6	Typical Current Ratings of Copper Wire .....	177	Table 20-34	Wire Insulation Selection Guidelines .....	204
Table 20-7	Typical Properties of Magnet Wire .....	178	Table 20-35	Typical Torque Values for Common Types and Sizes of Fasteners Used in Cable and Harness Designs .....	213
Table 20-8	Typical Properties of Metallic Braid, Copper (Tubular & Flat) .....	179			
Table 20-9	Typical Properties of Lacing .....	180			
Table 20-10	Typical Properties of Cable Clamps .....	182			
Table 20-11	Wire Size Color Code .....	183			
Table 20-12	Wire Color Coding .....	184			
Table 20-13	Power Conductor Color Coding .....	185			
Table 20-14	Marine Wiring Color Codes .....	186			
Table 20-15	Summary of Circuit Categories and Shielding Requirements .....	186			

---

# Handbook and Guide to IPC-D-620 and IPC/WHMA-A-620

---

## 1 GENERAL

Cables and wiring harnesses are equivalent to the human circulatory and nervous system. They deliver energy, transmit command and control instructions, and collect and distribute sensory data describing not only the environment external to the system, but the health and status of the system itself.

Often the most overlooked, ignored, and “taken for granted” component in a design, high quality cables and wiring harnesses are essential to the performance and reliability of any electrical/electronic system.

It is the Designer’s and Supplier’s responsibility to ensure that the technical issues associated with the design and manufacture of cable assemblies and wiring harnesses are conveyed to the User, and that a dialogue is established, so that appropriate and timely decisions are made commensurate with realistic expectations and reality.

**1.1 Scope** This Handbook is a companion reference to IPC-D-620 “Design and Critical Process Requirements for Cable and Wiring Harnesses” and IPC/WHMA-A-620 “Requirements and Acceptance for Cable and Wire Harness Assemblies” and is intended to provide supporting information, guidance, and technical insight into the design and acceptance requirements for cable and wire harness assemblies.

The intent of this Handbook is to capture “how and why” information and provide additional technical rationale for the specification limits, acceptance criteria, as well as how those specifications and criteria interrelate. In addition, other supporting information is provided to give a broader understanding of the process considerations needed for the design and production of acceptable hardware.

The target user of this Handbook is a process or manufacturing engineer.

Reference materials listed in this text are among those considered as required reading. The User is encouraged to obtain all relevant referenced materials as this document cannot (nor can any single document) cover every material, process, environment, performance, or safety aspect that affect a given design.

This handbook addresses a wide range of technologies and processes used in cable and wiring harness assemblies, including optical fiber technology, adhesives and polymeric, torque, test, etc. Reference materials listed in this text are recommended for reading to obtain a complete understanding of the topics presented. The User is encouraged to obtain all relevant referenced materials as this document cannot (nor can any single document) cover every material, process, environment, performance, or safety aspect that affect a given design.

It is not enough to understand the properties of the various components, materials and processes; the user **should** understand what is to be achieved by the set of selected components, materials, and processes within the end use environment and how to verify that the desired results have been realized.

This document is intended to be used as a reference only. It is the responsibility of the user to determine the suitability of the cable and/or wire harness assembly design as a functional system in the intended end use application.

**1.2 Purpose** IPC-HDBK-620 “Handbook and Guide to IPC-D-620 and IPC/WHMA-A-620” is the cable and wiring harness handbook companion to IPC-D-620 “Design and Critical Process Requirements for Cable and Wiring Harnesses” and IPC/WHMA-A-620 “Requirements and Acceptance for Cable and Wire Harness Assemblies.”

For purposes of this document:

- The Designer is the design agent for the User.
- The User is the individual, organization, company, contractually designated authority, or agency responsible for the procurement or design of electrical/electronic/electromechanical (EEE) hardware, and having the authority to define the class of equipment and any variation or restrictions to the requirements of this document (e.g., the originator/custodian of the contract detailing these requirements). The User is considered the Design Authority.
- The Supplier is considered the individual, organization or company which provides the Manufacturer (assembler) components (e.g., electrical, electronic, electromechanical, mechanical, printed boards, etc.) and/or materials (e.g., solder, flux, cleaning agents, etc.).
- The Manufacturer is considered the entity that provides a service or product to the User.