

# ANSI/ASSP Z459.1-2021

Safety Requirements for Rope Access Systems

Part of the Fall Protection Code



AMERICAN SOCIETY OF  
**SAFETY PROFESSIONALS**



The information and materials contained in this publication have been developed from sources believed to be reliable. However, the American Society of Safety Professionals (ASSP) as secretariat of the ANSI Z359 committee or individual committee members accept no legal responsibility for the correctness or completeness of this material or its application to specific factual situations. By publication of this standard, ASSP or the Z359 committee does not ensure that adherence to these recommendations will protect the safety or health of any persons or preserve property.

**ANSI/ASSP Z459.1 – 2021**

**American National Standard**

**Safety Requirements for  
Rope Access Systems**

Secretariat

**American Society of Safety Professionals**  
520 N. Northwest Highway  
Park Ridge, Illinois 60068

**Approved June 24, 2021**

**Effective August 15, 2022**

**American National Standards Institute**

# American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus and other criteria for approval have been met by the standards developer. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution. The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he/she has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. The American National Standards Institute does not develop standards and will in no circumstance give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretation should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

Caution Notice: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published August 2021 by

**American Society of Safety Professionals**  
**520 N. Northwest Highway**  
**Park Ridge, Illinois 60068**  
**(847) 699-2929 • [www.assp.org](http://www.assp.org)**

Copyright © 2021 by American Society of Safety Professionals  
All Rights Reserved.

No part of this publication may be reproduced  
in any form, in an electronic retrieval system or  
otherwise, without the prior written permission  
of the publisher.

Printed in the United States of America

## Foreword

(This Foreword is not a part of American National Standard Z459.1 – 2021.)

Rope access is a method of working at height, typically using synthetic fiber kernmantle ropes and associated equipment, used to gain access to, be supported at and as a means of egress from a place of work. It is a viable means of achieving 100% fall protection as long as program requirements, the system of work applied by competent technicians, and component and element requirements are adequately met.

Supporting and enabling users of rope access to achieve this complete system of work, in which program management, equipment, competence and supervision are equally important, is the primary intent of this standard. The absence or failure of any part of the complete work system can reduce safety or even render the entire rope access program null.

**History:** This standard is the first edition of a standard intended to address rope access. It is intended to enhance and build upon the language found in earlier editions of ANSI/ASSP Z359.2 regarding rope access. In the case of conflicting information, this document should take precedence.

**Standard Perspective:** This standard is intended for use by all persons concerned with the use of rope access methods for work at height, including technicians, safety managers, specifiers, rope access supervisors, purchasing personnel, trainers, clients and regulatory authorities.

In the spirit of encompassing an as-yet undeveloped area of fall protection standards, this document addresses:

- Program Requirements
- System Requirements, and
- Component and Element Requirements

Equipment specifications and performance criteria for systems, subsystems and components used in rope access methods are covered in this standard as they relate to both the rope access progress system and the rope access backup system. Requirements for adequate training and verification of knowledge and skills through pre-planning efforts prior to the initiation of the job address the needs of both the rope access technician and their manager(s). This standard establishes criteria relevant to rope access program requirements, system requirements, component and element requirements, and personnel requirements for rigging and training.

ANSI Z459.1 is overseen by the ANSI Z359 Committee. The Z359 Committee solicits public input that may suggest revisions to the standard. Such input should be sent to the Secretariat, American Society of Safety Professionals, 520 N. Northwest Highway, Park Ridge, Illinois 60068.

**Normative Requirements:** This standard uses the single column format. The normative requirements appear aligned to the left margin. To meet the requirements of this standard, machinery, equipment and process suppliers and users must conform to these normative requirements. These requirements typically use the verb “shall.”

*NOTE: The informative or explanatory notes in this standard appear indented, in italics, in a reduced font size, which is an effort to provide a visual signal to the reader that this is an informative note, not normative text, and is not to be considered part of the requirements of this standard; this text is advisory in nature only. The suppliers and users are not required to conform to the informative note. The informative note is presented in this manner in an attempt to enhance readability and to provide explanation or guidance to the sections they follow.*

**Revisions:** The Z359 Committee welcomes proposals for revisions to this standard. Revisions are made to the standard periodically (usually every five years from the date of the standard) to incorporate changes that appear necessary or desirable, as demonstrated by experience gained from the application of the standard. Proposals should be as specific as possible, citing the relevant section number(s), the proposed wording, and the reason for the proposal. Pertinent documentation would enable the Z459.1 Committee to process the changes in a timely manner.

**Interpretations:** Upon a request in writing to the Secretariat, the Z359 Committee will render an interpretation of any requirement of the standard. The request for interpretation should be clear, citing the relevant section number(s) and phrased as a request for a clarification of a specific requirement. Oral interpretations are not provided.

Only the Z359 Committee (through the Z359 Secretariat) is authorized to provide any interpretation of this standard.

**Approval:** Neither the Z359 Committee nor the American National Standards Institute (ANSI) approves, certifies, rates or endorses any item, construction, proprietary device or activity.

**Appendices:** Appendices are included in most standards to provide the user with additional information related to the subject of the standard. Appendices are not part of the approved standard.

**Committee Meetings:** The Z359 Committee meets on a regular basis. Persons wishing to attend a meeting should contact the Secretariat for information.

**Standard Approval:** This standard was developed and approved for submittal to ANSI by the Z359 Committee. Approval of the standard does not necessarily imply that all members voted for its approval. At the time of its approval, the ANSI Z359 Standards Committee had the following members:

Thomas Kramer, P.E., CSP, Chair  
Dan Henn, Vice Chair  
Lauren Bauerschmidt, MS Engr, CSP, STS, Secretary  
Jennie Dalesandro, Administrative Technical Support

<b>Organization Represented</b>	<b>Name of Representative</b>
3M	Raymond Mann Steven McPherson
AES Indiana	Nick Hutchinson Michael Wright
American Contractors Insurance Group American Society of Safety Professionals	Michael Overholt, CSP, ARM, CET, CRIS Jubal Hamernik, Ph.D., P.E., DPE John Stephen Frost, CSP
Bashlin Industries, Inc.	Caleb Williams Bradley McGill
Battelle Energy Alliance, LLC Bayer AG	Lawrence McManamon Adam Chapin Chad McDanel
Boeing	Joey Junio, P.E. Segis Wright, CSP, SMS
Buckingham Manufacturing Company	DeForest Canfield Justin Drake
Cajun Industries, LLC CB&I Storage Solutions	Troy Lake Jeff Eggert, P.E. David Freeman
Certified Access Elevated Insight & Engineering Ltd. Elk River, Inc.	Dave Pasco Greg Small, P.Eng., M.Eng. Mark Conover Delisa Calhoun
Ellis Fall Safety Solutions, LLC	J. Nigel Ellis, Ph.D., P.E., CSP, CPE John Whitty, P.E.
ExxonMobil	Freddie Johnson Zachary Shanklin
FallTech	Zachary Winters Bradley Rohlf
Formetco	James Poage Chris Adams
General Motors Company	Graham Parr Ken Mahnick
GME Supply Company	Daniel Pobst Chris Heitkamp
Gorbel Inc.	Allen Baughman Kevin Duhamel
Gravitec Systems, Inc.	David Lough

Guardian Fall	Warren Faber
Harken, Inc.	Andre Pelland
Honeywell	Heather Robertson
INSPEC International Ltd.	Matt Luedtke
International Safety Equipment Association	Giovany Gil
Jelco	Jesus Velasco Garcia
Kee Safety, Inc.	Paul Clarke, CEng, MIMechE
Kiewit Power Constructors Co.	Steven Sum
KMI Construction	Cristine Fargo, CAE
Lawrence Berkeley National Laboratory	Justin Patton
Lawrence Livermore National Security, LLC	Philip Clemmons
Liberty Mutual	William Parsons, P.Eng.
LJB Inc.	Graham Willmott
Malta Dynamics, LLC	Rusty Brown, CSP
Martin/Martin Consulting Engineers	Andrew Cowart
MSA	Jim Kinateder
Murdock Webbing Company, Inc.	Kevin Goodwin, MS, CSP, SMS
National Association of Tower Erectors	Samuel Harreschou, CIH, CSP, PMP, CHMM
National Institute for Occupational Safety & Health	Samuel Pogers, CSP
Pensafe Inc.	Scott Cooper, CSP, CHST
Petzl	Glenn "Cal" Sparks
Pigeon Mountain Industries	Matthew Zaffini
Reliance Industries	Thomas Kramer, P.E., CSP
Rigid Lifelines	Rupert Noton, CEng, MIMechE
Rooftop Anchor, Inc.	David Ivey
	Jenna Pitcher
	Andrew Emmons, P.E.
	Al Jording, P.E.
	Rob Willis
	Tim Bissett
	Peter Cook
	Stephan Gelinias
	John "JP" Jones
	Justin Miller
	Hongwei Hsiao, Ph.D.
	Keith Smith
	Jeremiah Wangsgard
	Keith Luscinski
	Jeff Bowles
	Loui McCurley
	Dan Henn
	W. Joe Shaw
	Arnie Galpin, P.E.
	Kynan Wynne
	Joshua Adam, P.E.

Schreiber Foods	Mark Winchester
Shell Oil Company	George Jerome
SKYLOTEC North America LP	Eileen Hoff, Ph.D., CHFP
SPRAT	Kevin Lord
STE	Douglas Mercier
Sturges Manufacturing, Inc.	Ross Balquist
SureWerx/PeakWorks	Charley Rankin, M.S.
Surface Solutions	Cedric Smith
TEiC Construction Services, Inc.	Michael Wright, P.E., CPE, CSP
Terracon	Mark Williams
Travelers	Tyler Griffith
Tritech Fall Protection Systems, Inc.	Tim Accursi
U.S. Air Force	Juan Rangel
U.S. Army Corps of Engineers	Samuel Terry
U.S. Bureau of Reclamation	Art Schneider
U.S. Department of Energy	Shayne Powers
U.S. Department of Interior - BSEE	Nick Szkotak
U.S. Department of Labor - OSHA	Matt McElvogue, P.E., RWC, RRO
U.S. Navy	Adam Maier
UAW	Scott Richert, CSP, ARM, ALCM
UL	Craig Siciliani, P.E.
Vertical Access LLC	Meridith Conser, P.E.
Wagman, Inc.	Robert Baker
Walt Disney Parks & Resorts	Robert Foster
Werner Co.	David Kloewer, P.E.
	William Eggleston
	Allison Cryns
	Corey Dickson
	Scott Wenzholz, CIH, CSP
	Thomas Rizzi, D.C, CSP
	John Cushing, Jr.
	David Nedorostek
	William Zettler
	Mark Hagemann
	Charles Gum, CSP, ASP
	Shawn Smith, MA, MEng, CSP, SMS
	Matthew Uptmor, OHST
	Beverly Stutts
	Andrew White
	Kelly Streeter, P.E.
	Cory Gaye, CSP
	Chris Daniels, P.E.
	Ian Bevan
	Michael Cameron
	Cody Rappoport

Western Area Power Administration  
WJE

Zachry Group

Edward Crowson  
Daniel Gach  
Kurt Holloway, P.E., SE  
Adam Rubin, MS, CSP

**Observing/Non-Voting Members:**

Flexible Lifeline Systems

High Engineering Corporation  
Lighthouse Safety, LLC

Michael Bailey, P.E.  
John Seto, P.E.  
Brendon Kerber, M.Eng., P.Eng.  
John Corriveau  
Kaylie Lenz

**Subcommittee Z459.1 had the following members:**

Loui McCurley, Chair  
Ian Bevan  
Jeff Bowles  
Kenny Brodin  
Kevin Denis  
Daniel Gach  
Ed Grosse  
Karl Guthrie  
John "JP" Jones  
Catherine Kerry  
David Kloewer, P.E.  
Ivan Lopez  
Keith Luscinski  
Matt McElvogue, P.E. RWC, RRO  
William Parsons, P.Eng.  
Dave Pasco  
William Putnam  
Cedric Smith  
Kelly Streeter, P.E.  
Samuel Terry

**Contents**

- 1. Scope, Purpose, Application, Exceptions and Interpretations ..... 12
  - 1.1 Scope ..... 12
  - 1.2 Purpose ..... 12
  - 1.3 Exceptions ..... 13
  - 1.4 Interpretations ..... 14
- 2. Definitions ..... 14
- 3. Requirements ..... 16
  - 3.1 Program Requirements ..... 16
  - 3.2 System Requirements ..... 18
  - 3.3 Component and Element Requirements ..... 20
- 4. Qualification Testing ..... 25
  - 4.1 Test Equipment ..... 25
  - 4.2 Rope ..... 26
  - 4.3 Descenders ..... 26
  - 4.4 Ascenders ..... 26
  - 4.5 Screw Links ..... 29
  - 4.6 Backup Devices ..... 29
  - 4.7 Cow’s Tails (Rope Access Lanyards) ..... 34
  - 4.8 Rope Access Harness ..... 36
  - 4.9 Hardware ..... 36
  - 4.10 Connectors ..... 36
  - 4.11 Helmet ..... 36
- 5. Marking and User Instructions ..... 36
  - 5.1 General Marking Requirements ..... 36
  - 5.2 Specific Marking Requirements ..... 37
  - 5.3 Instructions ..... 38
- 6. Inspection, Maintenance and Storage of Equipment ..... 38
  - 6.1 Compliance with Manufacturer Instructions ..... 38
  - 6.2 Inspection ..... 38
  - 6.3 Maintenance and Storage ..... 39

7. Rigging and Training .....	39
7.1 Prerequisites .....	39
7.2 Knowledge Requirements - Simple Systems .....	39
7.3 Knowledge Requirements - Complex Systems .....	41
8. References.....	42

## **AMERICAN NATIONAL STANDARD Z459.1 SAFETY REQUIREMENTS FOR ROPE ACCESS SYSTEMS**

### **1. Scope, Purpose, Application, Exceptions and Interpretations**

#### **1.1 Scope**

**1.1.1** This standard sets forth accepted practices for rope access work. It is applicable for use in any environment where ropes are suspended from or connected to a structure or natural feature and used as the primary means of access, egress or support and as the primary means of secondary protection against a fall.

*NOTE: This standard includes minimum program, equipment, component and element requirements for the use and application of the two-rope system, including both progress system and backup system, required for use during rope access work.*

**1.1.2** Where applicable, this standard establishes requirements for the performance, design, marking, qualification, test methods and instructions of key equipment comprising rope access systems for authorized rope access technicians within the capacity range of 130 pounds to 310 pounds (59kg to 141kg).

**1.1.3** This standard should be used in conjunction with other fall protection requirements standards in order to achieve a balanced managed fall protection program.

*NOTE: Additional guidance on training, use, maintenance, removal from service of rope access systems is addressed in ANSI/ASSP Z359.2, Minimum Requirements for a Comprehensive Managed Fall Protection Program, which provides the requirements for overall program management.*

#### **1.2 Purpose**

**1.2.1** This standard addresses minimum requirements for system planning and use as well as, design, manufacture and testing of equipment used for rope access.

**1.2.2** This standard addresses principles and equipment for rope access systems.

*NOTE: Parts of these systems may be similar in appearance to that used for restraint, positioning or fall arrest. However, because such equipment differs in design, use and application, the user should exercise caution to not confuse rope access equipment with these conventional systems.*

**1.2.2.1** This standard addresses all forms of rope access that involve movement up or down and working while being suspended from ropes. This may include traversing, aid climbing, lead climbing and other forms of suspended access.

**1.2.3** This standard addresses all aspects of an effective rope access program, which is not limited to equipment only. The comprehensive rope access program shall be written to include provision for:

- effective management;
- competence specific to rope access;
- suitable equipment.

*NOTE: Rope access technicians, designers, safety managers, competent rope access technicians, purchasing personnel, trainers, clients and regulatory authorities should always consider the entire system of work to ensure correct operation of a rope access system:*